

# CHROMATOGRAPHY

## Focus on vials, closures & chemicals

Delivering convenience, quality and choice to help chromatographers achieve more reliable and efficient sample analysis



Like you, we constantly marvel at the wonders all around us, and within us, that deepen our devotion to the world of science. For over 50 years we've poured that same endless passion into creating and continually refining the Fisherbrand™ portfolio: value-packed products that make your lab life easier – every day when it matters most.

Partnering with industry-leading manufacturers allows us to deliver quality products that are just right for you across all the categories you use most

- Lab Essentials
- Consumables
- Equipment and Instruments
- Safety

In addition to the extensive Fisherbrand range, Fisher Scientific is your partner of choice for chemicals and bioreagents. Fisher Chemical and Fisher BioReagents deliver convenience, quality and consistency and are the leading provider of chemicals and bioreagents to many research sectors, such as academia, pharmaceuticals, biotechnology and healthcare.

- Fisher Chemical offers more than 4,000 chemicals of the highest quality, including 'dry' reagents, ready made solutions and high purity solvents. All chemicals are ISO 9001:2008 certified and undergo rigorous quality assurance and testing procedures, ensuring excellent lot-to-lot and bottle-to-bottle consistency. Supported by a clear and simple grade and application structure, choosing the product that best suits your requirements is easy.
- Fisher BioReagents offers over 1000 products dedicated to molecular biology research, biochemistry and cellular biology. It is your single source for high purity products

*fisherbrand*

 **Fisher  
Chemical**


  
**Fisher BioReagents®**

Together Fisherbrand, Fisher Chemical and Fisher BioReagents offer reliable and essential laboratory products, helping you to produce your best work each and every day.

**New products are constantly being introduced into the Fisherbrand family  
For the full range visit [www.eu.fishersci.com/go/fisherbrand](http://www.eu.fishersci.com/go/fisherbrand)**

This application brochure is dedicated to providing you with a comprehensive selection of key Fisherbrand items from our extensive chromatography consumables portfolio. It features a range of vials, closures and crimpers for GC, HPLC and headspace analysis as well as essential solvents, blends and reagents from Fisher Chemical.

If, however, you are unable to find the right product or simply need some further information then please contact our Product Support Advisors.



Check out our Frequently Asked Questions

### Contact our Product Support Advisors



Tel: +44 (0)1509 555888  
Email: fisheruk.productsupport@thermofisher.com



Tel: +353 (0)1 885 5854  
Email: fsie.sales@thermofisher.com



Tel: +358 9 8027 6280  
Email: fisher.fi.techsupport@thermofisher.com



Tel: +49 (0)800 20 88 40  
Email: FisherDE.ProductSupport@thermofisher.com



Tel: +32 (0)56 260 260  
Email: Benelux.PS@thermofisher.com



Tel: +34 902 239 303  
Email: productsupport.fisher@thermofisher.com



Tel: +49 (0)800/3474370  
Email: FisherDE.ProductSupport@thermofisher.com



Tel: +33 (0)3 88 67 14 14  
Email: fr.technique@thermofisher.com



Tel: +47 22 95 59 59  
Email: psq.no@thermofisher.com



Tel: +45 70 27 99 20  
Email: tsdk@thermofisher.com



Tel: +31 (0)20 487 70 00  
Email: nl.info@thermofisher.com



Tel: +39 02 950 59 478  
Email: it.fisher@thermofisher.com



Tel: +351 21 425 33 50  
Email: pt.fisher@thermofisher.com



Tel: +46 31 352 32 00  
Email: tsse@thermofisher.com



Tel: +41 (0) 56 618 41 11  
Email: ch.tech@thermofisher.com

## Laboratory Reagents Handbook


For a fuller range of Fisher Chemical and Fisher BioReagents, please refer to our Laboratory Reagents handbook. This handbook features...

For the analytical chemist:

- Over 4400 Fisher Chemical products dedicated to many analytical applications, including Optima™ LC/MS grade solvents and high purity acids for trace elemental analysis
  - Colour coded applications
  - Physical & chemical data
  - Hazard, packaging and storage information
  - Detailed specifications

For the life scientist:

- A dedicated section relating to four key application areas
  - Protein chemistry
  - Molecular biology
  - Cell biology
  - Core bioreagents



Electronic version on [www.eu.fishersci.com](http://www.eu.fishersci.com)

Focus on chromatography workflow

General introduction to chromatography

Chromatography vials and closures overview

- Chromatography vials - an overview
- Chromatography closures - an overview
- Types of caps
- Types of septa
- Seal hardness
- Vial certification
- Characteristics and compatibilities

Crimp neck vials ND8

Screw neck vials ND8

Short thread vials ND9

Screw neck vials ND10

Crimp neck vials ND11

Snap ring vials ND11

Screw neck vials ND13

Shell vials

Headspace ND20 (ND18) vials

Headspace autosampler Compatibility chart

Snap cap vials ND18 and ND22

Screw neck vials ND24 (epa)

Screw neck vials for storage purposes

Crimp neck vials for storage purposes

Chromatography accessories

Vial racks and storage boxes

Microplates

General introduction to chemicals

- Chemical grades
- Packaging innovations
- Custom blends and specifications

Chromatography solvents and reagents

Optima™ solvents for LC-MS

Blended Optima™ solvents for LC-MS

Optima™ reagents and additives for LC-MS

Solvents for routine LC-MS applications

Solvents for UHPLC-UV

Solvents for gradient HPLC


Solvents for additional HPLC applications

Solvents and reagents item code selection guides

- Isocratic HPLC grade solvents
- Speciality grade solvents
- Reagents selection guide


Solvents for GC headspace (GC-HS)

Technical resources



## General Introduction to Chromatography

The term 'chromatography' is derived linguistically from the Greek roots chroma and graphe, and literally means "colour writing". It was invented by a Russian botanist, Mikhail Tsvet in the early 1900's, who used it for separating the pigments that make up plant dyes. Most people will probably remember their first introduction to chromatography at school with a marker pen and a piece of filter paper. In this experiment, the marker pen is used to draw a line or a spot on the filter paper which is then dipped in water or another solvent. The solvent then slowly creeps over the surface of the paper separating out the different coloured component dyes as it does so (refer to Fig. 1).



**Fig. 1 Using chromatography to separate the components of coloured marker pens**

There are many different types of chromatography, though all of them work on the same principle, that is, the mixture to be separated is dissolved or dispersed in a carrying medium (a liquid or gas) which is then made to travel through or over a static medium (which can be either a solid or coated solid) in order to effect its separation. The carrying medium is referred to as the mobile phase, whereas the static medium is called the stationary phase. The components of the sample are separated out by virtue of their differing degrees of chemical or physical interactions or affinities with the mobile and stationary phases.

Chromatography can be analytical or preparative. Analytical chromatography is used to determine the existence and possibly also the concentration of components of complex mixtures. Preparative chromatography, however, is used to purify sufficient quantities of a substance for further use, rather than primarily for the purposes of its analysis. As such preparative chromatography can be considered a specialised form of purification.

Chromatography can also be differentiated by virtue of the bed shape or configuration of the stationary phase, i.e. planar, or else columnar in a column or tube.

**Planar chromatography** is a separation technique in which the stationary phase is presented as a plane. The plane can be paper (plain or impregnated) as in paper chromatography, or else a layer of solid particles spread on a support such as a glass plate as in Thin Layer Chromatography (TLC). Different analytes or compounds in the sample mixture travel different distances through the plane according to how strongly they interact with the stationary phase as compared to the mobile phase. Paper chromatography is still a powerful teaching technique, whereas TLC is still valuable as a quick and simple tool for the analysis of sample mixtures, especially pigmented ones.

**Column chromatography**, on the other hand, is a separation technique in which the stationary bed is held within a tube or column. Particles of a solid stationary phase (or a support coated with a liquid stationary phase) may fill the whole inside volume of the tube (packed column) or be distributed as a hollow cylinder just inside the column walls, leaving an open, unrestricted path for the mobile phase in the central core of the tube (open tubular column). Column chromatography can be used as a separation technique for qualification, quantification or purification. There are several different types of liquid column chromatography. Gel filtration, or size exclusion chromatography, is commonly used to separate proteins, peptides or oligonucleotides on the basis of their size, and is used for analysis of molecular weight, for compound separation or for salt removal or buffer exchange. Ion-exchange chromatography, on the other hand, relies on charge-charge interactions between the sample components in the mobile phase and with charges immobilised on a stationary resin, and is also used typically for protein purification. Affinity chromatography, is a separation method based on a highly specific interaction between an immobilised ligand and a binding site, for example, antigen/antibody, enzyme/substrate, or receptor/ligand pairings. It is also used principally for protein purifications. Finally, High Performance Liquid Chromatography (HPLC) is a technical refinement in which the mobile phase is pumped into the column at a defined, high pressure.

HPLC columns are packed with a stationary phase composed of irregularly or spherically shaped particles, a porous monolithic layer, or a porous membrane. Liquid Chromatography-Mass Spectrometry (LC-MS) is simply an HPLC system combined with a mass spectrometry detector, an excellent technique for the assessment of purity.

**Gas Chromatography (GC)** is an analytical separation technique used to analyse volatile substances in a gas mobile phase. In gas chromatography, the sample is first dissolved into a liquid solvent which is then vapourised into a mobile, inert carrier gas phase (normally helium or nitrogen). Sample separation is achieved by virtue of component distribution between the mobile carrier gas and a stationary phase used to pack the heated column. Gas chromatography is one of the only forms of chromatography that does not utilise the mobile phase for interacting with the compound. The stationary phase is either a solid adsorbent, designated gas-solid chromatography (GSC), or a liquid on an inert support, designated gas-liquid chromatography (GLC). GC is therefore an ideal tool for the analysis of gas and liquid samples containing many hundreds or even thousands of different molecules, allowing the identification of both the types of molecular species present and their concentrations. The technique can be used forensically in drugs or explosives detection and analysis, and is invaluable in the analysis of pharmaceuticals and their intermediates, blood alcohols and other metabolites, essential oils and a variety of other food products.

**Therefore, to summarise,** chromatography is a powerful method used for separating complex mixtures with great precision so that they can be purified, analysed and studied such that even very similar components, such as proteins that may only vary by a single amino acid, can be resolved. In fact, chromatography can be used to analyse basically any soluble or volatile substance if the right adsorbent material, carrier fluid, and operating conditions are employed. The conditions under which chromatography are performed are also not normally particularly severe so it can even be used to separate sensitive samples. Furthermore, chromatography is a technique which is able to utilise small samples and low concentrations. It is for all these reasons that chromatography is one of the most powerful analytical tools we have at our disposal in the laboratory, and has therefore found widespread use in a variety of applications such as forensic testing, food regulation, pollution monitoring and for studying complex mixtures in products such as perfume, petrochemicals and pharmaceuticals.

The Fisherbrand range of chromatography products featured in this brochure are focused specifically around our comprehensive portfolio of vials and closures, especially with a view to their compatibility with all autosampler makes and models. We also feature our specialty high purity solvent range, critical ancillary chemicals, and a Fisherbrand supplement of other general laboratory consumables and apparatus essential to your chromatography work. Although our primary focus here is not on our equally extensive range of LC, HPLC and GC columns per se, do not hesitate to contact your local Product Support Advisors who will be only too pleased to assist if this is your specific area of interest.

Vials featured in the following section are packed in a cleanroom environment, providing the highest possible standard of cleanliness for dependable and reliable results. In fact, all Fisherbrand products and Fisher Chemical are always manufactured to the highest possible standards and undergo rigorous quality assurance and testing procedures to ensure that they deliver on our promise of quality, reliability and value time after time.



# Chromatography Vials and Closures - an overview

## Chromatography vials - an overview

In chromatography, a broad variety of glass or plastic vials are used as containers for sample analysis, collection or storage. Since many vials are used with GC or LC autosamplers or other automated instruments, not only are their physical specifications and dimensions crucial for trouble-free operation, but they also have to fulfill strict requirements regarding inertness and cleanliness such that contamination is minimised and analytical results are not compromised. The range of Fisherbrand vials featured in this brochure meet all these stringent demands in a number of ways.

Firstly, almost all vials are made out of 1st hydrolytic class glass. Hydrolytic class glass is very hard and has a low expansion coefficient even at high temperature variations. It shows excellent chemical resistance to acidic and neutral solutions, and even to alkaline solutions due to its own relatively low alkali content. The higher density of the glass surface also offers a higher hydrolytic resistance. Clear glass of 1st hydrolytic class is differentiated into two types by virtue of their expansion coefficient, namely 33 expansion (Type 1, Class A) and 51 expansion (Type 1, Class B), whereas amber is generally only available as 51 expansion. The lower expansion coefficient of 33 implies that this harder clear glass has to be processed at higher temperatures during its manufacture, i.e. approx. 1,200°C as opposed to only 1000°C for 51 expansion glass. Typically, in the USA, clear 33 expansion and amber 51 expansion is used, whereas in Europe, only 51 expansion glass is processed, although from a quality point of view both types are equally suitable for usage in chromatography. Unless otherwise stated, all autosampler vials offered in this brochure (clear and amber glass) are classified as Type I in accordance with the U.S.Ph. 33th ed. and the European Ph. 7th ed, as well as other Pharmacopoeias or E.P. definitions of type 1 hydrolytic class glass including, for example, the Japanese, Italian and DAB Pharmacopoeias.

Secondly, all vials that carry a CleanPack label on the front side of the polypropylene box have been packed in a certified cleanroom after having passed the annealing oven at approx. 600°C. These exceptionally clean conditions represent established pharmaceutical criteria, but do signify a new standard for chromatography vials, such that a 'CleanPack' label on the box is your guarantee of clean, uncontaminated items for reliable and accurate analyses. Furthermore, vial boxes are packed in tamper-proof shrink-wrapping, with resealable openings to minimise contamination of the contents during usage.


Many vial types are available, and it is important to be able to distinguish them based on the design of their neck and the design of their base (refer to Fig. 2 and Fig. 3).

**Fig. 2 Neck design**



\*A headspace neck or headspace vial with bevelled top has a crimp neck whose outer edges are bevelled. In contrast to a flat DIN crimp neck, the liner only has a very small surface to sit on which is a disadvantage regarding tightness (except for Pharma-Fix septa). Headspace necks or bevelled crimp necks are only necessary when using the patented PerkinElmer Pressure Release Seal consisting of an aluminium cap with a slit, a metal star washer plate and a liner with ears. This system only releases excess pressure reliably when using a vial with such a top.



**Fig. 3 Base design**

Besides standard glass vials, Fisherbrand can also supply some pre-silanised versions which reduce the adsorption of polar compounds onto the surface, especially important, for example, during critical protein analyses. Other compounds such as amino acids and phenolics can also react with a glass interface, a problem that is minimised when the surface is silanised.

Apart from glass, some specific applications such as atomic absorption, water and protein analysis and capillary electrophoresis require the use of plastic vials. Fisherbrand also offer a broad range of plastic vials and plastic microvials of different materials (PP, TPX).

Finally, if your application demands delivery of pre-sealed vials (i.e., vials that are either already crimped or screw capped), Fisherbrand can supply any type of vial and closure pre-assembled to your requirements, although it should be noted that all components need to be removed from their CleanPack packaging for us to perform this assembly process and thus can no longer be formally designated as 'cleanroom packed'.

EPA vials can be supplied with or without certificate of cleanliness depending on the requirements. Furthermore, EPA vials can also be supplied pre-assembled with their seals.

## Chromatography closures - an overview

Vial closures, also referred to as seals, are the assembled combination of a cap and a septa. To ensure reliable analyses, it is therefore important that all closures are inert and uncontaminated as well as the vial itself. Therefore, Fisherbrand assemble and pack their seals using a fully automated process adhering to stringent manufacturing conditions, thus eliminating potential contamination by any manual human intervention. During this automated sequence, photocells check the placement and orientation of the liner to ensure that the PTFE lamination always faces inwards towards the actual sample. A gauge control also ensures that only one septum is installed (i.e. no more and no less). Seals and their components are also automatically counted during assembly – and not weighed – to ensure that everything tallies. All closures are packed in transparent, PE tamper-evident zip-lock bags for readily visible identification of their contents. The zip-locks are fully resealable, minimising contamination after opening. Closure batch numbers are also clearly printed on the bags for full traceability.

UltraBond seals are specialised closures where the cap and the septa form an inseparable unit without the use of any glue or adhesive which may pose a contamination risk. Instead, this bond is achieved by means of a patented process which actually changes the molecular interface of the cap and the septa surface so that they form a cohesive unit. UltraBond seals also ensure that the septa is not pushed into the vial during needle penetration, even if the needle is very thick and blunt. UltraBond seals come, for example, as 24mm screw thread types for EPA vials or as 9mm short thread versions.

## Types of caps

Different closure techniques and/or application requirements necessitate specific cap styles and types. To help you visualise the many different types of cap available, see Figure 4 below.

**Fig. 4 Types of caps**



\*A headspace cap is a safety cap for headspace analysis, which should avoid explosion of the vial in case of too much internal pressure. The headspace cap has special score-lines with bridges that break open at an inner pressure of  $3.0 \pm 0.5$  bar. Thus the excess pressure escapes and the risk of vial explosion is avoided.

## Types of septa

The right choice of septa depends on the application. Almost all septa are laminated on one side with PTFE, which has a high chemical resistance and forms an inert barrier between sample and carrier material of the septa. The carrier materials have different physical and chemical properties, such as temperature resistance, resealability properties, cleanliness, hardness, thickness, etc.

The guide below will help you to identify the best septa for your particular application.

Multiple injections? ↓ Good resealability properties necessary ↓ <b>Natural rubber /TEF</b>	Temperature? ↓ -40°C up to 120°C ↓ <b>Natural rubber/TFE Butyl/PTFE</b>	Temperature? ↓ -40°C up to 110°C ↓ <b>Red rubber/ PTFE</b>	Temperature? ↓ -60°C up to 200°C ↓ <b>Silicone/ PTFE</b>	Thin, fragile needle? ↓ Soft and thin septa required ↓ <b>e.g. Silicone /PTFE</b>	Blunt, thick needle? ↓ Slitted/ pre-cut liner as penetration aid (HPLC) ↓ <b>e.g. 11841653</b>	Critical analysis? ↓ Very clean liner required ↓ <b>UltraClean Silicone/PTFE septa</b>	Low coring? ↓ Double sided PTFE laminated liners required ↓ <b>PTFE/Silicone/PTFE PTFE/Butyl/PTFE</b>
---	---	--	--	---	--	--	---

In order to help you visualise the most common septum material combinations available, refer to Fig. 5, below. Please note, however, that their colours do not necessarily provide an indication of the actual liner material itself.

**Fig. 5 Types of liners**



\*Red rubber/PTFE is a synthetic rubber which is softer than natural rubber/TEF and also shows less fragmentation. Furthermore it has a better cleanliness, even though it is not compatible with the analytical purity of silicone. Red rubber is a cost effective septa material for routine analysis in GC and HPLC with a temperature resistance of -40°C up to 110°C. However due to a different molecular structure it doesn't have the outstanding resealability properties like natural rubber for multiple injections.

## Seal hardness

The hardness testing of many materials, including plastics and rubbers, is most commonly measured by the Shore test (also known as the durometer test). This method measures the resistance of materials toward indentation and provides an empirical hardness value. Shore hardness is the preferred method for rubbers/elastomers and is also commonly used for 'softer' plastics such as fluoropolymers. Most septa hardness values are defined using the Shore Scale A. The results obtained from this test with vial seals are a useful guide to their penetrability, which can help when attempting to select the most appropriate needle gauge for sample withdrawal.

**Table 1: Seal hardness in 8mm, 9mm, 11mm, 12mm caps**

Seal material	Hardness, °Shore	Thickness (mm)
Aluminium liner	-	0.06
Butyl red/ PTFE grey	55	1.3
Natural rubber red-orange/butyl red/TEF transparent	45	1.0
Natural rubber red-orange/TEF transparent	60	1.0
Natural rubber red-orange/TEF transparent	60	1.3
PTFE grey/butyl red/ PTFE grey	55	1.3
PTFE red/silicone white/PTFE red	45	1.0
PTFE virginal	53	0.25
PTFE virginal	53	0.2
Red rubber/PTFE beige	45	1.0
Silicone beige/PTFE white	45	1.3
Silicone cream/PTFE red	55	1.5
Silicone cream/PTFE red UltraClean	55	1.5
Silicone dark blue translucent/PTFE natural	35	1.0
Silicone dark blue/PTFE white	45	1.3
Silicone white/PTFE blue with slit	55	1.0
Silicone white/PTFE red	45	1.3
Silicone white/PTFE red UltraClean	45	1.3

**Table 2: Seal hardness in 16, 18 and 20mm caps**

Seal material	Hardness, °Shore	Thickness (mm)	Max. temp, °C
Bromobutyl/PTFE	50	3	120
Butyl red/PTFE grey	55	1.3	-
Butyl red/PTFE grey	55	1.6	-
Butyl red/PTFE grey	55	2.0	-
Chlorobutyl, dark grey	55	3	120
Moulded septa, butyl, dark grey	55	3	120
Moulded septa, butyl/PTFE grey	50	3	120
Natural rubber red-orange/TEF transparent	60	1.3	-
Pharma-fix-septa bromobutyl/PTFE	50	3	120
PTFE red/silicone white/PTFE red	45	1.0	-
Silicone blue transparent/PTFE transparent UltraClean	45	3	200
Silicone blue transparent/PTFE white	45	1.7	200
Silicone blue transparent/PTFE white	45	3	200
Silicone blue transparent/PTFE white UltraClean	45	3	200
Silicone white/aluminium foil	50	3	220
Silicone white/PTFE beige	45	3.2	200
Silicone white/PTFE blue	55	1.5	200
Silicone white/PTFE red	55	1.5	-
UHT silicone dark red/PTFE	45	3	300

## Vial certifications

Certifications become more and more important in order to make processes more reproducible and avoid possible sources of errors right from the beginning. For Fisherbrand vials, the highest quality, consistency and quality control are extremely important and are denoted by three incrementally enhanced certification declarations:



**Specification Certified**

This is a certification and guarantee that Fisherbrand vials and closures meet the strict specification requirements that are essential for autosampler operation. This is achieved by the following measures:

- During the vial manufacturing process, special optoelectronic devices continually monitor their physical specifications (dimensions, etc.) as they go through the production run, and any that fail stringent quality control parameters are automatically rejected.
- Additional manual in-process controls, plus a final visual inspection according to DIN/ISO standards, also ensure functionality and a 'perfect fit' with the autosampler equipment.
- Regular functional tests further ensure that the vial and its components are fully compatible with the autosampler equipment. Reliable analyses can only be achieved if the entire vial assembly (vial, micro-insert and closure) is viable.



**HPLC and GC Certified Kits**

Based on the 'Specification Certified' declaration, products further destined for 'HPLC and GC Certified Kits' undergo further testing on 15 critical parameters. This involves a HPLC/UV and GC/MS-test of the vial/closure combination on blank and trace samples in a near-to-reality procedure. Furthermore:

- HPLC and GC Certified Kits are delivered completely shrink-wrapped for safety and security during transport.
- Available as 9mm short thread vial in clear and amber with suitable closure.



**LC/MS and GC/MS Certified Kits**

Our LC/MS and GC/MS Certified Kits represent Fisherbrand's premium range of certified products. Each lot is tested by LC/MS and GC/MS on blank and trace values. Furthermore:

- Available as clear and amber 9mm short thread vials in the screw-top version for the absolute lowest possible evaporation rate of all autosampler vials.
- Furthermore, the glass surface of these particular screw-top vials possesses very low adsorption characteristics for all types of polar compounds; in fact much lower than all other vials of 1st hydrolytic class glass without surface treatment.
- The closure contains a very soft ultra low bleed (Ultra High Performance) silicone septum with PTFE layer, optimised for ultra trace analysis.
- LC/MS and GC/MS Certified Kits are delivered completely shrink-wrapped for safety and security during transport.

## Characteristics and compatibilities

The tables below (Tables 3, 4 and 5), are for reference purposes only. Many factors affect the physical and chemical characteristics of vials and closures (see Tables 3 and 4 below), but we would kindly remind you that it is your responsibility to do a test under your own conditions to ensure that the product you are using is fully compatible. Table 5, starting on p18, is a comprehensive at-a-glance chart indicating the compatibility of most makes and models of autosampler with the full range of Fisherbrand vials (identified by their catalogue number) as featured in this brochure.

**Table 3: Physical characteristics of vial and closure materials**

Material abbreviation	Material description	Appearance	Max. temp °C	Min. temp °C	Autoclavable	Dry heat	Gamma radiatable	Microwavable	Ethylene oxide	Analytical purity	Fragmentation*	Hardness†	Resealability‡
HDPE	High-density polyethylene	Opaque	120	-35	No	No	Yes	Yes	Yes	Method dependent	Medium	Hard	No resealability
LDPE	Low-density polyethylene	Translucent	100	-40	No	No	Yes	Yes	Yes	Method dependent	Low	Medium hard	No resealability
TPX	Polymethylpentene	Transparent	175	0	Yes	No	Yes	Yes	Yes	Method dependent	Low	Very hard	N/A
PP	Polypropylene	Translucent	135	-20	Yes	No	No	Yes	Yes	Method dependent	Low	Medium hard	No resealability
PTFE	Polytetrafluorethylene	White	260	-200	Yes	Yes	Yes	Yes	Yes	Very high	Low	Very hard (very thin)	No resealability
RR	Red rubber/PTFE	Red/beige	110	-30	No	No	No	No	No	Medium	Medium	Medium hard	Medium
Butyl	Grey butyl	Opaque grey	125	-20	Yes	No	Yes	Yes	Yes	Method dependent	Low to Medium	Soft to medium	Highly resealable
T/S	Silicone/PTFE	White/red	200	-60	Yes	Yes	Yes	Yes	Yes	High	Low to Medium	Soft	Highly resealable
T/S/T	PTFE/Silicone/PTFE	Red/white/red	200	-60	Yes	Yes	Yes	Yes	Yes	High	Very low	Soft to medium	Good
	Viton™	Black	230	-30	Yes	Yes	Yes	Yes	Yes	Medium	Medium	Hard	Low to medium

\* Due to hardness and molecular structure (coring) † Needle penetration ‡ In case of multiple injections

**Table 4: Chemical compatibilities of vial and closure materials**

### Key to chart

E – No damage after 30 days of constant exposure.

G – Little or no damage after 30 days of constant exposure.

F – Some effect after 7 days of constant exposure.

N – Immediate damage may occur. Not recommended for continuous use.

S – Surface.

The first letter of each pair applies to minimum temperature conditions; the second to maximum temperature conditions.

Chemical	LDPE	HDPE	PP	PTFE	TPX	Glass
Acetaldehyde	GN	GF	GN	EE	GN	EE
Acetamide, Sat.	EE	EE	EE	EE	EE	EE
Acetic acid, 5%	EE	EE	EE	EE	EE	EE
Acetic acid, 50%	EE	EE	EE	EE	EE	EE
Acetic acid, Glacial	EG	EE	EG	EE	EG	EE
Acetic anhydride	NN	FF	GF	EE	EG	EE
Acetone	NN	NN	EG	EE	EE	EE
Acetonitrile	EE	EE	FN	EE	FN	EE
Acetophenone	NN	FF	FF	EE	GN	EE
Acrylonitrile	EE	EE	FN	EE	FN	EE
Adipic acid	EG	EE	EE	EE	EE	EE
Allyl alcohol	EE	EE	EE	EE	EG	EE
Aluminium Hydroxide	EG	EE	EG	EE	EG	SS
Amino acids	EE	EE	EE	EE	EE	EE
Ammonia	EE	EE	EE	EE	EE	SS
Ammonia, 25%	EE	EE	EE	EE	EE	SS
Ammonium glycolate	EG	EE	EG	EE	EG	EE
Ammonium hydroxide, 30%	EG	EE	EG	EE	EG	SS
Ammonium Hydroxide, 5%	EE	EE	EE	EE	EE	SS
Ammonium Oxalate	EG	EE	EG	EE	EG	EE
Ammonium Salts	EE	EE	EE	EE	EE	EE

Chemical	LDPE	HDPE	PP	PTFE	TPX	Glass
Amyl Alcohol	EE	EE	EE	EE	EE	EE
Amyl Chloride	NN	FN	EE	EE	NN	EE
Aniline	EG	EG	NN	EE	GF	EE
Aqua Regia	NN	NN	GF	EE	NN	SS
Arsenic Acid	GF	EG	NN	EE	EE	EE
Benzaldehyde	EG	GN	EE	EE	EG	EE
Benzenamine	EG	EG	EG	EE	GF	EE
Benzene	NN	NN	NN	EE	GF	EE
Benzoic Acid, Sat.	EE	EE	EG	EE	EG	EE
Benzyl Acetate	EG	EE	EG	EE	EG	EE
Benzyl Alcohol	NN	FN	NN	EE	NN	EE
Boric Acid	EE	EE	EE	EE	EE	EE
Bromine	NN	FN	NN	EE	NN	EE
Bromobenzene	NN	NN	NN	EE	NN	EE
Bromoform	NN	NN	NN	EE	NN	EE
Bromobenzene	NN	NN	NN	EE	NN	EE
Bromoform	NN	NN	NN	EE	NN	EE
Butadiene	NN	FN	NN	EE	NN	EE
2-Butanol	EE	EE	EE	EE	EG	EE
Butyl Acetate	NN	FF	FF	EE	GF	EE
Butyl Chloride	NN	NN	NN	EE	FN	EE
Butyric Acid	NN	FN	NN	EE	NN	EE

**Table 4: Chemical compatibilities of vial and closure materials, continued**

Chemical	LDPE	HDPE	PP	PTFE	TPX	Glass	Chemical	LDPE	HDPE	PP	PTFE	TPX	Glass
Calcium Hydroxide	EE	EE	EE	EE	EE	SS	Hexane	NN	GF	GF	EE	FN	FN
Calcium Hypochlorite	EE	EE	EE	EE	EG	EE	Hydrazine	NN	NN	NN	EE	NN	NN
Carbazole	EE	EE	EE	EE	EE	EE	Hydrobromic Acid, 4%	EG	EE	EG	EE	EG	EG
Carbon Disulfide	NN	NN	NN	EE	NN	EE	Hydrobromic Acid, 48%	EE	EE	EE	EE	EE	EE
Carbon Tetrachloride	FN	GF	GF	EE	NN	EE	Hydrobromic Acid, 69%	--	-N	EG	EE	EE	EE
Cellosolve Acetate	EG	EE	EG	EE	EG	EE	Hydrochloric Acid, 5%	EE	EE	EE	EE	EG	EG
Chlorine Water	GN	GF	FN	EE	GF	EE	Hydrochloric Acid, 20%	EE	EE	EE	EE	EG	EG
Chlorine, 10% moist	GN	GF	FN	EE	GN	EE	Hydrochloric Acid, 35%	EE	EE	EG	EE	EG	EG
Chlorine, 10% in air	GN	EF	GN	EE	GN	EE	Hydrogen Peroxide, 3%	EE	EE	EE	EE	EE	EE
Chlorine, wet gas	GN	GF	FN	EE	GN	EE	Hydrogen Peroxide, 30%	EG	EE	EG	EE	EG	EG
Chloroacetic Acid	EE	EE	EG	EE	EG	EE	Hydrogen Peroxide, 90%	EG	EE	EG	EE	EG	EG
Chlorobenzene	NN	NN	NN	EE	FN	EE	Iodine crystals	NN	NN	FN	EE	GN	GN
Chloroform	FN	FN	NN	EE	NN	EE	Iodine tincture	EG	EG	GG	EE	NN	EE
Chromic Acid, 10%	EE	EE	EE	EE	EE	EE	Isobutanol	EE	EE	EE	EE	EG	EG
Chromic Acid, 20%	EE	EE	GG	EE	EE	EE	Isopropanol, 100%	EE	EE	EE	EE	EE	EE
Chromic Acid, 50%	EE	EE	GF	EE	GF	EE	Isopropyl Acetate	GF	EG	GF	EE	GF	GF
Chromic:Sulfuric Acid Mixture, 96%	NN	NN	NN	EE	NN	EE	Isopropyl Benzene	FN	GF	FN	EE	NN	NN
Citric Acid, 10%	EE	EE	EE	EE	EE	EE	Isopropyl Ether	NN	NN	NN	EE	EE	EE
Cresol	NN	FN	GF	EE	NN	EE	Lactic Acid, 3%	EG	EE	EG	EE	EG	EG
Cyclohexane	FN	FN	FN	EE	NN	EE	Lactic Acid, 85%	EG	EE	EG	EE	EG	EG
Cyclohexanone	NN	FN	FN	EE	GF	EE	Mercury	EE	EE	EE	EE	EE	EE
Cyclopentane	NN	FN	FN	EE	FN	EE	Methanol, 100%	EE	EE	EE	EE	EE	EE
Decahydronaphthalene	GF	EG	GF	EE	FN	EE	2-Methoxyethanol	EG	EE	EE	EE	EE	EE
Diacetone	NN	NN	GF	EE	FF	EE	Methoxyethyl Oleate	EG	EE	EG	EE	EG	EG
Diacetone Alcohol	FN	EE	EF	EE	EE	EE	Methyl Acetate	FN	FF	GF	EE	EE	EE
Dibutylphthalate	--	-N	NN	EE	GG	EE	Methyl Ethyl Ketone	NN	NN	EG	EE	NN	NN
1,2 Dichloroethane	NN	NN	NN	EE	NN	EE	Methyl Isobutyl Ketone	NN	NN	GF	EE	FF	FF
2,4 Dichlorophenol	NN	NN	NN	EE	FN	EE	Methyl Propyl Ketone	GF	EG	GF	EE	FF	FF
Diethyl Benzene	NN	FN	NN	EE	NN	EE	Methylene Chloride	FN	FN	FN	EE	FN	FN
Diethyl Ether	NN	FN	NN	EE	NN	EE	Propane Gas	NN	FN	NN	EE	NN	EE
Diethyl Ketone	NN	NN	GG	EE	GF	EE	2-Propanol	EE	EE	EE	EE	EE	EE
Diethyl Malonate	EE	EE	EE	EE	EG	EE	Propionic Acid	FN	EF	EG	EE	EF	EE
Diethylamine	NN	FN	GN	EE	FF	EE	Propylene Glycol	EE	EE	EE	EE	EE	EE
Diethylene Dioxide	GF	GG	GF	EE	FN	EE	Propylene Oxide	EG	EE	EG	EE	EG	EE
Diethylene Glycol	EE	EE	EE	EE	EE	EE	Pyridine	NN	NN	NN	EE	NN	EE
Dimethyl Acetamide	FN	EE	EE	EE	FG	EE	Resorcinol, 5%	EE	EE	EE	EE	EE	EE
Dimethyl Formamide	EE	EE	EE	EE	EE	EE	Resorcinol, Sat.	EE	EE	EE	EE	EE	EE
Dimethylsulfoxide (DMSO)	EE	EE	EE	EE	EE	EE	Salicylaldehyde	EG	EE	EG	EE	EG	EE
Dioxane	GF	GG	GF	EE	FN	EE	Salicylic Acid, Sat.	EE	EE	EE	EE	EE	EE
1,4-Dioxane	GF	GG	GF	EE	GF	EE	Salt Solutions, Metallic	EE	EE	EE	EE	EE	SS
Dipropylene Glycol	EE	EE	EE	EE	EE	EE	Silicone Oil	EG	EE	EE	EE	EE	EE
Ethanol, 40%	EG	EE	EG	EE	EG	EE	Silver Nitrate	EG	EE	EG	EE	EE	EE
Ether	NN	FN	NN	EE	NN	EE	Sodium Dichromate	EE	EE	EE	EE	EE	EE
Ethyl Acetate	EE	EE	EG	EE	FN	EE	Sodium Hydroxide, 1%	EE	GF	EE	EE	EE	SS
Ethyl Alcohol (Absolute)	EG	EE	EG	EE	EG	EE	Sodium Hydroxide, 10%	EE	GF	EE	EE	EE	SS
Ethyl Alcohol, 40%	EG	EE	EE	EE	EG	EE	Sodium Hydroxide, 50%	GG	GF	EE	EE	EE	SS
Ethyl Alcohol, 96%	EG	EG	EE	EE	EG	EE	Sodium Hypochlorite, 15%	EE	EE	GF	EE	EE	EE
Ethyl Benzene	NN	NN	NN	EE	NN	EE	Stearic Acid	EE	EE	EE	EE	EE	EE
Ethyl Benzoate	FF	GG	GF	EE	GF	EE	Sulfur Dioxide	NN	FN	NN	EE	NN	EE
Ethyl Benzoate	FF	GG	GF	EE	GF	EE	Sulfur Dioxide, wet or dry	EE	EE	EE	EE	EE	EE
Ethyl Butyrate	GN	GF	GN	EE	FN	EE	Sulfur Salts	FN	GF	FN	EE	FN	EE
Ethyl Chloride	FN	FF	FN	EE	FN	EE	Sulfuric Acid, 6%	EE	EE	EE	EE	EE	EE
Ethyl Chloride, Liquid	FN	FF	FN	EE	FN	EE	Sulfuric Acid, 20%	EE	EE	EG	EE	EG	EE
Ethyl Cyanoacetate	EE	EE	EE	EE	EE	EE	Sulfuric Acid, 30%	EE	EE	GG	EE	EG	EE
Ethyl Lactate	EE	EE	EE	EE	EE	EE	Sulfuric Acid, 60%	EG	EE	EG	EE	EG	EE
Ethylene Chloride	GN	GF	FN	EE	NN	EE	Sulfuric Acid, 96%	GG	GG	FN	EE	GG	EE
Ethylene Glycol	EE	EE	EE	EE	EE	EE	Sulfuric Acid, 98%	GG	GG	FN	EE	GG	EE
Ethylene Oxide Gas	FF	GF	FF	EE	FN	EE	Tartaric Acid	EE	EE	EE	EE	EE	EE
Ethylene Oxide, 100%	FF	GF	FF	EE	FN	EE	Tetrahydrofuran	FN	GF	GF	EE	FF	EE
Fatty Acids	EG	EE	EG	EE	EG	EG	Thionyl Chloride	NN	NN	NN	EE	NN	EE
Fluorine	FN	GN	FN	EG	FN	FN	Toluene	FN	FN	FN	EE	FF	EE
Formaldehyde, 10%	EE	EE	EE	EE	EG	EG	Tributyl Citrate	GF	EG	GF	EE	GF	EE
Formaldehyde, 40%	EG	EE	EG	EE	EG	EG	Trichloroacetic Acid (TCA)	FN	FF	FN	EE	EE	EE
Formalin, 10%	EE	EE	EE	EE	EG	EG	1,2,4-Trichlorobenzene	NN	NN	NN	EE	GF	EE
Formalin, 40%	EG	EE	EG	EE	EG	EG	Trichloroethane	NN	FN	NN	EG	NN	EE
Formic Acid	EG	EE	EG	EE	EF	EF	Trichloroethylene	NN	FN	NN	EE	NN	EE
Formic Acid, 3%	EG	EE	EG	EE	EG	EG	Triethylene Glycol	EE	EE	EE	EE	EE	EE
Formic Acid, 50%	EG	EE	EG	EE	EG	EG	2,2,4-Trimethylpentane	FN	FN	FN	EE	FN	EE
Formic Acid, 85%	EE	EE	EG	EE	EF	EF	Tripropylene Glycol	EE	EE	EE	EE	EE	EE
Formic Acid, 100%	EG	EE	EG	EE	EF	EF	Tris Buffer, Solution	EG	EG	EG	EE	EG	EE
Freon TF	EG	EG	EG	EE	FN	FN	Urea	EE	EE	EE	EE	EE	EE
Glutaraldehyde	EG	EE	EE	EE	FF	FF	Xylene	GN	GF	FN	EE	NN	EE
Glycerine (Glycerol)	EE	EE	EE	EE	EE	EE							

Table 5: Autosampler compatibility chart



1 Crimp Neck ND8

	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Screw Neck ND8	Screw Neck ND8	Short Thread ND9	Screw Neck ND10	Crimp Neck ND11	Crimp Neck ND11	Crimp Neck ND11	Crimp Neck ND11
	11732408 11742408	11561364	11531374 11541374	11717567 11722408	11792408 11782408	11712408	11565874 10560053 11595874 11525884	11515884	11575884 10080952 11515894 10145714 12951011 15166425 15136425 15176425 11871653 11595914 11707597 11727597 11575894 11565894 11595894 11535914 15592310 11515924 11884930 11851673 11814940 11824940	11511474 10521593 11531474	10081022 10326042 11535884 11545884 11565894 10678005 11505894	11865813 11555894	11505884	11555894
Agilent	1050								X		X			
Agilent	1050 (34 Pos. Tray)			X					X		X			
Agilent	1090								X		X			
Agilent	1090 (34 Pos. Tray)			X					X		X			
Agilent	1100								X		X			
Agilent	1200								X		X			
Agilent	1260 Infinity								X		X			
Agilent	1290 Infinity								X		X			
Agilent	61888A								X		X			
Agilent	7673A			X					X		X			
Agilent	7683A			X		X			X		X			
Agilent	HS7694								X		X			
Agilent	7695A													
Agilent	79855(A)								X		X			
Agilent	5880								X		X			
Agilent	5890								X		X			
Agilent	8850 (27 Pos. Tray)								X		X			
Agilent	8850 (22 Pos. Tray)								X		X			
Agilent	8890								X		X			
Agilent	CTC HTS+HTC PAL	X		X	X				X		X			
Agilent	CTC GC PAL	X		X	X				X		X			
Agilent	CTC Combi PAL													
Agilent	Tekmar SOLATEk72													
Agilent	Archon Plug + Trap													
Agilent	AQUATEk 70													
Agilent	7693A						X				X			
Agilent	HS7694													
Agilent	7697A													
Analytik Jena	multi N/C 3000 (TOC)													
Antec Leyden	Alexys						X		X		X			
Antec Leyden	AS 100						X		X	X	X			
Antek	736 Unisampler						X		X	X	X			
Antek	738						X		X	X	X			
Atlas	GL Focus						X		X	X	X			
Beckman	501			X			X		X	X	X			
Beckman	502/502e			X			X		X	X	X			
Beckman	504	X			X									
Beckman	507/507e			X			X	X	X	X	X			
Beckman	508 (System Gold)								X					
Beckman	Marathon						X	X	X	X	X		X	
Beckman	Promis						X	X	X	X	X		X	
Beckman	Triathlon, Standard Tray						X	X	X	X	X		X	X
Beckman	Triathlon, LSV Tray				X									
Beckman	Triathlon, Super-LSV Tray													
Beckman	Triathlon, Micro-Tray	X												
Bruker	LC51				X									
Cambridge Scientific Instruments	205 Series						X		X	X	X			
Cambridge Scientific Instruments	300 Series						X		X	X	X			
Carlo Erba	AS100	X		X	X		X	X	X	X	X		X	
Carlo Erba	AS200	X			X		X		X	X	X		X	
Carlo Erba	A200LC	X			X		X	X	X	X	X		X	
Carlo Erba	AS200S	X			X		X	X	X	X	X		X	
Carlo Erba	AS300	X		X	X		X	X	X	X	X		X	
Carlo Erba	AS800, 42 vial tray						X		X	X	X		X	X
Carlo Erba	AS800, 60 vial tray		X	X	X		X		X	X	X			
Carlo Erba	HS250													
Carlo Erba	HS500													
Carlo Erba	HS800													
Carlo Erba	HS850													
Cecil Instruments	CE4800						X		X	X	X			
Cecil Instruments	AutoQuest						X	X	X	X	X	X		
ETC (LEAP)	LC PAL (216 Pos.)						X	X	X	X	X		X	
ETC (LEAP)	HTX PAL, HTC PAL, HTS PAL (200 Pos. Tray)	X					X	X	X	X	X		X	
ETC (LEAP)	HTX PAL, HTC PAL, HTS PAL (54/98 Pos. Tray)				X		X	X	X	X	X		X	
ETC (LEAP)	HTX PAL, HTC PAL, HTS PAL (32 Pos. Tray)						X	X	X	X	X		X	
ETC (LEAP)	Combi PAL (200 Pos. Tray), GC PAL (200Pos. Tray)	X							X		X		X	
ETC (LEAP)	Combi PAL (98 Pos. Tray), GC PAL (98 Pos. Tray)			X					X		X		X	
ETC (LEAP)	Combi PAL SPME Mode (98 Pos. Tray)								X		X		X	
ETC (LEAP)	Combi PAL (32 Pos. Tray), GC PAL (32 Pos. Tray)								X		X		X	
ETC (LEAP)	Combi PAL SPME Mode (32 Pos. Tray)								X		X		X	
ETC	PAL HPLC-Systems	X					X		X	X	X			
ETC	PAL Combi-xt Liquid Mode	X					X		X	X	X			
ETC	Combi-xt Headspace Option													
ETC	GC-xt Headspace Option	X					X		X	X	X			
ETC	PAL HTC-xt	X					X		X	X	X			
ETC	HTS-xt	X					X		X	X	X			
ETC	HTX-xt	X					X		X	X	X			
ETC	Combi-xt SPME Options													
ETC	A200S	X			X		X		X	X	X			
ETC	A200 LC	X			X		X	X	X	X	X		X	
ETC	HS 500													
DANI	ALS 39.80								X		X			
DANI	ALS 86.80								X		X			



Table 5: Autosampler compatibility chart, continued



2 Snap Ring ND11

		Snap Ring ND11	Screw Neck ND13	Shell Vials	Shell Vials	Shell Vials	Shell Vials	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Screw Neck ND24 (EPA)
		11525894 11535894 11545894 11545914 12672485 15219488 11585914 11569324 11525824 11545824 11717597 11894930 11804940 11834940	10571013 11556044 11576044 11586044	10306062	10145424 10506075 11561374 10224852	11555914 11565914	11516074 10455982	10663303	10681033 10195012	12990951 10080822 10152512 12981241	10680843 12971231 15552340	11506114 12941221 11526114 12951221 10070952 10510323 12910991	10192652	11520545	10465982 10000782 10758874 11510585 11798256 11530585 11540585 11550585
Agilent	1050	X													
Agilent	1050 (34 Pos. Tray)														
Agilent	1090	X													
Agilent	1090 (34 Pos. Tray)														
Agilent	1100	X													
Agilent	1200	X													
Agilent	1260 Infinity														
Agilent	1290 Infinity														
Agilent	G1888A		X								X				
Agilent	7673A														
Agilent	7683A														
Agilent	HS7694		X								X				
Agilent	7695A														X
Agilent	7985(A)	X													
Agilent	5880														
Agilent	5890														
Agilent	8850 (27 Pos. Tray)														
Agilent	8850 (22 Pos. Tray)		X												
Agilent	8890														
Agilent	CTC HTS+HTC PAL	X													
Agilent	CTC GC PAL							X			X				
Agilent	CTC Combi PAL														
Agilent	Tekmar SOLATEk72														X
Agilent	Archon Plug + Trap														X
Agilent	AQUATEK 70														X
Agilent	7693A	X	X		X										
Agilent	HS7694		X								X				
Agilent	7697A										X				
Analytik Jena	multi N/C 3000 (TOC)														X
Antec Leyden	Alexys	X													
Antec Leyden	AS 100	X													
Antek	736 Unisampler	X													
Antek	738	X													
Atas	GL Focus	X													
Beckman	501	X													
Beckman	502/502e	X													
Beckman	504														
Beckman	507/507e	X													
Beckman	508 (System Gold)							X							
Beckman	Marathon	X													
Beckman	Promis	X													
Beckman	Triathlon, Standard Tray	X						X	X						
Beckman	Triathlon, LSV Tray		X												
Beckman	Triathlon, Super-LSV Tray								X						
Beckman	Triathlon, Micro-Tray														
Bruker	LC51		X												
Cambridge Scientific Instruments	205 Series		X												
Cambridge Scientific Instruments	300 Series		X												
Carlo Erba	AS100	X				X									
Carlo Erba	AS200					X									
Carlo Erba	A200LC	X													
Carlo Erba	AS200S														
Carlo Erba	AS300	X				X									
Carlo Erba	AS800, 42 vial tray														
Carlo Erba	AS800, 60 vial tray														
Carlo Erba	HS250							X							
Carlo Erba	HS500							X							
Carlo Erba	HS800							X			X				
Carlo Erba	HS950							X			X				
Cecil Instruments	CE4800	X													
Cecil Instruments	AutoQuest	X	X		X										
CTC (LEAP)	LC PAL (216 Pos.)	X							X						
CTC (LEAP)	HTX PAL, HTC PAL, HTS PAL (200 Pos. Tray)														
CTC (LEAP)	HTX PAL, HTC PAL, HTS PAL (64/98 Pos. Tray)	X							X						
CTC (LEAP)	HTX PAL, HTC PAL, HTS PAL (32 Pos. Tray)														
CTC (LEAP)	Combi PAL (200 Pos. Tray), GC PAL (200 Pos. Tray)											X			
CTC (LEAP)	Combi PAL (98 Pos. Tray), GC PAL (98 Pos. Tray)														
CTC (LEAP)	Combi PAL SPME Mode (98 Pos. Tray)														
CTC (LEAP)	Combi PAL (32 Pos. Tray), GC PAL (32 Pos. Tray)								X			X			
CTC (LEAP)	Combi PAL SPME Mode (32 Pos. Tray)														
CTC	PAL HPLC-Systems								X			X			
CTC	PAL Combi-xt Liquid Mode								X			X			
CTC	Combi-xt Headspace Option								X			X			
CTC	GC-xt Headspace Option								X			X			
CTC	PAL HTC-xt								X			X			
CTC	HTS-xt								X			X			
CTC	HTX-xt								X			X			
CTC	Combi-xt SPME Options								X			X			
CTC	A200S														
CTC	A200 LC	X								X					
CTC	HS 500									X					
DANI	ALS 39.80	X													
DANI	ALS 86.80	X													

**Table 5: Autosampler compatibility chart,  
continued**



**3** Screw Neck ND8

		Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	ScrewNeck ND8	ScrewNeck ND8	Short Thread ND9	Screw Neck ND10	Crimp Neck ND11	Crimp Neck ND11	Crimp Neck ND11	Crimp Neck ND11
		11732408 11742408	11561364	11531374 11541374	11717567 11722408	11792408 11782408	11712408	11565874 10560053 11595874 11525884	11515884	11575884 10080952 11515894 10145714 12951011 15166425 15136425 15176425 11871653 11595914 11707597 11727597 11575894 11595894 11595894 11535914 15692310 11515924 11884930 11851673 11814940 11824940	11511474 10521593 11531474	10081022 10326042 11535884 11545884 11565894 10678005 11505894	11865813 11555894	11505884	11555894
DANI	ALS 1000									X		X			
DANI	HS39 50														
DANI	HS86 50														
DANI	Master AS									X		X			
Dimatec	Dimatoc 2000														
Dionex	Gina 50			X						X		X			
Dionex	AS 50				X			X		X	X				
Dionex	Summit ASI 100 Micro-Tray (192 Pos.)			X											
Dionex	Summit ASI 100 Analytical-Tray (117 Pos.)							X		X		X			
Dionex	Summit ASI 100 Semiprep - Tray (63 Pos.)														
Dionex	Famos (LC Packings/Dionex)							X		X	X	X			
Dionex	UltiMate Analytical, cylindri- cal, WPS-3000 SL, 120 Pos. Rack (2ml)							X		X	X	X			
Dionex	UltiMate Analytical, conical, WPS-3000 SL, 120 (3x40) Pos. Rack (1.1ml-2ml w. Inserts)														X
Dionex	UltiMate Micro, conical, WPS-3000 SL, 120 (3x40) Pos. Rack (250µl)				X										
Dionex	UltiMate Semipreparative, WPS-3000 SL, 66 (3x22) Pos. Rack (4ml)														
Dionex	UltiMate Nano/Cap/Micro, WPS-3000 SL, 216 (3x72) Pos. Rack (1.2ml)			X											
Dionex	ASE 200														
Dionex	AS 40														
Dionex	HS-HV							X							
Dimatec	Dimatoc 200														
Dimatec	Dimatoc 300														
Dimatec	Dimatoc 400														
Finnigan	A200S	X				X		X		X		X			
Fisons	AS100	X			X	X		X	X	X		X			X
Fisons	AS200	X			X	X		X	X	X		X			X
Fisons	A200LC	X			X	X		X	X	X		X			X
Fisons	AS200S	X			X	X		X	X	X		X			X
Fisons	AS300	X			X	X		X	X	X		X			X
Fisons	AS800, 42 vial tray							X	X	X		X			X
Fisons	AS800, 60 vial tray		X	X	X			X		X		X			X
Fisons	HS250														
Fisons	HS500														
Fisons	HS800														
Fisons	HS850														
GE Instruments	Sievers® 900														
Gerstel	MPS2	X			X	X						X			X
Gilson	201/202							X		X					
Gilson	221/222							X		X					
Gilson	231/401							X		X					
Gilson	232/402							X		X					
Gilson	Aspec							X		X					
Gilson	Aspec Xli							X		X					
Gilson	Aspec XL4							X		X					
Gilson	221XL/222XL	X			(only f. 221XL)	X									
Gilson	223	X				X									
Gilson	231XL/232XL/233XL	X			(only f. 231XL)	X									
Gilson	Nano Injektor							X		X					
Gilson	Z35/Z35P/SP Z35/SP Z35P	X				X		X		X					
Gynkotec	Gina 50			X						X		X			
Hach Lange	IL 550 TOC-TN														
HTA	HT200H														
HTA	HT250D							X		X	X	X			X
HTA	HT280T							X		X	X	X			X
HTA	HT300A							X		X	X	X			X
HTA	HT310A							X		X	X	X			X
HTA	HT300L							X		X	X	X			X
ICI	LC1600	X				X									
IMT GmbH	VSP4000														
IMT GmbH	PTA3000														
Jasco	AS 2055/AS 2055 (i)				X			X		X	X	X			
Jasco	AS 2057/AS 2057 (i)				X			X		X	X	X			
Jasco	AS 2059				X			X		X	X	X			
Knauer	K-3800 (Basic Marathon)							X	X	X	X	X			X
Knauer	Smartline K-3950							X		X	X	X			
Knauer	PLATInblue AS-1							X		X	X	X			
LDC	713-60		X		X										
LDC	Marathon							X	X	X		X			X
LDC	Promis							X	X	X		X			X
LEAP	pls. see CTC														
O.I. Analytical	1020A														
O.I. Analytical	108B														
O.I. Analytical	1096+														
O.I. Analytical	4551A														
O.I. Analytical	1552														
PerkinElmer	Series 200, 25 vial tray										X	X			
PerkinElmer	Series 200, 85 vial tray										X	X			
PerkinElmer	Series 200, 81/100 vial tray										X	X			

Table 5: Autosampler compatibility chart, continued



4 Shell Vials

		Snap Ring ND11	Screw Neck ND13	Shell Vials <sup>4</sup>	Shell Vials	Shell Vials	Shell Vials	Shell Vials	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Screw Neck ND24 (EPA)
		11525894	10571013	10306062	10145424	11555914	11516074	10663303	10681033	12990951	10680843	11506114	10192652	11520545	10465982		
		11535894	11556044		10506075	11565914	10455982		10195012	10080822	12971231	12941221			10000782		
		11545894	11576044		11561374					10152512	15552340	11526114			10758874		
		11545914	11586044		10224852					12981241		12951221			11510585		
		12672465										10070952			11798256		
		15219468										10510323			11530585		
		11585914										12910991			11540585		
		11505924													11550585		
		11525924															
		11545924															
		11717597															
		11894930															
		11804940															
		11834940															
DANI	ALS 1000																
DANI	HS39 50											X					
DANI	HS86 50											X					
DANI	Master AS		X									X					
Dimatec	Dimatoc 2000											X					X
Dionex	Gina 50	X	X														
Dionex	AS 50	X															
Dionex	Summit ASI 100, Micro-Tray (192 Pos.)																
Dionex	Summit ASI 100, Analytical - Tray (117 Pos.)	X															
Dionex	Summit ASI 100, Semiprep - Tray (63 Pos.)		X														
Dionex	Famos (LC Packings/Dionex)	X							X								
Dionex	UtiMate Analytical, cylindrical, WPS-3000 SL, 120 Pos. Rack (2ml)	X							X								
Dionex	UtiMate Analytical, conical, WPS-3000 SL, 120 (3x40) Pos. Rack (1.1ml=2ml w. Inserts)								X								
Dionex	UtiMate Micro, conical, WPS-3000 SL, 120 (3x40) Pos. Rack (250µl)								X								
Dionex	UtiMate Semipreparative, WPS-3000 SL, 66 (3x22) Pos. Rack (4ml)		X						X								
Dionex	UtiMate Nano/Cap/Micro, WPS-3000 SL, 216 (3x72) Pos. Rack (1.2ml)								X								
Dionex	ASE 200																X
Dionex	AS 40		X		X												
Dionex	HS-HV																
Dimatec	Dimatoc 200																X
Dimatec	Dimatoc 300																X
Dimatec	Dimatoc 400																X
Finnigan	AZ00S																
Fisons	AS100	X				X											
Fisons	AS200						X										
Fisons	AZ00LC	X					X										
Fisons	AS200S																
Fisons	AS300	X					X										
Fisons	AS800, 42 vial tray																
Fisons	AS800, 60 vial tray																
Fisons	HS250									X							
Fisons	HS500									X							
Fisons	HS800									X		X					
Fisons	HS850									X		X					
GE Instruments	Sievers® 900																X
Gerstel	MPS2																
Gilson	Z01/Z02					X	X										
Gilson	Z21/Z22					X	X										
Gilson	Z31/Z401					X											
Gilson	Z32/Z402					X											
Gilson	Aspec					X	X										
Gilson	Aspec Xli																
Gilson	Aspec XL4																
Gilson	Z21XL/Z22XL																
Gilson	Z23																
Gilson	Z31XL/Z32XL/Z33XL																
Gilson	Nano Injektor																
Gilson	Z35/Z35P/SP Z35/SP Z35P																
Gynkotek	Gina 50	X	X														
Hach Lange	IL 550 TOC-TN																X
HTA	HT200H											X					
HTA	HT250D	X										X					
HTA	HT280T	X										X					
HTA	HT300A	X															
HTA	HT310A	X															
HTA	HT300L	X															
ICI	LC1600											X					
IMT GmbH	VSP4000																X
IMT GmbH	PTA3000																
Jasco	AS 2055/AS 2055 (i)	X															
Jasco	AS 2057/AS 2057 (i)	X															
Jasco	AS 2059	X															
Knauer	K-3800 (Basic Marathon)	X						X									
Knauer	Smartline K-3950	X						X									
Knauer	PLATINblue AS-1	X															
LDC	713-60																
LDC	Marathon	X															
LDC	Promis	X															
LEAP	pls. see CTC																
O.J. Analytical	1020A																X
O.J. Analytical	108B																X
O.J. Analytical	109B+																X
O.J. Analytical	4551A																X
O.J. Analytical	1552																X
PerkinElmer	Series 200, 25 vial tray							X									
PerkinElmer	Series 200, 85 vial tray							X									
PerkinElmer	Series 200, 81/100 vial tray																

Table 5: Autosampler compatibility chart, continued



5 Short Thread ND9

		Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	ScrewNeck ND8	ScrewNeck ND8	Short Thread ND9	Screw Neck ND10	Crimp Neck ND11	Crimp Neck ND11	Crimp Neck ND11	Crimp Neck ND11
		11732408 11742408	11561364	11531374 11541374	11717567 11722408	11792408 11782408	11712408	11565874 10560053 11595874 11525884	11515884	11575884 10080952 11515894 10145714 12951011 15166425 15136425 15176425 11871653 11595914 11707597 11727597 11575894 11585894 11595894 11535914 15592310 11515924 11884930 11851673 11814940 11824940	11511474 10521593 11531474	10081022 10326042 11535884 11545884 11565894 10678005 11505894	11865813 11555894	11505884	11555894
PerkinElmer	Series 200, 205 vial tray				X						X	X			
PerkinElmer	Series 200, 225 vial tray				X							X			
PerkinElmer	AI-1		X		X							X			
PerkinElmer	AS-100/AS-100B		X		X							X			
PerkinElmer	AS2000/AS2000B		X		X		X				X	X			
PerkinElmer	AS-300		X		X							X			
PerkinElmer	AS8300		X		X							X			
PerkinElmer	Autosystem		X		X							X			
PerkinElmer	HS 6														
PerkinElmer	HS40/HS100/101														
PerkinElmer	turboMatrix HS16/HS40/HS40 XL/HS40 Trap/HS110/HS110 Trap														
PerkinElmer	Integral 4000										X	X			
PerkinElmer	ISS-100, 85 vial tray										X	X			
PerkinElmer	ISS-100, 100 vial tray										X	X			
PerkinElmer	ISS-200, 85 vial tray										X	X			
PerkinElmer	ISS-200, 100 vial tray										X	X			
PerkinElmer	ISS-200, 145 vial tray				X										
PerkinElmer	ISS-225, 205 vial tray				X						X	X			
PerkinElmer	ISS-225, 100 vial tray + 80 vial tray										X	X			
PerkinElmer	ISS-225, 85 vial tray										X	X			
PerkinElmer	ISS-225, 25 vial tray														
PerkinElmer	LC 600, 42 vial tray		X												
PerkinElmer	LC 600, 60 vial tray										X	X			
PerkinElmer	Clarus 400, 500, 600														
Pharmacia	LKB 2157-010					X		X		X		X			
Pharmacia	LKB 2157-020	X													X
Polymer Laboratories	PL-AS RT							X		X	X	X			
Duma Elektronik	DHSS-40														
Sedere										X		X			
SGE	LS-3200		X			X									
Shimadzu	AOC-5000	X			X	X				X		X			X
Shimadzu	AOC-14/1400							X	X	X	X	X			X
Shimadzu	AOC-17							X	X	X	X	X			X
Shimadzu	AOC-20/20i/20s 150 Pos. Tray							X	X	X	X	X			X
Shimadzu	AOC-20/20i/20s 96 Pos. Tray														
Shimadzu	LC-20A							X	X	X	X	X			X
Shimadzu	SIL-2AS				X			X	X	X	X	X			X
Shimadzu	SIL-6A				X			X	X	X	X	X			X
Shimadzu	SIL-6B/SIL-7A/SIL-8A/SIL-9A							X	X	X	X	X			X
Shimadzu	SIL-10A/SIL-10AF/SIL-10AP/SIL-10Ai/SIL-10AxL/Rack S 100 Pos.			X				X	X	X	X	X			X
Shimadzu	SIL-10A/SIL-10AF/SIL-10AP/SIL-10Ai/SIL-10AxL/Rack L 80 Pos.														
Shimadzu	SIL-10A/SIL-10AF/SIL-10AP/SIL-10Ai/SIL-10AxL/Rack MTP2 192 Pos.														
Shimadzu	SIL-10HTA/SIL-10HTC 350 pos. Tray														
Shimadzu	SIL-10HTA/SIL-10HTC 140 Pos. Tray							X		X	X	X			
Shimadzu	SIL-10HTA/SIL-10HTC 100 Pos. Tray														
Shimadzu	SIL-10ADvp							X	X	X	X	X			X
Shimadzu	HTA 200 H														
Shimadzu	SIL-20A (Prominence) 105 vial tray/SIL-20AC (Prominence) 70 vial tray				X			X	X	X	X	X			X
Shimadzu	SIL-20A/SIL-20AC (Prominence) 175 vial tray														
Shimadzu	SIL-20A/SIL-20AC (Prominence) 50 vial tray														
Shimadzu	LC2010C + LC2010A 350 Pos. Tray														
Shimadzu	LC2010C + LC2010A 140 Pos. Tray							X		X	X	X			X
Shimadzu	LC2010C + LC2010A 100 Pos. Tray														
Shimadzu	ASI-V														
Shimadzu	HSS-2B														
Shimadzu	SIL-30-ACMP							X		X		X			
Shimadzu	SIL-20AXR/SIL-20ACXR (Prominence) 175 (1-mL vials), 70 (1.5-mL vials), 50 (4-mL vials)							X		X		X			
Shimadzu	SIL-30AC(Nexera) 175 (1-mL vials), 105 (1.5-mL vials), 50 (4-mL vials)							X		X		X			
Sievers (GE Instruments)	Sievers® 900														
Spark	Marathon Basic, Standard 96 Pos. Tray							X	X	X		X			X
Spark	Marathon Basic Präp King Size 48 Pos. Tray														

Table 5: Autosampler compatibility chart, continued



6 Headspace ND20

		Snap Ring ND11	Screw Neck ND13	Shell Vials	Shell Vials	Shell Vials	Shell Vials	Shell Vials	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Screw Neck ND24 (EPA)
		11525894	10571013	10306062	10145424	11555914	11516074		10663303	10681033	12990951	10680843	11506114	10192652	11520545	10465982
		11535894	11556044		10506075	11565914	10455982			10195012	10080822	12971231	12941221			10000782
		11545894	11576044		11561374						10152512	15552340	11526114			10758874
		12672465	11586044		10224852						12981241		12951221			11510585
		15219468											10070952			11798256
		11585914											10510323			11530585
		11505924											12910991			11540585
		11525924														11550585
		11545924														
		11717597														
		11894930														
		11804940														
		11834940														
PerkinElmer	Series 200, 205 vial tray															
PerkinElmer	Series 200, 225 vial tray															
PerkinElmer	AI-1															
PerkinElmer	AS-100/AS-100B															
PerkinElmer	AS2000/AS2000B															
PerkinElmer	AS-300															
PerkinElmer	ASB300															
PerkinElmer	Autosystem															
PerkinElmer	HS 6							X								
PerkinElmer	HS40/HS100/101							X		X						
PerkinElmer	TurboMatrix HS16/HS40/ HS40 XL/ HS40 Trap/ HS110/HS110 Trap							X** (not suitable for Turbomatrix™ 110)		X			X* (for Turbomatrix™ 16, 40, 110 produced after 1.9.06)			
PerkinElmer	Integral 4000															
PerkinElmer	ISS-100, 85 vial tray							X								
PerkinElmer	ISS-100, 100 vial tray							X								
PerkinElmer	ISS-200, 85 vial tray							X								
PerkinElmer	ISS-200, 100 vial tray															
PerkinElmer	ISS-200, 145 vial tray															
PerkinElmer	ISS-225, 205 vial tray															
PerkinElmer	ISS-225, 100 vial tray + 80 vial tray															
PerkinElmer	ISS-225, 85 vial tray							X								
PerkinElmer	ISS-225, 25 vial tray							X								
PerkinElmer	LC 600, 42 vial tray															
PerkinElmer	LC 600, 60 vial tray															
PerkinElmer	Clarus 400, 500, 600															
Pharmacia	LKB 2157-010	X														
Pharmacia	LKB 2157-020	X														
Polymer Laboratories	PL-AS RT	X	X													
Duma Elektronik	QHSS-40											X				
Sedere		X														
SGE	LS-3200															
Shimadzu	AGC-5000									X			X			
Shimadzu	AGC-14/1400	X	X							X						
Shimadzu	AGC-17	X	X													
Shimadzu	AGC-20/20i/20s 150 Pos. Tray		X													
Shimadzu	AGC-20/20i/20s 96 Pos. Tray		X													
Shimadzu	LC-20A	X	X													
Shimadzu	SIL-2AS	X	X				X									
Shimadzu	SIL-6A	X	X				X									
Shimadzu	SIL-6B/SIL-7A/SIL-8A/SIL-9A	X	X				X									
Shimadzu	SIL-10A/SIL-10AF/SIL-10AP/ SIL-10A/ SIL-10AXL/Back S 100 Pos.	X				X										
Shimadzu	SIL-10A/SIL-10AF/SIL-10AP/ SIL-10A/ SIL-10AXL/Back L 80 Pos.		X				X									
Shimadzu	SIL-10A/SIL-10AF/SIL-10AP/ SIL-10A/ SIL-10AXL/Back MTP2 192 Pos.				X											
Shimadzu	SIL-10HTA/SIL-10HTC 350 pos. Tray				X											
Shimadzu	SIL-10HTA/SIL-10HTC 140 Pos. Tray	X				X										
Shimadzu	SIL-10HTA/SIL-10HTC 100 Pos. Tray		X				X									
Shimadzu	SIL-10ADvp	X	X		X	X	X									
Shimadzu	HTA 200 H											X	X			
Shimadzu	SIL-20A (Prominence) 105 vial tray/ SIL-20AC	X														
Shimadzu	(Prominence) 70 vial tray															
Shimadzu	SIL-20A/SIL-20AC				X											
Shimadzu	(Prominence) 175 vial tray															
Shimadzu	SIL-20A/SIL-20AC		X				X									
Shimadzu	(Prominence) 50 vial tray															
Shimadzu	LC2010C + LC2010A 350 Pos. Tray				X											
Shimadzu	LC2010C + LC2010A 140 Pos. Tray	X				X										
Shimadzu	LC2010C + LC2010A 100 Pos. Tray		X				X									
Shimadzu	ASI-V															X
Shimadzu	HSS-2B											X	X			
Shimadzu	SIL-30-ACMP															
Shimadzu	SIL-20AXR/SIL-20ACXR (Prominence) 175 (1-mL vials), 70 (1.5-mL vials), 50 (4-mL vials)	X	X		X		X									
Shimadzu	SIL-30AC(Nexera) 175 (1-mL vials), 105 (1.5-mL vials), 50 (4-mL vials)	X	X		X		X									
Sievers (GE Instruments)	Sievers® 900															X
Spark	Marathon Basic, Standard 96 Pos. Tray	X														
Spark	Marathon Basic Präp King Size 48 Pos. Tray							X								



Table 5: Autosampler compatibility chart, continued



8 Crimp Neck ND11

		Snap Ring ND11	Screw Neck ND13	Shell Vials 8	Shell Vials	Shell Vials	Shell Vials	Shell Vials	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Screw Neck ND24 (EPA)
		11525894	10571013	10306062	10145424	11555914	11516074	10663303	10681033	12990951	10680843	11506114	10192652	11520545	10465982	
		11535894	11556044		10506075	11565914	10455982		10195012	10080822	12971231	12941221			10000782	
		11545894	11576044		11561374					10152512	15552340	11526114			10758874	
		12672465	11586044		10224852					12981241		12951221			11510585	
		15219468										10070952			11792256	
		11585914										10510323			11530585	
		11505924										12910991			11540585	
		11525924													11550585	
		11545924														
		11717597														
		11894930														
		11804940														
		11834940														
Spark	Midas, Standard 84 Pos. Tray	X							X							
Spark	Midas, Large Capacity 96 Pos. Tray	X														
Spark	Midas, Large Volume 24 Pos. Tray								X							
Spark	Alias	X								X						
Spark	Promis	X														
Spark	SPH 125	X														
Spark	Triathlon, Standard 96 Tray	X				X										
Spark	Triathlon, LSV 72 Pos. Tray		X													
Spark	Triathlon, Super-LSV 32 Pos. Tray								X							
Spark	Triathlon, Micro 160 Pos. Tray															
Spark	Endurance 48 Pos. Tray	X														
Spark	Reliance 48 Pos. Tray	X														
Spark	Integrity	X														
Spark	Prospekt 2	X														
Spark	Reliance/Symbiosis Pharma	X														
Spark	Dried Blood Spot (DBS)															
Spark	Integrity															
Spark	Integrity 108 Pos (2ml) 2 x Plates, IntegrityPlus 2 x 108 Pos (2ml) 4 x Plates	X														
Spark	Optimas															
Spark	Optimas 96 Pos (2ml) 24 Pos (10ml)	X										X				
Spark	Alias	X							X							
Spectra-Physics	8875	X														
Spectra-Physics	8880	X														
Spectra-Physics	SpectraSYSTEM AS1000	X				X										
Spectra-Physics	SpectraSYSTEM AS 3000	X				X										
Spectra-Physics	SpectraSYSTEM AS 3500	X				X										
Sykam	S 5210	X														
Teledyne Tekmar	7000/7000HT/7050									X						
Teledyne Tekmar	AQUATEK 70/SOLAtek 72™														X	
Teledyne Tekmar	STS 8000 TOC														X	
Teledyne Tekmar	413								X			X				
Thermo Scientific	AS1000 (Trace GC)															
Thermo Scientific	AS200															
Thermo Scientific	AS300	X				X										
Thermo Scientific	AS2000 30 vial tray								X							
Thermo Scientific	AS2000 90 vial tray (Trace GC)															
Thermo Scientific	A13000 (ii) AS3000 (iii) AS3500 (Trace GC + Facus GC)								X							
Thermo Scientific	A200LC	X				X										
Thermo Scientific	SpectraSYSTEM AS 1000	X				X										
Thermo Scientific	SpectraSYSTEM AS 3000	X				X										
Thermo Scientific	SpectraSYSTEM AS 3500	X				X										
Thermo Scientific	A200S	X														
Thermo Scientific	AS100	X				X										
Thermo Scientific	AS800, 42 vial tray															
Thermo Scientific	AS900, 60 vial tray															
Thermo Scientific	Dionex AS-AP	X						X								
Thermo Scientific	Dionex UltiMate WPS-3000	X	X					X								
Thermo Scientific	Dionex AS 40		X				X									
Thermo Scientific	HS250								X							
Thermo Scientific	HS500								X							
Thermo Scientific	HS800								X			X				
Thermo Scientific	HS950								X			X				
Thermo Scientific	HS2000								X			X				
Thermo Scientific	TriPlus (-GC PAL) (AS+ Duo)								X			X				
Thermo Scientific	TriPlus HS								X			X				
Thermo Scientific	TriPlus SPME								X			X				
Thermo Scientific	TriPlus RSH	X							X			X				
Thermo Scientific	TriPlus 300								X			X				
Thermo Scientific	HiPerTOC											X			X	
Thermo Scientific	Surveyor (Surveyor Plus)	X				X			X							
Thermo Scientific	Accela High Speed LC Autosampler (200 Pos.)	X														
Thermo Scientific	Accela Open Autosampler	X														
Thermo Scientific	Trace 1300 Series	X						X		X	X					
Unicam	4247															
Unicam	4710															
Unicam	4700 (GC)															
Unicam	4700 (LC)															
Unicam	LC-XP		X													
Unicam	S4/S8															
Varian	ProStar 400, Standard 96 Pos. Tray	X														
Varian	ProStar 400, King Size 48 Pos. Tray							X								
Varian	ProStar 410, Standard 84 Pos. Tray	X								X						
Varian	ProStar 410, Large Capacity 96 Pos. Tray	X														
Varian	ProStar 410, Large Volume 24 Pos. Tray								X							
Varian	ProStar 420, Standard 96 Pos. Tray	X					X									

Table 5: Autosampler compatibility chart, continued



9 Short Thread ND9

		Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Crimp Neck ND8	Screw Neck ND8	Screw Neck ND8	Short Thread ND9	Screw Neck ND10	Crimp Neck ND11	Crimp Neck ND11	Crimp Neck ND11	Crimp Neck ND11
		11732408 11742408	11561364	11531374 11541374	11717567 11722408	11792408 11782408	11712408	11565874 10560053 11595874 11525884	11515884	11575884 10080952 11515894 10145714 12951011 15166425 15136425 15176425 11671653 11595914 11707597 11727597 11575894 11585894 11595894 11535914 15592310 11515924 11884930 11851673 11814940 11824940	11511474 10521593 11531474	10081022 10326042 11535884 11545884 11565894 10678005 11505894	11865813 11555894	11505884	11555894
Varian	ProStar 420, LSV 72 Pos. Tray				X										
Varian	ProStar 420, Super-LSV 32 Pos. Tray														
Varian	ProStar 420, Micro 160 Pos. Tray	X				X									
Varian	ProStar 430, 48 Pos. Tray							X	X	X		X			X
Varian	8035							X	X	X					
Varian	8000							X	X	X		X			
Varian	8400 (100 Pos.)							X	X	X		X			
Varian	8410-Autinjector							X	X	X		X			
Varian	10 x 2ml, 6 x 5ml, 5 x 10ml							X	X	X		X			
Varian	8100							X	X	X		X			
Varian	8200							X	X	X	X	X			
Varian	CP-910, 911, 912							X	X	X	X	X			
Varian	CP-940, 941							X	X	X	X	X			
Varian	LC 9100/LC 9095/LC 9090									X		X			
Varian	Archon														
Varian	COMBI PAL (200 Pos. Tray) GC PAL (200 pos. Tray)	X				X									
Varian	COMBI PAL (98 Pos. Tray) GC PAL (98 Pos. Tray)				X					X		X			
Varian	COMBI PAL SPME mode (98 Pos. Tray)									X		X			
Varian	COMBI PAL (32 Pos. Tray) GC PAL (32 Pos. Tray)														
Varian	COMBI PAL SPME mode (32 Pos. Tray)														
Varian	Genesis														
Varian	Marathon Basic, Standard 96 Pos. Tray							X	X	X		X			X
Varian	Marathon Basic, Prep, King Size 48 Pos. Tray														
Varian	Vista							X	X	X					
Varian	CP-9020/CP-9025														
Varian	CP-9060														
Varian	CP-9010							X	X	X		X			
Varian	820-LC/940-LC							X	X	X		X			
Viscotek	Vortex™														
Viscotek	GPC Autosampler							X	X	X	X				
WWR	Hitachi Chromaster							X	X	X		X			
WWR(Merck®)/ Hitachi	L2200 (LaChrom Elite)/ L2200-U (LaChrom Ultra) (200 Pos. Tray)							X	X	X					
WWR(Merck®)/ Hitachi	L2200 (LaChrom Elite) (128 Pos. Tray)														
WWR(Merck®)/ Hitachi	L7200 (LaChrom) (80 Pos. Tray)/ L7250 (LaChrom) (120 Pos. Tray)							X	X	X					
WWR(Merck®)/ Hitachi	L7250 (LaChrom) (Rack Holder for combination Racks)				X			X	X	X					
WWR(Merck®)/ Hitachi	655-A40 (108 Pos. Tray)							X	X	X					
WWR(Merck®)/ Hitachi	L-9100							X	X	X					
WWR(Merck®)/ Hitachi	AS 2000 (50 Pos. Tray)							X	X	X		X			
WWR(Merck®)/ Hitachi	AS 4000 (150 Pos. Tray)							X	X	X		X			
WWR(Merck®)/ Hitachi	AS 4000 (198 Pos. Tray)				X										
WWR(Merck®)/ Hitachi	5210 (Chromaster) 195 Pos (1 mL), 120 Pos 1.5 mL (Standard), 72 Pos. (4 mL), 2 x MTP (96,384)							X	X	X		X			
WWR(Merck®)/ Hitachi	AS 6000				X			X	X	X					
Waters®	ACQUITY™ UPLC Systeme									X					
Waters®	Wisp 48 position														
Waters®	Wisp 96 position														
Waters®	717, 96 Position Carousel														
Waters®	717, 48 Position Carousel														
Waters®	Alliance®									X	X	X			
Waters®	Alliance® GPC 2000														
Waters®	Alliance® HT Syst.									X	X	X			
Waters®	Alliance® 2790/2795									X	X	X			
Waters®	Acquity Sample Organizer									X					
Waters®	Acquity/CapLC/Waters/ Nano Acquity									X					
Waters®	Alliance® 2690/2695									X (not for 11515894)	X	X			



Table 5: Autosampler compatibility chart, continued



10 Snap Ring ND11

		Snap Ring ND11	Screw Neck ND13	Shell Vials	Shell Vials	Shell Vials	Shell Vials	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Headspace ND20 (ND18)	Screw Neck ND24 (EPA)
		11525894	10571013	10306062	10145424	11555914	11516074	10663303	10681033	12990951	10680843	11506114	10192652	11520545	10465982
		11535894	11556044		10506075	11565914	10455982		10195012	10080822	12971231	12941221			10000782
		11545894	11576044		11561374					10152512	15552340	11526114			10758874
		11545914	11586044		10224852					12981241		12951221			11510585
		12672465										10070952			11798256
		15219468										10510323			11530585
		11585914										12910991			11540585
		11505924													11550585
		11525924													
		11545924													
		11717597													
		11894930													
		11804940													
		11834940													
Varian	ProStar 420, LSV 72 Pos. Tray		X												
Varian	ProStar 420, Super-LSV 32 Pos. Tray							X	X						
Varian	ProStar 420, Micro 160 Pos. Tray														
Varian	ProStar 430, 48 Pos. Tray	X													
Varian	8035														
Varian	8000														
Varian	8400 (100 Pos.)												X		
Varian	8410-Autoinjector (10 x 2ml; 6 x 5ml; 5 x 10ml)												X	X	
Varian	8100														
Varian	8200														
Varian	CP-910, 911, 912														
Varian	CP-940, 941														
Varian	LC 9100/LC 9095/LC 9090	X													
Varian	Archem														X
Varian	COMBI PAL (200 Pos. Tray) GC PAL (200 Pos. Tray)								X						
Varian	COMBI PAL (98 Pos. Tray) GC PAL (98 Pos. Tray)								X						
Varian	COMBI PAL SPME mode (98 Pos. Tray)								X						
Varian	COMBI PAL (32 Pos. Tray) GC PAL (32 Pos. Tray)								X			X			
Varian	COMBI PAL SPME mode (32 Pos. Tray)								X			X			
Varian	Genesis										X				
Varian	Marathon Basic, Standard 96 Pos. Tray	X													
Varian	Marathon Basic, Präp. King Size 48 Pos. Tray							X							
Varian	Vista														
Varian	CP-9020/CP-9025								X						
Varian	CP-9060								X						
Varian	CP-9010														
Varian	820-LC/940-LC	X													
Viscotek	Vortex™														X
Viscotek	GPC Autosampler														
VWR	Hitachi Chromaster		X												
VWR(Merck®)/ Hitachi	L2200 (LaChrom Elite)/ L2200-U (LaChrom Ultra) (200 Pos. Tray)	X													
VWR(Merck®)/ Hitachi	L2200 (LaChrom Elite) (128 Pos. Tray)		X												
VWR(Merck®)/ Hitachi	L7200 (LaChrom) (80 Pos. Tray)/ L7250 (LaChrom) (120 Pos. Tray)	X													
VWR(Merck®)/ Hitachi	L7250 (LaChrom) (Rack Holder for combination Racks)	X	X												X
VWR(Merck®)/ Hitachi	855-A40 (108 Pos. Tray)	X													
VWR(Merck®)/ Hitachi	8-8100	X													
VWR(Merck®)/ Hitachi	AS 2000 (50 Pos. Tray)	X													
VWR(Merck®)/ Hitachi	AS 4000 (150 Pos. Tray)	X													
VWR(Merck®)/ Hitachi	AS 4000 (198 Pos. Tray)	X													
VWR(Merck®)/ Hitachi	8210 (Chromaster) 195 Pos (1 mL), 120 Pos 1.5 mL (Standard), 72 Pos. (4 mL), 2 x MTP (96, 384)	X	X		X		X								
VWR(Merck®)/ Hitachi	AS 6000	X													
Waters®	ACQUITY™ UPLC Systeme		X (for 24 Position Plate)												
Waters®	Wisp 48 position		X				X								
Waters®	Wisp 96 position				X										
Waters®	717, 96 Position Carousel				X										
Waters®	717, 48 Position Carousel		X				X								
Waters®	Alliance®	X													
Waters®	Alliance® GPC 2000		X					X							
Waters®	Alliance® HT Syst.	X													
Waters®	Alliance® 2790/2795	X													
Waters®	Acquity Sample Organizer	X													
Waters®	Acquity/CapLC/Waters/ Nano Acquity	X													
Waters®	Alliance® 2690/2695	X													

The Fisherbrand range of chromatography vials and closures is extensive. They have been designed to provide you with the best fit for your applications, sample type and autosampler mode. However, if you are unable to find the product you need or if you have any further questions regarding the Fisherbrand range of chromatography vials and closures, then please contact our Product Support Advisors.

## CRIMP NECK VIALS ND8

These vials are preferentially used on instruments from the following manufacturers: Agilent, Beckman, Carlo Erba, CTC, Fisons, PerkinElmer, Shimadzu, Thermo Scientific, VWR (Merck™)/Hitachi, etc. A broad selection of ND8 crimp neck vials and microvials are available (see below), which can be closed with 8mm aluminium caps, 9mm PE caps or 8mm push-on caps. Note that some microvials may need an adapter for full autosampler compatibility as typically they have a conical base and are therefore not free-standing.


- Available in different capacities
- With flat, round or conical bottoms
- In clear or amber glass
- For almost all autosamplers

### ND8 Crimp neck vials and microvials

	Description	Dimensions, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>Crimp neck vials</b>								
1	<b>11732408</b> 0.7mL Crimp neck vial	40 x 7	Clear	0.9	0.8	40	<11	1000
2	<b>11742408</b> 0.7mL Crimp neck vial	40 x 7	Amber	0.9	0.8	40	<11	1000
3	<b>11561364</b> 0.8mL Crimp neck vial	30 x 8.2	Clear	0.9	0.8	40	<11	100
1	<b>11531374</b> 1.2mL Crimp neck vial	40 x 8.2	Clear	1.1	1.00	50	<20	100
2	<b>11541374</b> 1.2mL Crimp neck vial	40 x 8.2	Amber	1.1	1.00	50	<20	100
<b>Microvials</b>								
4	<b>11717567</b> 0.3mL Microvial round bottom	31.5 x 5.5	Clear	0.35	0.3	30	<6	1000
5	<b>11722408</b> 0.2mL Microvial conical bottom	31.5 x 5.5	Clear	0.26	0.2	25	<3	1000
6	<b>11782408</b> 0.6mL Microvial conical bottom	40 x 7	Clear	0.64	0.6	25	<3	1000
7	<b>11792408</b> 0.6mL Microvial conical bottom	40 x 7	Amber	0.64	0.6	25	<3	1000
8	<b>11712408</b> 0.7mL Microvial conical bottom	30 x 7	Amber	1.3	1.05	25	<3	1000



Click on arrows to view products



Click on the product code for more information on any product

## Aluminium crimp caps ND8

### Natural rubber/TEF and red rubber/PTFE seals

- Temperature resistant from -40°C up to +120°C for natural rubber, up to +110°C for red rubber
- Natural rubber also ideal for multiple injections due to high resealability, but not as clean as the synthetic red rubber
- Natural rubber harder to penetrate with more fragmentation during penetration than red rubber



	Cap description	Septa material	Durometer	Thickness,mm	Pack qty
<b>1</b>	<b>11797557</b> Aluminium cap clear lacquered, 4mm centre hole	Natural rubber red-orange/TEF transparent approved IMQ*	60° Shore A	1.0	1000
<b>1</b>	<b>11561344</b> Aluminium cap clear lacquered, 4mm centre hole	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	100
<b>2</b>	<b>11818981</b> Aluminium cap clear lacquered, 4mm centre hole	Red rubber/PTFE beige	45° Shore A	1.0	1000

\*IMQ = Instrument Manufacturer Quality

## Silicone/PTFE seals ND8

- Temperature resistant from -60°C up to +200°C
- Preferably only for single injections due to low resealability properties
- Different hardnesses (durometers) to meet requirements of the needle regarding penetration
- Much cleaner than natural rubber or red rubber
- Silicone liners with PTFE on both sides for less coring during penetration




	Cap description	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11702418</b> Aluminium cap clear lacquered, 4mm centre hole	Silicone white/PTFE red	45° Shore A	1.3	1000
<b>1</b>	<b>11898961</b> Aluminium cap clear lacquered, 4mm centre hole	Silicone cream/PTFE red	55° Shore A	1.5	1000
<b>2</b>	<b>11808981</b> Aluminium cap clear lacquered, 4mm centre hole	Silicone dark blue/PTFE white	45° Shore A	1.3	1000
<b>3</b>	<b>11712418</b> Aluminium cap clear lacquered, 4mm centre hole	PTFE red/Silicone white/ PTFE red	45° Shore A	1.0	1000
<b>4</b>	<b>11722418</b> Aluminium cap clear lacquered, 4mm centre hole	Silicone white/PTFE red, with slit	45° Shore A	1.3	1000

## Other caps and seals for crimp neck vials ND8

- Push-on cap (11838991) with thinned penetration point made of polyethylene for crimp neck vials and microvials ND8
- Inexpensive alternative to crimp caps for uncritical analyses, as it does not contain any septa, but only has a thinner penetration point



	Cap description	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11838991</b> PE push-on cap, blue	With thinned penetration point	-	-	1000
<b>2</b>	<b>11804830</b> PE push-on cap, transparent 9 x 5.9mm, 4mm centre hole	Natural rubber red-orange/ TEF transparent	60° Shore A	1.3	1000
<b>3</b>	<b>11814830</b> PE push-on cap, transparent 9 x 5.9mm, 4mm centre hole	Silicone white/PTFE red	45° Shore A	1.3	1000



## Screw neck vials ND8



The vials are preferentially used on instruments from the following manufacturers: Beckman, CTC, Gilson, Knauer, Shimadzu, Spark, Varian, VWR (Merck™)/Hitachi

- Standard vials for GC and HPLC
- Specially suitable for VWR (Merck™)/Hitachi instruments (Cat No.11565874, 10560053, 10040992, 11782428, 11831653, 11821663, 11841653)
- Broad range of micro-insert
- Vials and seals also available as 2-in-1 kit
- Small opening requires micro-inserts with a diameter of 5mm
- Micro-insert with flat bottom also available

### Screw neck vials ND8, small opening, 8-425 thread and microvials ND8

	Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>11565874</b> 1.5mL Screw neck vial, small opening (silanised version available 11575904)	32 x 11.6	Clear	1.9	1.5	200	<110	100
<b>2</b>	<b>10560053</b> 1.5mL Screw neck vial, small opening	32 x 11.6	Amber	1.9	1.5	200	<110	100
<b>3</b>	<b>11525884</b> 1.5mL Screw neck vial, small opening, label + filling lines	32 x 11.6	Clear	1.9	1.65	200	<110	100
<b>4</b>	<b>11595874</b> 1.5mL Screw neck vial, small opening, label + filling lines (silanised version available 11525914)	32 x 11.6	Amber	1.9	1.5	200	<110	100
<b>5</b>	<b>11515884</b> 1.1mL Microvial, conical, small opening	32 x 11.6	Clear	1.3	1	30	<3	100

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

### Micro-inserts for vials ND8 with small opening

	Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>11762428</b> 0.1mL Micro-insert, 15mm top	31 x 5	Clear	0.2	0.15	25	<1	1000
<b>2</b>	<b>11861653</b> 0.1mL Micro-insert, 9mm top	31 x 5	Clear	0.25	0.2	30	<2	1000
<b>3</b>	<b>11772428</b> 0.2mL Micro-insert, flat bottom	31 x 5	Clear	0.3	0.26	40	<8	1000
<b>4</b>	<b>11858951</b> 0.1mL Micro-insert, with assembled plastic spring	29 x 5	Clear	0.2	0.15	25	<1	1000
<b>5</b>	<b>11848951</b> 0.1mL Micro-insert, metal spring required!	27.5 x 4	Clear	0.2	0.11	25	<1	1000
<b>6</b>	<b>11571304</b> Spring for micro-insert 11848951	36 x 5	-	-	-	-	-	100

## Polypropylene screw caps ND8

- Ready to use combination seals; no time consuming and “tricky” assembly
- Available as black or white screw caps with 8-425 thread
- Available as closed top screw seals or with centre hole
- Now available either with natural rubber or red rubber as cost-effective seals

## Natural rubber/TEF, red rubber/PTFE and butyl/PTFE seals ND8

- Natural rubber is ideal for multiple injections due to high resealability, but not as easy to penetrate as red rubber/PTFE
- Standard, moderately priced seals for GC and HPLC
- Red rubber/PTFE has a better purity than natural rubber/TEF, is softer and has less fragmentation, but doesn't offer the same resealability as natural rubber/TEF
- Temperature resistant from -40°C up to +120°C for natural rubber/TEF + butyl/PTFE, resistant up to +110°C for red rubber/PTFE
- Butyl as a synthetic rubber has good chemical properties



	Septa material	Durometer	Thickness, mm	Pack qty
<b>Polypropylene screw cap black, 5.5mm centre hole, 8-425 thread</b>				
<b>1</b>	<b>11782428</b> Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
<b>2</b>	<b>11894800</b> Red rubber/PTFE beige	45° Shore A	1.0	1000
<b>3</b>	<b>11757567</b> Butyl red/PTFE grey	55° Shore A	1.3	1000

## Silicone/PTFE seals ND8

- Temperature resistant from -60°C up to +200°C
- Silicone liners with PTFE on both sides for less coring
- Much cleaner than natural rubber, red rubber or butyl
- Different hardnesses (durometers) to meet requirements of the various types of needles regarding penetration



	Septa material	Durometer	Thickness, mm	Pack qty	
<b>Polypropylene screw cap black, 5.5mm centre hole, 8-425 thread</b>					
<b>1</b>	<b>11792428</b>	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
<b>1</b>	<b>11814800</b>	Silicone cream/PTFE red UltraClean	55° Shore A	1.5	1000
<b>2</b>	<b>11844800</b>	Silicone dark blue/PTFE white	45° Shore A	1.3	1000
<b>3</b>	<b>11702438</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
<b>4</b>	<b>11823560</b>	Silicone white/PTFE red, with slit	45° Shore A	1.3	1000

## Natural rubber/TEF, red rubber/PTFE, butyl/PTFE and silicone/PTFE seals, closed top ND8



	Septa material	Durometer	Thickness, mm	Pack qty	
<b>Polypropylene screw cap black, closed top, 8-425 thread</b>					
<b>1</b>	<b>11747567</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
<b>2</b>	<b>15552300</b>	Red rubber/PTFE beige	45° Shore A	1.0	100
<b>3</b>	<b>11884800</b>	Butyl red/PTFE grey	55° Shore A	1.3	1000
<b>4</b>	<b>11864800</b>	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000

## Septa (only, without caps) for ND8 (8mm) vials



		Septa material	Durometer	Thickness, mm	Pack qty
1	11821663	PTFE virginal (only unassembled)	53° Shore D	0.25	1000
2	11848961	Natural rubber red-orange/TEF transparent (only unassembled)	60° Shore A	1.0	1000
2	11787557	Natural rubber red-orange/TEF transparent, tested by VWR (Merck™)/Hitachi	60° Shore A	1.3	1000
3	12950841	Red rubber/PTFE beige	45° Shore A	1.0	100
4	11868961	Butyl red/PTFE grey	55° Shore A	1.3	1000
5	11872663	Silicone white/PTFE red	45° Shore A	1.3	1000
5	11830772	Silicone cream/PTFE red	55° Shore A	1.5	1000
6	11840772	Silicone dark blue/PTFE white	45° Shore A	1.3	1000
7	11841653	Silicone white/PTFE blue, slitted, rec. by VWR (Merck™)/Hitachi (only unassembled)	55° Shore A	0.9	1000
8	11828961	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000

## Polypropylene screw caps ND8 (caps only, supplied without seals)



		Cap description	Pack qty
1	11831653	Polypropylene screw cap, black, 5.5mm centre hole	1000
2	11861683	Polypropylene screw cap, black, closed top	1000
3	11898981	Polypropylene screw cap, white, 5.5mm centre hole	1000
4	11888981	Polypropylene screw cap, white, closed top	1000



## Screw neck vials ND8, small opening, 8-425 thread with pre-screwed PP screw seals ND8 and/or pre-assembled micro-inserts for vials with small opening

- Pre-screwed vials and/or pre-assembled micro-inserts reduce the risk of contamination of vials in laboratories



	Vial description	Seal	Pack qty
<b>12980861</b>	1.5mL Screw neck vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, small opening (seal Cat.No 11565874)	Pre-screwed with polypropylene screw cap, black, 5.5mm centre hole (seal Cat.No 11831653); silicone white/PTFE blue, 55° Shore A, 0.9mm, slitted (seal Cat.No 11841653), rec. by VWR (Merck™)/Hitachi	100
<b>11555924</b>	1.5mL Screw neck vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, small opening (seal Cat.No 11565874)	Pre-screwed with polypropylene screw cap black, 5.5mm centre hole; silicone white/PTFE red, 45° Shore A, 1.3mm, (seal Cat.No 11792428)	100
<b>11575924</b>	1.5mL Screw neck vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, small opening (seal Cat.No 11565874)	Pre-screwed with polypropylene screw cap black, 5.5mm centre hole; silicone white/PTFE red, 45° Shore A, 1.3mm, slitted (seal Cat.No 11823560)	100
<b>12980861</b>	1.5mL Screw neck vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, small opening (Vial Cat.No 11565874)	Pre-screwed with polypropylene screw cap black, closed top, 8-425 thread; silicone white/PTFE red, 45° Shore A, 1.3mm (seal Cat.No 11864800)	100
<b>11555924</b>	1.5mL Screw neck vial, 8-425 thread, 32 x 11.6mm, amber glass, 1st hydrolytic class, small opening (vial Cat.No 10560053)	Pre-screwed with polypropylene screw cap black, 5.5mm centre hole; silicone white/PTFE red, 45° Shore A, 1.3mm, (seal Cat.No 11792428)	100
<b>11575924</b>	1.5mL Screw neck vial, 8-425 thread, 32 x 11.6mm, amber glass, 1st hydrolytic class, small opening (vial Cat.No 10560053)	Pre-screwed with polypropylene screw cap black, closed top, 8-425 thread; silicone white/PTFE red, 45° Shore A, 1.3mm (seal Cat.No 11864800)	100

## Special 3-in-1 and 2-in-1 kits

### 3-in-1 and 2-in-1 kits for VWR (Merck™)/Hitachi autosampler



Item	Description	Pack qty	
<b>10670843</b>	3-in-1 kit	3-in-1 kit consisting of: 11565874, 11831653† and 11841653	100
<b>11565874</b>	Vial	1.5mL Screw neck vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, small opening	100
<b>11831653</b>	Cap	Polypropylene screw cap, black, 5.5mm centre hole †	1000
<b>11841653</b>	Septa	Silicone white/PTFE blue, 55° Shore A, 0.9mm, slitted rec. by VWR (Merck™)/Hitachi	100
<b>12980871</b>	Alternative 3-in-1 kits	Same cap + same septa in combination with 10560053 (amber glass, small opening)	100
<b>12950871</b>	Alternative 3-in-1 kits/2-in-1 kits	Same vial + same cap in combination with 11821663 (PTFE virginal 0.25mm)	100
<b>10000842</b>	2-in-1 kit	2-in-1 kit consisting of: 11565874, 11782428†	100
<b>11565874</b>	Vial	1.5mL Screw neck vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, small opening	100
<b>11782428</b>	Cap	Polypropylene screw cap, black, 5.5mm centre hole, natural rubber red-orange/TEF transparent, 60° Shore A, 1.3mm †	1000
<b>12910881</b>	Alternative 2-in-1 kits	Same seal in combination with 10560053 (amber glass, small opening)	100
<b>12900881</b>	Alternative 2-in-1 kits	Same seal in combination with 11525884 (clear glass, small opening, with label + filling lines)	100

† Note: Pack qty is a 100 in this kit

## 2-in-1 kits for Varian autosampler

Item	Description	Pack qty
10475792	2-in-1 kit consisting of: 11565874, 11792428†	100
11565874	Vial	100
11792428	Seal	1000
12990871	Alternative 2-in-1 kit	100
12960871	2-in-1 kit consisting of: 10560053, 11792428†	100
10560053	Vial	100
11792428	Seal	1000
12970871	Alternative 2-in-1 kit	100

† Note: Pack qty is a 100 in this kit

To download a copy of the vial compatibility chart for your autosampler, simply visit [eu.fishersci.com/go/fisherbrand](http://eu.fishersci.com/go/fisherbrand)



### Find the Perfect Chemicals for your Chromatography Applications

The Fisher Chemical range of solvents meets the challenges of chromatography from HPLC to UHPLC-MS applications.

We can supply the solvents, blends and reagents you need, in the grades, sizes and packaging that meet your requirements.



[Click to see more info on our website](#)

## SHORT THREAD VIALS ND9



These vials can be used on all popular autosamplers thanks to their technical geometry, especially models manufactured by Agilent, HTA, Shimadzu, Thermo Scientific, Varian and Waters

### The universal autosampler vial

- Universally compatible with almost all autosamplers
- Vials with integrated micro-insert are also now available in amber glass
- Pre-screwed short thread vials available

### Short thread vials ND9, wide opening and microvials with short thread ND9



	Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>10162512</b> 1.5mL Short thread vial, 1st hydrolytic class, wide opening (silanised version available 11585894)	32 x 11.6	Clear	1.85	1.5	200	<120	100
<b>2</b>	<b>11575884</b> 1.5mL Short thread vial, 1st hydrolytic class, wide opening, label + filling lines (silanised version available 15562310)	32 x 11.6	Clear	1.85	1.5	200	<120	100
<b>3</b>	<b>10080952</b> 1.5mL Microlitre thread vial, 1st hydrolytic class, wide opening, label + filling lines (silanised version available 11595894)	32 x 11.6	Amber	1.85	1.5	200	<120	100
<b>4</b>	<b>11575894</b> Short thread vial with integrated 0.2mL Micro-insert, 1st hydrolytic class, label + filling lines, "Top Bonded"	32 x 11.6	Clear	0.34	0.2	25	<1	100
<b>5</b>	<b>10145714</b> Short thread vial with integrated 0.2mL Micro-insert, 1st hydrolytic class, label + filling lines, "Top Bonded"	32 x 11.6	Amber	0.34	0.2	25	<1	100
<b>6</b>	<b>12951011</b> Short thread vial with integrated micro-insert, 1st hydrolytic class "Base Bonded"	32 x 11.6	Clear	0.4	0.3	30	<3	100
<b>7</b>	<b>15592310</b> Short thread vial with integrated micro-insert, 1st hydrolytic class "Base bonded"	32 x 11.6	Amber	0.4	0.3	30	<3	100
<b>8</b>	<b>11515894</b> 1.1mL Microlitre short thread vial ND9, 1st hydrolytic class (silanised version available 10670341)	32 x 11.6	Clear	1.6	1.5	30	<3	100
<b>9</b>	<b>11535914</b> 0.9mL total Microlitre short thread vial ND9, 1st hydrolytic class	32 x 11.6	Clear	1.4	1.1	25	<1	100
<b>10</b>	<b>11871653</b> TopSert TPX short thread vial, with integrated 0.2mL glass micro-insert (silanised version available 11595914)	32 x 11.6	Clear	0.36	0.2	25	<1	1000
<b>11</b>	<b>11515924</b> TopSert TPX short thread vial, with integrated 0.2mL glass micro-insert (silanised version available 11535924)	32 x 11.6	Amber	0.36	0.2	25	<1	100

TFVol. = Total Volume/Filling Volume (mL)  
UsVol. = Usable Volume (mL)  
MWVol. = Minimum Working Volume (µL)  
Res. Vol. = Residual Volume (µL)

## Short thread SureStop™ vials ND9

### 1.5mL short thread SureStop™ vials ND9 with SureStop™ function

- A stop-ring barrier thread defines the ideal endpoint of the screwing process
- Defined screwing end-point eliminates user-to-user variance
- Optimal septum compression produces significantly higher analytical reproducibility



		Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>15166425</b>	1.5mL short thread SureStop™ vial, wide opening, with overwind-barrier	32 x 11.6	Clear	1.85	1.5	200	<120	100
<b>2</b>	<b>15136425</b>	1.5mL short thread SureStop™ vial, wide opening, label + filling lines, with overwind-barrier	32 x 11.6	Clear	1.85	1.5	200	<120	100

## Micro-inserts for short thread vials ND9 with wide opening



		Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>11752418</b>	0.1mL Micro-insert, 1st hydrolytic class, 15mm top (silanised version available 11889120)	31 x 6	Clear	0.34	0.25	30	<4	1000
<b>2</b>	<b>11777557</b>	0.1mL Micro-insert, 1st hydrolytic class, 12mm top	31 x 6	Clear	0.35	0.3	30	<4	1000
<b>3</b>	<b>11805863</b>	0.1mL Micro-insert, 1st hydrolytic class, with assembled plastic spring (silanised version available 11878951)	29 x 5.7	Clear	0.3	0.25	30	<4	1000
<b>4</b>	<b>11762418</b>	0.2mL Micro-insert, 1st hydrolytic class, flat bottom (silanised version available 11792368)	31 x 6	Clear	0.5	0.35	40	<8	1000
<b>5</b>	<b>13445489</b>	0.1mL PP micro-insert, 10mm top, filling lines	29 x 6	Clear	0.30	0.25	30	<4	1000
<b>6</b>	<b>13455499</b>	0.1mL PP micro-insert, 10mm top, filling lines and attached plastic spring	29 x 6	Clear	0.30	0.25	30	<4	1000
<b>7</b>	<b>13495479</b>	0.2mL PP micro-insert, flat bottom	31 x 6	Clear	0.5	0.35	40	<8	1000

TFVol. = Total Volume/Filling Volume (mL) Us Vol. = Usable Volume (mL) MW Vol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## Plastic vials ND9 and plastic microvials ND9



		Description	Dimension, mm	Glass type	TFVol (mL)	UsVol. (mL)	MWVol. ( $\mu$ L)	Res.Vol ( $\mu$ L)	Pack qty
<b>1</b>	<b>11727597</b>	1.5mL PP short thread vial, filling lines, slightly concave shaped bottom	32 x 11.6	Transparent	1.85	1.50	200	<110	1000
<b>2</b>	<b>11814940</b>	1.5mL PP short thread vial, filling lines, slightly concave shaped bottom	32 x 11.6	Amber	1.85	1.50	200	<110	1000
<b>3</b>	<b>11824940</b>	0.7mL PP short thread microvial	32 x 11.6	Transparent	0.87	0.60	150	<80	1000
<b>4</b>	<b>11707597</b>	0.3mL PP short thread microvial	32 x 11.6	Transparent	0.4	0.25	30	<4	1000
<b>5</b>	<b>11884930</b>	0.3mL TPX short thread microvial	32 x 11.6	Crystal clear	0.4	0.25	30	<4	1000
<b>6</b>	<b>11851673</b>	0.3mL PP short thread microvial	32 x 11.6	Amber	0.4	0.25	30	<4	1000

TFVol. = Total Volume/Filling Volume (mL) Us Vol. = Usable Volume (mL) MW Vol. = Minimum Working Volume ( $\mu$ L) Res. Vol. = Residual Volume ( $\mu$ L)

## Polypropylene short thread seals ND9

- The synthetic red rubber/PTFE septum is cost-effective alternative to the natural rubber Instrument Manufacturer Quality (IMQ) option. Please note however that although softer for easier penetration, it is not suitable for multiple injection
- With pre-cut septa only, the silicone material is slitted in a Y-shape whilst the PTFE lamination remains intact. This ensures that sample evaporation and concentration occurring with completely slitted septa can be minimised
- Short thread seals also available as closed top version (blue cap)
- Fully assembled seal with slitted liner available, in order to avoid a vacuum inside the vial during multiple injections
- Screw caps actually possess a crimp cap design, making them suitable for robotic handling

## Polypropylene short thread cap ND9 transparent, 6mm centre hole



		Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11835903</b>	PTFE virginal	53° Shore D	0.2	1000
<b>2</b>	<b>11804021</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
<b>3</b>	<b>11824850</b>	Red rubber/PTFE beige approved IMQ*	45° Shore A	1.0	1000
<b>4</b>	<b>12353700</b>	Silicone white/PTFE red UltraClean	55° Shore A	1.0	1000
<b>5</b>	<b>11824740</b>	PTFE red/silicone white/ PTFE red	45° Shore A	1.0	1000
<b>6</b>	<b>11894011</b>	Silicone white/PTFE blue, with slit	55° Shore A	1.0	1000
<b>7</b>	<b>11874850</b>	Silicone white/PTFE red, pre-cut (Y)	55° Shore A	1.0	1000

## Polypropylene short thread ND9 cap blue, 6mm centre hole



		Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11834830</b>	PTFE virginal	53° Shore D	0.2	1000
<b>2</b>	<b>11722438</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
<b>3</b>	<b>11863021</b>	Red rubber/PTFE beige approved IMQ*	45° Shore A	1.0	1000
<b>4</b>	<b>11787567</b>	Silicone white/PTFE red UltraClean	55° Shore A	1.0	1000
<b>5</b>	<b>11732438</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
<b>6</b>	<b>11797567</b>	Silicone white/PTFE blue, with slit	55° Shore A	1.0	1000
<b>7</b>	<b>11864850</b>	Silicone white/PTFE red, pre-cut (Y)	55° Shore A	1.0	1000
<b>8</b>	<b>15572300</b>	Aluminium liner sealed by transparent flat-seal		0.06	100

\*Instrument Manufacturer Quality (IMQ)

Polypropylene short thread ND9 cap blue, closed top



		Septa material	Durometer	Thickness, mm	Pack qty
1	<b>10142913</b>	PTFE virginal	53° Shore D	0.2	1000
2	<b>11814850</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
3	<b>11804850</b>	Silicone white/PTFE red UltraClean	55° Shore A	1.0	1000

Polypropylene short thread ND9 cap red, 6mm centre hole



		Septa material	Durometer	Thickness, mm	Pack qty
1	<b>11894830</b>	PTFE virginal	53° Shore D	0.2	1000
2	<b>11844830</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
3	<b>11834850</b>	Red rubber/PTFE beige approved IMQ*	45° Shore A	1.0	1000
4	<b>11864830</b>	Silicone white/PTFE red UltraClean	55° Shore A	1.0	1000
5	<b>11854830</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
6	<b>11874830</b>	Silicone white/PTFE blue, with slit	55° Shore A	1.0	1000

\*Instrument Manufacturer Quality (IMQ)

Polypropylene short thread ND9 cap black, 6mm centre hole



		Septa material	Durometer	Thickness, mm	Pack qty
1	<b>11874840</b>	PTFE virginal	53° Shore D	0.2	1000
2	<b>11854840</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
3	<b>11844850</b>	Red rubber/PTFE beige approved IMQ*	45° Shore A	1.0	1000
4	<b>11827281</b>	Silicone white/PTFE red UltraClean	55° Shore A	1.0	1000
5	<b>11864840</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
6	<b>11862771</b>	Silicone white/PTFE blue, with slit	55° Shore A	1.0	1000

Polypropylene short thread ND9 cap green, 6mm centre hole



		Septa material	Durometer	Thickness, mm	Pack qty
1	<b>12912680</b>	PTFE virginal	53° Shore D	0.2	100
2	<b>11804840</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
3	<b>10498704</b>	Red rubber/PTFE beige approved IMQ*	45° Shore A	1.0	1000
4	<b>11884830</b>	Silicone white/PTFE red UltraClean	55° Shore A	1.0	1000
5	<b>11907071</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
6	<b>11894840</b>	Silicone white/PTFE blue, with slit	55° Shore A	1.0	1000

\*Instrument Manufacturer Quality (IMQ)



## Polypropylene short thread cap yellow, 6mm centre hole



		Septa material	Durometer	Thickness, mm	Pack qty
1	<b>12922680</b>	PTFE virginal	53° Shore D	0.2	100
2	<b>11844840</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
3	<b>11854850</b>	Red rubber/PTFE beige approved IMQ*	45° Shore A	1.0	1000
4	<b>11834840</b>	Silicone white/PTFE red UltraClean	55° Shore A	1.0	1000
5	<b>11824840</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
6	<b>11884840</b>	Silicone white/PTFE blue, with slit	55° Shore A	1.0	1000

\*Instrument Manufacturer Quality (IMQ)

## Magnetic short thread cap, 6mm centre hole (for CTC GC PAL and Thermo Scientific TriPlus Autosamplers)

- More convenient and safer handling than 11mm magnetic crimp seals
- Ready-to-use closures
- Officially tested and approved by CTC



		Septa material	Durometer	Thickness, mm	Pack qty
	<b>10310094</b>	Silicone white/PTFE red UltraClean	55° Shore A	1.0	1000

## Short thread MS ND9 cap transparent

- One component closure – no bleeding
- Absolutely inert
- Pierceable like a septa
- LC/GC MS certified
- Tightens like a septum



	Description cap	Pack qty
11894820	With thinned penetration area and diaphragm	1000

## UltraBond Seals ND9

Analogous to the LECTRABOND closure from Waters and the INTERSEAL closure from Agilent, we also offer several UltraBond short thread seals, including some manufactured to an improved Instrument Manufacturer Quality. The new septa material is an especially pure silicone, which optimises product safety even more, whilst the PTFE layer has also been modified to permit even easier needle penetration. With the UltraBond seal, the cap and liner form an inseparable unit, such that the liner cannot be dislocated or pushed into the vial, even with a blunt needle.



	Description cap	Septa material	Durometer	Thickness, mm	Pack qty	
1	11767567	PP short thread cap black, 6mm centre hole	Silicone white/PTFE red	45° Shore A	1.3	1000
2	11707587	PP short thread cap blue, 6mm centre hole	Silicone beige/PTFE white, improved IMQ*	45° Shore A	1.3	1000
	11777567	PP short thread cap blue, 6mm centre hole	Silicone beige/PTFE white, with slit, improved IMQ*	45° Shore A	1.3	1000

\*Instrument Manufacturer Quality (IMQ)

## Special 2-in-1 kits for Waters instruments




Item	Description	Pack qty
<b>12960891</b>	2-in-1 kit 2-in-1 kit consisting of: 10162512 + 11707587 <sup>†</sup>	100
<b>10162512</b>	Vial 1.5mL short thread vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, wide opening	100
<b>11707587</b>	Seal 9mm UltraBond PP short thread cap, blue, centre hole; silicone beige/PTFE white, 45° Shore A, 1.3mm <sup>†</sup>	1000
<b>12950891</b>	2-in-1 kit 2-in-1 kit consisting of: 10162512 + 11777567 <sup>†</sup>	100
<b>10162512</b>	Vial 1.5mL short thread vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, wide opening	100
<b>11777567</b>	Seal 9mm UltraBond PP short thread cap, blue, centre hole; silicone beige/PTFE white, 45° Shore A, 1.3mm, slit <sup>†</sup>	1000
<b>12910901</b>	2-in-1 kit 2-in-1 kit consisting of: 11575884 + 10418092	100
<b>11575884</b>	Vial 1.5mL short thread vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, wide opening, label and filling lines	100
<b>11707587</b>	Seal 9mm UltraBond PP short thread cap, blue, centre hole; silicone beige/PTFE white, 45° Shore A, 1.3mm <sup>†</sup>	100
<b>11860972</b>	2-in-1 kit 2-in-1 kit consisting of: 11575884 + 11707587 <sup>†</sup>	100
<b>11575884</b>	Vial 1.5mL short thread vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, wide opening, label and filling lines	100
<b>11707587</b>	Seal 9mm UltraBond PP short thread cap, blue, centre hole; silicone beige/PTFE white, 45° Shore A, 1.3mm, slit <sup>†</sup>	1000
<b>12920901</b>	2-in-1 kit 2-in-1 kit consisting of: 10080952 + 11707587 <sup>†</sup>	100
<b>10080952</b>	Vial 1.5mL short thread vial, 32 x 11.6mm, amber glass, 1st hydrolytic class, wide opening, label and filling lines	100
<b>11707587</b>	Seal 9mm UltraBond PP short thread cap, blue, centre hole; silicone beige/PTFE white, 45° Shore A, 1.3mm <sup>†</sup>	1000
<b>12570186</b>	2-in-1 kit 2-in-1 kit consisting of: 10080952 + 11777567 <sup>†</sup>	100
<b>10080952</b>	Vial 1.5mL short thread vial, 32 x 11.6mm, amber glass, 1st hydrolytic class, wide opening, label and filling lines	100
<b>11777567</b>	Seal 9mm UltraBond PP short thread cap, blue, centre hole; silicone beige/PTFE white, 45° Shore A, 1.3mm, slit <sup>†</sup>	1000

<sup>†</sup> Note: Pack qty is a 100 in this kit

## HPLC and GC Certified vial kits (short thread vials and short thread seals ND9)



Vial certifications are getting far more critical, in order to ensure process reproducibility and to avoid possible sources of errors right from the beginning. For Fisherbrand, the highest quality, consistency and quality control have always been very important, as exemplified by our range of 'HPLC and GC Certified' vials and closures.



	Description	Seal	Pack qty
<b>1</b>	<b>13429748</b> HPLC/GC certified vial kit 1.5mL short thread vial, clear glass, 1st hydrolytic class, label + filling lines	UltraClean seal: 9mm PP short thread cap, blue, centre hole; silicone white/PTFE red, 1.0mm	100
<b>2</b>	<b>13439748</b> HPLC/GC certified vial kit 1.5mL short thread vial, amber glass, 1st hydrolytic class, label + filling lines	UltraClean seal: 9mm PP short thread cap, blue, centre hole; silicone white/PTFE red, 1.0mm	100

\*Instrument Manufacturer Quality (IMQ)

## LC/MS and GC/MS certified vial kits (short thread vials and short thread seals ND9)



- Fisherbrand LC/MS and GC/MS certified kits represent our premium range of certified products. Each lot of vial/closure combination has been tested by LC/MS and GC/MS on blank and trace values
- Available as clear and amber 9mm short thread vial in the SureStop™ version for the lowest evaporation rate of all autosampler vials
- The glass surface of the SureStop™ vials possesses very low adsorption properties for all types of polar compounds, notably lower than all other vials of 1st hydrolytic class glass without surface treatment
- The closure contains a very soft ultra low bleed (Ultra High Performance) silicone septum with PTFE layer, optimised for ultra-trace analysis
- LC/MS and GC/MS certified kits are delivered fully shrink-wrapped to assure total transport safety and security



	Description	Seal	Pack qty
1	15562320 LC/MS and GC/MS certified vial kit 1.5mL short thread SureStop™ vial, 32 x 11.6mm, clear glass, wide opening, label + filling lines with overwind-barrier	Ultra high performance seal: PP short thread cap, blue, centre hole; silicone dark blue-translucent/PTFE natural, 35° Shore A, 1.0mm	100
2	15572320 LC/MS and GC/MS certified vial kit 1.5mL short thread SureStop™ vial, 32 x 11.6mm, amber glass, wide opening, label + filling lines with overwind-barrier	Ultra high performance seal: PP short thread cap, blue, centre hole; silicone dark blue-translucent/PTFE natural, 35° Shore A, 1.0mm	100

### Meeting the Stringent Purity Requirements of LC-MS



The certified performance of Fisher Chemical Optima™ LC-MS solvents offers the most reliable solution for today's scientist. For consistent, reproducible performance in the mobile phase of LC-MS, choose Optima LC-MS grade solvents, mobile phase blends, reagents and additives.



[Click to see more info on our website](#)

\*Instrument Manufacturer Quality (IMQ)

## Short thread vials ND9, wide opening with pre-screwed PP short thread seals ND9 and/or pre-assembled micro-inserts with wide opening

- Pre-screwed vials reduce the risk of contamination during cap assembly in the laboratory
- Pre-screwed vials are available with any of the short thread vials and any seal of your choice



	Description	Seal	Pack qty
<b>12990861</b>	1.5mL Short thread vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, wide opening (vial Cat.No 10162512)	Pre-screwed with PP short thread cap blue, 6mm centre hole, silicone white/PTFE blue, with slit, 55° Shore A, 1.0mm (seal Cat.No 11797567)	100
<b>11585924</b>	1.5mL Short thread vial, 32 x 11.6mm, amber glass, 1st hydrolytic class, wide opening, label + filling lines (vial Cat.No 10080952)	Pre-screwed with PP short thread cap blue, 6mm centre hole, silicone white/PTFE blue, with slit, 55° Shore A, 1.0mm (seal Cat.No 11797567)	100
<b>11595924</b>	1.5mL Short thread vial, 32 x 11.6mm, amber glass, 1st hydrolytic class, wide opening, label + filling lines (vial Cat.No 10080952)	Pre-screwed with PP UltraBond Seal blue, 6mm centre hole, silicone beige/PTFE white, with slit (approved IMQ*), 45° Shore A, 1.3mm (seal Cat.No 11777567)	100
<b>12356763</b>	1.5mL Short thread vial, 32 x 11.6mm, amber glass, 1st hydrolytic class, wide opening, label + filling lines (vial Cat.No 10080952)	Pre-screwed with PP short thread cap transparent, centre hole, silicone white/PTFE red, 55° Shore A, 1.0mm, pre-cut (Y) (seal Cat.No 11874850)	100

## 2-in-1 kits with short thread vials ND9



	Item	Description	Pack qty
<b>11787497</b>	2-in-1 kit	2-in-1 kit consisting of: 10162512 + 11787567†	100
<b>10162512</b>	Vial	1.5mL Short thread vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, wide opening	100
<b>*11787567</b>	Seal	PP short thread cap blue, 6mm centre hole; UltraClean silicone white/PTFE red, 55° Shore A, 1.0mm	1000
<b>15124649</b>	2-in-1 kit	2-in-1 kit consisting of: 10162512 + 11797567†	100
<b>10162512</b>	Vial	1.5mL Short thread vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, wide opening	100
<b>*11797567</b>	Seal	PP short thread cap blue, 6mm centre hole; silicone white/PTFE blue, 55° Shore A, 1.0mm, with slit	1000
<b>15532320</b>	2-in-1 kit	2-in-1 kit consisting of: 11575884 + 11862771†	100
<b>11575884</b>	Vial	1.5mL Short thread vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, wide opening, label and filling lines	100
<b>*11862771</b>	Seal	PP short thread cap, black, 6mm centre hole; silicone white/PTFE blue, 55° Shore A, 1.0mm, slit	1000
<b>12951251</b>	2-in-1 kit	2-in-1 kit consisting of: 10162512 + 12353700†	100
<b>10162512</b>	Vial	1.5mL Short thread vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, wide opening	100
<b>*12353700</b>	Seal	PP short thread cap transparent, 6mm centre hole; UltraClean silicone white/PTFE red, 55° Shore A, 1.0mm	1000
<b>11395991</b>	2-in-1 kit	2-in-1 kit consisting of: 10080952 + 12353700†	100
<b>10080952</b>	Vial	1.5mL Short thread vial, 32 x 11.6mm, amber glass, 1st hydrolytic class, wide opening, label and filling lines	100
<b>*12353700</b>	Seal	PP short thread cap transparent, 6mm centre hole; silicone white/PTFE red, 55° Shore A, 1.0mm	1000

† Note: Pack qty is a 100 in this kit

\*Instrument Manufacturer Quality (IMQ)

## SCREW NECK VIALS ND10



These vials are preferentially used on autosampler models from the following manufacturers: Jasco, PerkinElmer, Shimadzu, Varian and Waters

- Packed in a cleanroom environment as the new standard for chromatography vials
- Wide opening enables easy filling with viscous materials
- Broad range of micro-inserts

## SCREW NECK VIALS ND10

Screw neck vials ND10, wide opening, 10-425 thread and appropriate micro-inserts



	Description	Dimensions, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>11511474</b> 1.5mL Screw neck vial, 10-425 Thread, 1st hydrolytic class, wide opening	32 x 11.6	Clear	2.0	1.50	200	<120	100
<b>2</b>	<b>10521593</b> 1.5mL Screw neck vial, 10-425 thread, 1st hydrolytic class, wide opening, label + filling lines	32 x 11.6	Clear	2.0	1.50	200	<120	100
<b>3</b>	<b>11531474</b> 1.5mL Screw neck vial, 10-425 thread, 1st hydrolytic class, wide opening, label + filling lines	32 x 11.6	Amber	2.0	1.50	200	<120	100
<b>4</b>	<b>11752418</b> 0.1 mL Micro-insert, 1st hydrolytic class, 15mm top (silanised version available 11531314)	31 x 6	Clear	0.34	0.25	30	<4	1000
<b>5</b>	<b>11777557</b> 0.1 mL Micro-insert, 1st hydrolytic class, 12mm top	31 x 6	Clear	0.35	0.30	30	<4	1000
<b>6</b>	<b>11805863</b> 0.1 mL Micro-insert, 1st hydrolytic class, with assembled plastic spring (silanised version available 11541314)	29 x 5.7	Clear	0.3	0.25	30	<4	1000
<b>7</b>	<b>11762418</b> 0.2mL Micro-insert, 1st hydrolytic class, flat bottom	31 x 6	Clear	0.5	0.35	40	<8	1000

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## Polypropylene screw caps and seals ND10



		Description cap	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11727577</b>	PP screw cap black, 7mm centre hole	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
<b>2</b>	<b>11762448</b>	PP screw cap black, 7mm centre hole	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
<b>3</b>	<b>11822562</b>	PP screw cap black, 7mm centre hole	Silicone white/PTFE beige UltraClean	45° Shore A	1.5	1000
<b>4</b>	<b>11772448</b>	PP screw cap black, 7mm centre hole	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
<b>5</b>	<b>11782448</b>	PP screw cap black, 7mm centre hole	Silicone white/PTFE blue, with slit	55° Shore A	1.5	1000
<b>6</b>	<b>12696575</b>	PP screw cap black, 7mm closed top	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000

## Polypropylene screw caps ND10 (without seals)



		Description cap	Pack qty
<b>1</b>	<b>11380850</b>	Polypropylene screw cap black, 7mm centre hole	1000
<b>2</b>	<b>10735535</b>	Polypropylene screw cap black, closed top	1000

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWWol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## CRIMP NECK VIALS ND11



These vials are preferentially used on autosampler models from the following manufacturers: Agilent, Carlo Erba, CTC, DANI, Fisons, Gerstel, Jasco, PerkinElmer, Shimadzu, Spark, Thermo Scientific and Varian

- Vials with integrated micro-insert are also available now in clear and amber glass
- Use our TopSert microvial with fused-in micro-inserts, absolutely centred and which forms a tight seal up against the septa due to its slightly proud top rim
- Vials with a barcode label can be obtained as well as pre-crimped vials
- Standard vials for GC and HPLC
- Microlitre vials (11505894/11545914) are ideal for sample preparation (reactions, concentrations) or as an alternative for crimp neck vials with conical inserts

### Crimp neck vials ND11, wide opening and microvials with crimp neck ND11



	Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty	
1	10326042	1.5mL Crimp neck vial, 1st hydrolytic class, wide opening small opening 10081022 (silanised version available 11555904)	32 x 11.6	Clear	2.0	1.50	200	<100	100
2	11535884	1.5mL Crimp neck vial, 1st hydrolytic class, wide opening, label + filling lines (silanised version available 15572310)	32 x 11.6	Clear	2.0	1.50	200	<100	100
3	11545884	1.5mL Crimp neck vial, 1st hydrolytic class, wide opening, label + filling lines (silanised version available 11525904)	32 x 11.6	Amber	2.0	1.50	200	<100	100
4	11565894	Crimp neck vial with integrated 0.2mL Micro-insert, 1st hydrolytic class, label + filling lines "Top Bonded"	32 x 11.6	Clear	0.4	0.21	25	<1	100
5	10678005	Crimp neck vial with integrated 0.2mL Micro-insert, 1st hydrolytic class, label + filling lines "Top Bonded"	32 x 11.6	Amber	0.4	0.2	25	<1	100
6	12672465	Snap/crimp vial ND11 with integrated Micro- Insert, 1st hydrolytic class "Base Bonded"	32 x 11.6	Clear	0.4	0.3	30	<3	100
7	15219468	Snap/crimp vial ND11 with integrated micro- insert, 1st hydrolytic class "Base Bonded"	32 x 11.6	Amber	0.4	0.3	30	<3	1000
8	11505894	1.1mL Microlitre vial, 1st hydrolytic class (silanised version available 11595904)	32 x 11.6	Clear	1.8	1.5	40	<8	100
9	11545914	0,9mL Total microlitre snap/crimp ring Vial ND11, 1st hydrolytic class	32 x 11.6	Clear	1.4	1.2	25	<1	100
10	11505884	1.1mL Microvial, 1st hydrolytic class, conical	32 x 11.6	Clear	1.3	1.1	30	<4	100
11	11865813	0.9mL Microvial, 1st hydrolytic class, conical	32 x 10	Clear	1.1	0.9	30	<2	1000
12	11585914	TopSert TPX snap/crimp vial ND11, with integrated 0.2mL glass micro-insert (silanised version available 11505924)	32 x 11.6	Clear	0.35	0.2	30	<4	100
13	11525924	TopSert TPX snap/crimp vial ND11, with integrated 0.2mL glass micro-insert (silanised version available 11545924)	32 x 11.6	Amber	0.35	0.2	30	<4	100

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)



## Micro-inserts for crimp neck vials ND11 with wide opening



	Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>11752418</b> 0.1 mL Micro-insert, 1st hydrolytic class, 15mm top (silanised version available 11531314)	31 x 6	Clear	0.34	0.25	30	<4	1000
<b>2</b>	<b>11777557</b> 0.1 mL Micro-insert, 1st hydrolytic class, 12mm top	31 x 6	Clear	0.35	0.3	30	<4	1000
<b>3</b>	<b>11805863</b> 0.1 mL Micro-insert, 1st hydrolytic class, with assembled plastic spring (silanised version available 11541314)	29 x 5.7	Clear	0.3	0.25	30	<4	1000
<b>4</b>	<b>11762418</b> 0.2 mL Micro-insert, 1st hydrolytic class, flat bottom (silanised version available 12396192)	31 x 6	Clear	0.5	0.35	40	<8	1000

## Aluminium crimp caps with seals ND11

### Natural rubber/TEF seals

- Three layer septa of natural rubber/butyl/TEF combines the good physical properties of natural rubber (resealability) with the good chemical properties of butyl (cleanliness)
- Temperature resistant from -40°C up to +120°C
- Standard seal for GC and HPLC
- Ideal for multiple injections due to high resealability



	Description	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11737577</b> Aluminium cap clear lacquered, 5.5mm centre hole	Natural rubber red-orange/TEF transparent approved IMQ*	60° Shore A	1.0	1000
<b>1</b>	<b>11821653</b> Aluminium cap clear lacquered, 5.5mm centre hole	Natural rubber red-orange/butyl red/TEF transparent	45° Shore A	1.0	1000
<b>1</b>	<b>15239468</b> Aluminium cap clear lacquered, 5.5mm centre hole	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
<b>2</b>	<b>11874870</b> Aluminium cap green lacquered, 5.5mm centre hole	Natural rubber red-orange/butyl red/TEF transparent	45° Shore A	1.0	1000
<b>3</b>	<b>11884870</b> Aluminium cap red lacquered, 5.5mm centre hole	Natural rubber red-orange/butyl red/TEF transparent	45° Shore A	1.0	1000
<b>4</b>	<b>11894870</b> Aluminium cap blue lacquered, 5.5mm centre hole	Natural rubber red-orange/butyl red/TEF transparent	45° Shore A	1.0	1000
<b>5</b>	<b>10489734</b> Aluminium cap gold lacquered, 5.5mm centre hole	Natural rubber red-orange/butyl red/TEF transparent	45° Shore A	1.0	1000

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## Red rubber/PTFE seals ND11

- Temperature resistant from –40°C up to +110°C
- Softer alternative to natural rubber/TEF and butyl/PTFE
- Cleaner than natural rubber or butyl; low fragmentation
- Red rubber is a synthetic rubber



	Description	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>10728468</b> Aluminium cap clear lacquered, 5.5mm centre hole	Red rubber/PTFE beige approved IMQ*	45° Shore A	1.0	1000
<b>2</b>	<b>10237907</b> Aluminium cap green lacquered, 5.5mm centre hole	Red rubber/PTFE beige approved IMQ*	45° Shore A	1.0	1000
<b>3</b>	<b>11824890</b> Aluminium cap red lacquered, 5.5mm centre hole	Red rubber/PTFE beige approved IMQ*	45° Shore A	1.0	1000
<b>4</b>	<b>10349487</b> Aluminium cap blue lacquered, 5.5mm centre hole	Red rubber/PTFE beige approved IMQ*	45° Shore A	1.0	1000
<b>5</b>	<b>11977051</b> Aluminium cap gold lacquered, 5.5mm centre hole	Red rubber/PTFE beige approved IMQ*	45° Shore A	1.0	1000

## Silicone/PTFE seals ND11

- Cross-slitted liner as penetration aid and for low coring, but also for avoiding vacuum in the vial during multiple injections
- Temperature resistant from -60°C up to +200°C
- Much cleaner than natural rubber, red rubber or butyl



	Description	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11772418</b> Aluminium cap clear lacquered, 5.5mm centre hole	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
<b>1</b>	<b>10051634</b> Aluminium cap clear lacquered, 5.5mm centre hole	Silicone cream/PTFE red	55° Shore A	1.5	1000
<b>2</b>	<b>11884880</b> Aluminium cap clear lacquered, 5.5mm centre hole	Silicone dark blue/PTFE white	45° Shore A	1.3	1000
<b>3</b>	<b>11782418</b> Aluminium cap clear lacquered, 5.5mm centre hole	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
<b>4</b>	<b>11792418</b> Aluminium cap clear lacquered, 5.5mm centre hole	Silicone white/PTFE blue, cross-slitted	55° Shore A	1.5	1000
<b>5</b>	<b>10200025</b> Aluminium cap green lacquered, 5.5mm centre hole	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
<b>6</b>	<b>10108214</b> Aluminium cap red lacquered, 5.5mm centre hole	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
<b>7</b>	<b>10557005</b> Aluminium cap blue lacquered, 5.5mm centre hole	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
<b>8</b>	<b>10793717</b> Aluminium cap gold lacquered, 5.5mm centre hole	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000

\*Instrument Manufacturer Quality (IMQ)

## Other aluminium crimp caps with seals ND11

- PTFE is very inert and high temperature resistant mainly for uncritical HPLC analysis
- Total phthalate-free seal (TPF seal), septa material free of any elastomers and halogens
- Butyl as synthetic rubber is much cleaner than natural rubber
- Butyl is temperature resistant from  $-40^{\circ}\text{C}$  up to  $+120^{\circ}\text{C}$



	Description	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>15522310</b> 11mm TPF combination seal: aluminium cap, clear lacquered, 5.5mm centre hole	Aluminium liner, (sealed by an additional assembled ring)	-	0.06	100
<b>2</b>	<b>15532310</b> 11mm Combination seal: aluminium cap, clear lacquered, 5.5mm centre hole	PTFE virginal (sealed by an additional assembled ring)	53° Shore D	0.25	100
<b>3</b>	<b>11747577</b> Aluminium cap clear lacquered, 5.5mm centre hole, roll groove	PTFE virginal	53° Shore D	0.25	1000
<b>4</b>	<b>11804890</b> Aluminium cap clear lacquered, 5.5mm centre hole	Butyl red/PTFE grey	55° Shore A	1.3	1000
<b>5</b>	<b>11814890</b> Aluminium cap clear lacquered, 5.5mm centre hole	PTFE grey/butyl red/PTFE grey	55° Shore A	1.3	1000

## Magnetic crimp caps and seals ND11 (for CTC PAL and Thermo Scientific TriPlus autosamplers)



	Description cap	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11834880</b> Magnetic cap, gold lacquered, 5mm centre hole	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
<b>2</b>	<b>11844880</b> Magnetic cap, gold lacquered, 5mm centre hole	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000

\*Instrument Manufacturer Quality (IMQ)

## PE Caps, seals and septa for crimp neck vials ND11



	Description cap	Septa material	Durometer	Thickness, mm	Pack qty
<b>11804980</b>	PE cap, transparent, 13 x 7.5mm, 4.5mm centre hole	Silicone white/PTFE red UltraClean	55° Shore A	1.0	1000

## Septa 11 mm for crimp neck vials ND11



	Description cap	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11874860</b> PTFE virginal	53° Shore D	0.25	1000
<b>2</b>	<b>11804870</b> Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
<b>2</b>	<b>15512310</b> Natural rubber red-orange/TEF transparent, tested by VWR (Merck™)/Hitachi	60° Shore A	1.3	1000
<b>3</b>	<b>11864870</b> Red rubber/PTFE beige approved IMQ*	45° Shore A	1.0	1000
<b>4</b>	<b>11844870</b> Butyl red/PTFE grey	55° Shore A	1.3	1000
<b>5</b>	<b>11854870</b> PTFE grey/butyl red/PTFE grey	55° Shore A	1.3	1000
<b>6</b>	<b>10041204</b> Silicone white/PTFE red	45° Shore A	1.3	1000
<b>6</b>	<b>11864860</b> Silicone cream/PTFE red	55° Shore A	1.5	1000
<b>7</b>	<b>11834870</b> Silicone dark blue/PTFE white	45° Shore A	1.3	1000
<b>8</b>	<b>11854860</b> PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
<b>9</b>	<b>11894860</b> Silicone white/PTFE blue, cross slitted	55° Shore A	1.5	1000

\*Instrument Manufacturer Quality (IMQ)

## Crimp neck vials ND11, wide opening, with pre-crimped aluminium seals ND11 and/or pre-assembled micro-inserts for vials with wide opening

- Pre-crimped vials reduce the risk of contamination during self-assembly in the laboratory



	Description Vial	Description of pre-crimped Seal	Dimension, mm	Glass type	Pack qty
<b>12910921</b>	1.5mL Crimp neck vial, 1st hydrolytic class, wide opening (10326042) pre-crimped	Aluminium cap clear lacquered, 5.5mm centre hole, natural rubber red-orange/TEF transparent, 60° Shore A, 1.0mm (11737577) (approved IMQ*)	32 x 11.6	Clear	100
<b>12940921</b>	1.5mL Crimp neck vial, 1st hydrolytic class, wide opening (10326042) pre-crimped	Aluminium cap clear lacquered, 5.5mm centre hole, natural rubber red-orange/TEF transparent, 60° Shore A, 1.3mm (11545864)	32 x 11.6	Clear	100
<b>12930921</b>	1.5mL Crimp neck vial, 1st hydrolytic class, wide opening (10326042) pre-crimped	Aluminium cap clear lacquered, 5.5mm centre hole, natural rubber red-orange/butyl red/TEF transparent, 45° Shore A, 1.0mm (11821653)	32 x 11.6	Clear	100
<b>12900921</b>	1.5mL Crimp neck vial, 1st hydrolytic class, wide opening (10326042) pre-crimped	Aluminium cap blue lacquered, 5.5mm centre hole, natural rubber red-orange/butyl red/TEF transparent, 45° Shore A, 1.0mm (11894870)	32 x 11.6	Clear	100
<b>12920921</b>	1.5mL Crimp neck vial, 1st hydrolytic class, wide opening, label + filling lines (11545884) pre-crimped	Aluminium cap clear lacquered, 5.5mm centre hole, natural rubber red-orange/TEF transparent, 60° Shore A, 1.0mm (11737577) (approved IMQ*)	32 x 11.6	Amber	100

## 2-in-1 Kits with crimp neck vials ND11



Item	Description	Pack qty
<b>10571383</b>	2-in-1 Kit 2-in-1 Kit consisting of: 10326042 + 11821653†	100
<b>10326042</b>	Vial 1.5mL Crimp neck vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, wide opening	100
<b>11821653</b>	Seal 11mm Aluminium cap, clear lacquered, centre hole; natural rubber red-orange/butyl red/TEF transparent, 45° Shore A, 1.0mm †	1000
<b>12696655</b>	2-in-1 Kit 2-in-1 Kit consisting of: 10326042 + 11737577†	100
<b>10326042</b>	Vial 1.5mL Crimp neck vial, 32 x 11.6mm, clear glass, 1st hydrolytic class, wide opening	100
<b>11737577</b>	Seal 11mm Aluminium cap, clear lacquered, centre hole; natural rubber red-orange/TEF transparent, 60° Shore A, 1.0mm †	1000
<b>11326451</b>	2-in-1 Kit 2-in-1 Kit consisting of: 11545884 + 11821653†	100
<b>11545884</b>	Vial 1.5mL Crimp neck vial, 32 x 11.6mm, amber glass, 1st hydrolytic class, wide opening, label and filling lines	100
<b>11821653</b>	Seal 11mm Aluminium cap, clear lacquered, centre hole; natural rubber red-orange/butyl red/TEF transparent, 45° Shore A, 1.0mm †	1000
<b>10692143</b>	2-in-1 Kit 2-in-1 Kit consisting of: 11545884 + 11737577†	100
<b>11545884</b>	Vial 1.5mL Crimp neck vial, 32 x 11.6mm, amber glass, 1st hydrolytic class, wide opening, label and filling lines	100
<b>11737577</b>	Seal 11mm Aluminium cap, clear lacquered, centre hole; natural rubber red-orange/TEF transparent, 60° Shore A, 1.0mm †	1000

† Note: Pack qty is a 100 in this kit

\*Instrument Manufacturer Quality (IMQ)

## SNAP RING VIALS ND11



These vials are preferentially used with autosampler models from the following manufacturers: Agilent, CTC, DANI, Dionex, Jasco, Shimadzu, Spark, Thermo Scientific, Varian, VWR (Merck™)/ Hitachi and Waters

- We recommend this vial/closure system for HPLC applications only
- Universally usable vials for almost all autosamplers, even for those with robotic handling
- Micro-inserts can be delivered pre-assembled in vials
- Vials can also be crimped with a standard 11mm Aluminium crimp seal, as the two snap ring lips have the same height as a crimp neck
- Wide opening enables easy filling with viscous materials

### Snap ring vials ND11, wide opening



	Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>11525894</b> 1.5mL Snap ring vial, 1st hydrolytic class, wide opening (silanised version available 11565904)	32 x 11.6	Clear	1.9	1.5	200	<100	100
<b>2</b>	<b>11535894</b> 1.5mL Snap ring vial, 1st hydrolytic class, wide opening, label + filling lines (silanised version available Cat No 15582310)	32 x 11.6	Clear	1.9	1.5	200	<100	100
<b>3</b>	<b>11545894</b> 1.5mL Snap ring vial, 1st hydrolytic class, wide opening, label + filling lines (silanised version available 11515914)	32 x 11.6	Amber	1.9	1.5	200	<100	100
<b>4</b>	<b>11545914</b> 0.9mL Total microlitre snap ring vial ND11, 1st hydrolytic class	32 x 11.6	Clear	1.4	1.2	25	<1	100
<b>5</b>	<b>12672465</b> Snap/crimp vial with integrated micro-insert, 1st hydrolytic class "Base Bonded"	32 x 11.6	Clear	0.4	0.3	30	<3	100
<b>6</b>	<b>15219468</b> Snap/crimp vial with integrated micro-insert, 1st hydrolytic class "Base bonded"	32 x 11.6	Amber	0.4	0.3	30	<3	1000
<b>7</b>	<b>11585914</b> TopSert TPX snap/crimp vial ND11, with integrated 0.2mL glass micro-insert (silanised version available 11505924)	32 x 11.6	Clear	0.35	0.2	20	<4	100
<b>8</b>	<b>11525924</b> TopSert TPX snap/crimp vial ND11, with integrated 0.2mL glass micro-insert (silanised version available 11545924)	32 x 11.6	Amber	0.35	0.2	20	<4	100
<b>9</b>	<b>11717597</b> 0.3mL PP snap ring microvial	32 x 11.6	Transparent	0.4	0.25	30	<4	1000
<b>10</b>	<b>11894930</b> 0.3mL TPX snap ring microvial	32 x 11.6	Clear	0.4	0.25	30	<4	1000
<b>11</b>	<b>11834940</b> 0.7mL PP snap ring microvial	32 x 11.6	Transparent	0.9	0.64	50	<25	1000
<b>12</b>	<b>11804940</b> 0.3mL PP snap ring microvial	32 x 11.6	Amber	0.4	0.25	30	<4	1000

\*Instrument Manufacturer Quality (IMQ)

## Micro-inserts for snap ring vials ND11 with wide opening



		Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>11752418</b>	0.1mL Micro-insert, 1st hydrolytic class, 15mm top (silanised version available 11531314)	31 x 6	Clear	0.34	0.25	30	<4	1000
<b>2</b>	<b>11777557</b>	0.1mL Micro-insert, 1st hydrolytic class, 12mm top	31 x 6	Clear	0.35	0.3	30	<4	1000
<b>3</b>	<b>11805863</b>	0.1mL Micro-insert, 1st hydrolytic class, with assembled plastic spring (silanised version available 11541314)	29 x 5.7	Clear	0.3	0.25	30	<4	1000
<b>4</b>	<b>11762418</b>	0.2mL Micro-insert, 1st hydrolytic class, flat bottom (silanised version available 12396192)	31 x 6	Clear	0.5	0.35	40	<8	1000

## PE snap ring caps and seals ND11

- Choose synthetic red rubber/PTFE as a cost-effective alternative, but unlike natural rubber, synthetic rubber is not suitable for multiple injections but is nevertheless softer for safer needle penetration
- Snap ring caps are also available in a softer PE material in red or blue. They are easier to handle and push on/remove than the hard-cap version, but are less tight-fitting
- Snap ring cap with the design of a crimp cap; therefore suitable for robotic handling
- For quick and simple vial closing, saving time cost and effort
- Vials can also be sealed with an aluminium crimp seal ND11

## PE snap ring cap ND11 transparent, 6mm centre hole, hard or soft version



		Septa material	Durometer	Thickness, mm	Pack qty
<b>Hard Cap</b>					
<b>1</b>	<b>11702428</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
<b>2</b>	<b>15272056</b>	Red rubber/PTFE beige IMQ*	45° Shore A	1.0	1000
<b>3</b>	<b>11712428</b>	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
<b>4</b>	<b>11777587</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
<b>5</b>	<b>11787587</b>	Silicone white/PTFE blue, cross-slitted	55° Shore A	1.0	1000
<b>6</b>	<b>11844930</b>	Silicone white/PTFE red, pre-cut (Y)	45° Shore A	1.3	1000
<b>Soft Cap</b>					
<b>1</b>	<b>11824920</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
<b>2</b>	<b>11814930</b>	Red rubber/PTFE beige IMQ*	45° Shore A	1.0	1000
<b>3</b>	<b>11844920</b>	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
<b>4</b>	<b>11834920</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
<b>5</b>	<b>11854920</b>	Silicone white/PTFE blue, cross-slitted	55° Shore A	1.0	1000
<b>6</b>	<b>11854930</b>	Silicone white/PTFE red, pre-cut (Y)	45° Shore A	1.3	1000

\*Instrument Manufacturer Quality (IMQ)

PE snap ring cap ND11 blue, 6mm centre hole, hard or soft version



		Septa material	Durometer	Thickness, mm	Pack qty
<b>Hard Cap</b>					
1	<b>11867301</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
2	<b>15522320</b>	Red rubber/PTFE beige, IMQ*	45° Shore A	1.0	100
3	<b>11814910</b>	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
4	<b>11824910</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
5	<b>11834910</b>	Silicone white/PTFE blue, cross-slitted	55° Shore A	1.0	1000
6	<b>10668205</b>	Silicone white/PTFE red, pre-cut (Y)	45° Shore A	1.3	100
<b>Soft Cap</b>					
1	<b>11874920</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
2	<b>11595944</b>	Red rubber/PTFE beige, IMQ*	45° Shore A	1.0	100
3	<b>11864920</b>	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
4	<b>11884920</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
5	<b>11894920</b>	Silicone white/PTFE blue, cross-slitted	55° Shore A	1.0	1000
6	<b>11864930</b>	Silicone white/PTFE red, pre-cut (Y)	45° Shore A	1.3	1000

PE snap ring cap ND11 red, 6mm centre hole, hard version only



		Septa material	Durometer	Thickness, mm	Pack qty
<b>Hard version</b>					
1	<b>11844910</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
2	<b>11864910</b>	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
3	<b>11854910</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
4	<b>11797587</b>	Silicone white/PTFE blue, cross-slitted	55° Shore A	1.0	1000

\*Instrument Manufacturer Quality (IMQ)



PE snap ring cap ND11 green, 6mm centre hole, hard version only



		Septa material	Durometer	Thickness, mm	Pack qty
<b>Hard version</b>					
<b>1</b>	<b>11874910</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
<b>2</b>	<b>11824930</b>	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
<b>3</b>	<b>11834930</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
<b>4</b>	<b>11814920</b>	Silicone white/PTFE blue, cross-slitted	55° Shore A	1.0	1000


PE snap ring cap ND11 yellow, 6mm centre hole, hard version only



		Septa material	Durometer	Thickness, mm	Pack qty
<b>Hard version</b>					
<b>1</b>	<b>11884910</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.0	1000
<b>2</b>	<b>11804930</b>	Silicone white/PTFE red UltraClean	45° Shore A	1.3	1000
<b>3</b>	<b>11894910</b>	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
<b>4</b>	<b>11804920</b>	Silicone white/PTFE blue, cross-slitted	55° Shore A	1.0	1000

\*Instrument Manufacturer Quality (IMQ)

PE snap cap for snap ring vials ND11



	Description cap	Septa description	Pack qty
11836201	PE push-on cap, blue	With thinned penetration point	1000

*fisherbrand*

Focus on Fisherbrand



For all you disposable  
**Personal Protective  
Equipment** needs

For full range refer to [www.eu.fishersci.com/go/fisherbrand](http://www.eu.fishersci.com/go/fisherbrand)

**f** fisherscientific  
by Thermo Fisher Scientific

## SCREW NECK VIALS ND13



These vials are preferentially used on autosampler models from the following manufacturers: Dionex, Shimadzu, Spark, Varian, WWR (Merck)/Hitachi and Waters (Wisp 48 Position Carousel)

- Vials are packed in a cleanroom in reclosable, tamper-proof evident PP-boxes
- Any combination of 4mL Screw neck vial ND13 with one of our 13mm PP screw seals can be obtained as a 2-in-1 kit
- Upon request barcode labelled vials can also be supplied
- For storage purposes also available with closed top screw seals
- Acrylic vial racks with 40 cavities for 4mL vials

## Screw neck vials ND13 and appropriate micro-inserts



		Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
1	10571013	4mL Screw neck vial, 1st hydrolytic class	45 x 14.7	Clear	5	4.1	800	<400	100
2	11576044	4mL Screw neck vial, 1st hydrolytic class, label + filling lines	45 x 14.7	Clear	5	4.1	800	<400	100
3	11556044	4mL Screw neck vial, amber glass, 1st hydrolytic class	45 x 14.7	Amber	5	4.1	800	<400	100
4	11586044	4mL Screw neck vial, 1st hydrolytic class, label + filling lines	45 x 14.7	Amber	5	4.1	800	<400	100
5	11826912	0.3mL Micro-insert, 1st hydrolytic class, 15mm top metal spring required!	40 x 6	Clear	0.5	0.4	40	<9	1000
6	10682733	Spring, for micro-insert 11826912	50 x 7.5	-	-	-	-	-	100

## Polypropylene screw caps with seals ND13

- Ready to use combination seals; no time consuming and “tricky” assembly
- No contamination of the liner that normally is caused by manual assembly
- Available as closed or open top screw seals with 13-425 thread
- Tamper-proof evident and reclosable ziplock bags ensure product safety
- Broad variety of different septa materials for almost all applications



		Description cap	Septa material	Durometer	Thickness, mm	Pack qty
1	11702448	Polypropylene screw cap black, 8.5mm centre hole	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
2	11792438	Polypropylene screw cap black, 8.5mm centre hole	Butyl red/PTFE grey	55° Shore A	1.3	1000
3	11772438	Polypropylene screw cap black, 8.5mm centre hole	Silicone cream/PTFE red	55° Shore A	1.5	1000
4	11894970	Polypropylene screw cap black, 8.5mm centre hole	Silicone dark blue/PTFE white	45° Shore A	1.3	1000
5	11782438	Polypropylene screw cap black, 8.5mm centre hole	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
6	11712448	Polypropylene screw cap black, 8.5mm centre hole	Silicone white/PTFE blue, cross-slitted	55° Shore A	1.5	1000
7	11864970	Polypropylene screw cap black, closed top	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
8	11823861	Polypropylene screw cap black, closed top	Butyl red/PTFE grey	55° Shore A	1.3	1000
9	11884970	Polypropylene screw cap black, closed top	Silicone cream/PTFE red	55° Shore A	1.5	1000

## Septa 12mm for vial seals ND13



		Septa material	Durometer	Thickness, mm	Pack qty
1	11804950	PTFE virginal	53° Shore D	0.25 (only unassembled)	1000
2	11814950	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
3	11757597	Butyl red/PTFE grey	55° Shore A	1.3	1000
4	11894940	Silicone cream/PTFE red	55° Shore A	1.5	1000
5	11844950	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000
6	11824950	Silicone white/PTFE blue	55° Shore A	1.5 cross-slitted	1000

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## Polypropylene screw caps ND13



	Description cap	Pack qty
<b>1</b>	<b>11797597</b> Polypropylene screw cap, black, 8.5mm centre hole	1000
<b>2</b>	<b>11707607</b> Polypropylene screw cap, black, closed top	1000
<b>3</b>	<b>11717607</b> Polypropylene screw cap, white, 8.5mm centre hole	1000
<b>4</b>	<b>11898881</b> Polypropylene screw cap, white, closed top	1000

## Special kits with screw neck ND13

### 3-in-1 kits for VWR (Merck™)/Hitachi and Waters™ autosamplers

Item	Description	Pack qty
<b>10672923</b>	3-in-1 Kit 3-in-1 Kit consisting of: 10571013 + 11797597† + 11804950	100
<b>10571013</b>	Vial 4mL Screw neck vial, 45 x 14.7mm, clear glass, 1st hydrolytic Class	100
<b>11797597</b>	Cap Polypropylene screw cap, black, 8.5mm centre hole †	1000
<b>11804950</b>	Septa PTFE virginal, 53° Shore D, 0.25mm	1000
<b>11556044</b>	Vial 4mL Screw neck vial, 45 x 14.7mm, amber glass, 1st hydrolytic Class	100
<b>11797597</b>	Cap Polypropylene screw cap, black, 8.5mm centre hole	1000
<b>11804950</b>	Septa PTFE virginal, 53° Shore D, 0.25mm	1000

† Note: Pack qty is a 100 in this kit

### Other 2-in-1 kits with screw neck vials ND13

Item	Description	Pack qty
<b>11737607</b>	2-in-1 Kit 2-in-1 Kit consisting of: 10571013 + 11702448†	100
<b>10571013</b>	Vial 4mL Screw neck vial, 45 x 14.7mm, clear glass, 1st hydrolytic class	100
<b>11702448</b>	Seal PP screw cap, black, 8.5mm centre hole; natural rubber red-orange/TEF transparent, 60° Shore A, 1.3mm †	1000
<b>10224662</b>	2-in-1 Kit 2-in-1 Kit consisting of: 10571013 + 11772438†	100
<b>10571013</b>	Vial 4mL Screw neck vial, 45 x 14.7mm, clear glass, 1st hydrolytic class	100
<b>11772438</b>	Seal PP screw cap, black, 8.5mm centre hole; silicone cream/PTFE red, 55° Shore A, 1.5mm †	1000
<b>10778874</b>	Alternative 2-in-1 Kit Same seal in combination with 11556044 (amber glass)	100
<b>12950931</b>	2-in-1 Kit 2-in-1 Kit consisting of: 10571013+11782438†	100
<b>10571013</b>	Vial 4mL Screw neck vial, 45 x 14.7mm, clear glass, 1st hydrolytic class	100
<b>11782438</b>	Seal PP screw cap, black, 8.5mm centre hole; PTFE red/silicone white/PTFE red, 45° Shore A, 1.0mm †	1000
<b>12910941</b>	2-in-1 Kit 2-in-1 Kit consisting of: 10571013 + 11712448†	100
<b>10571013</b>	Vial 4mL Screw neck vial, 45 x 14.7mm, clear glass, 1st hydrolytic class	100
<b>11712448</b>	Seal PP screw cap, black, 8.5mm centre hole; silicone white/PTFE blue, 55° Shore A, 1.5mm cross-slitted †	1000

† Note: Pack qty is a 100 in this kit

## Shell Vials



These vials are preferentially used on autosampler models from the following manufacturers: Alcott, Gilson, Shimadzu and Waters (Wisp 96 48-position carousel)

- PE plugs 11561374/10224852, 11555914/11565914 and 11516074/10455982 may be used for the fixation of a micro-insert eliminating the need for springs
- For the 1mL Shell vials, plugs with and without insertion barriers for the micro-inserts are available. The option without barrier demonstrates a better valving effect with regard to vacuum formation
- Star-shaped diaphragm enables easy penetration of the PE plug
- 10145424 + 10506075 with soft style plug for Waters™ and Shimadzu
- Recommended for HPLC usage
- A handy and inexpensive vial/closure combination for uncritical analyses

## Shell vials 1mL and 4mL and appropriate micro-inserts



		Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>10306062</b>	1mL Shell vial, 1st hydrolytic class, 6mm PE plug, transparent, for ALCOTT	35 x 7.8	Clear	1.1	0.8	60	<25	100
<b>2</b>	<b>10145424*</b>	1mL Shell vial, 1st hydrolytic class, 8mm PE plug, soft, without insertion barrier for micro-insert, transparent for Waters™ Wisp 96 pos. carousel, Shimadzu	40 x 8.2	Clear	1.4	1	100	<80	100
<b>3</b>	<b>10506075*</b>	1mL Shell vial, 1st hydrolytic class, 8mm PE plug, soft, without insertion barrier for micro-insert, transparent for Waters™ Wisp 96 pos. carousel, Shimadzu	40 x 8.2	Amber	1.4	1	100	<80	100
<b>4</b>	<b>11792368</b>	0.1mL Micro-insert, 1st hydrolytic class, 13mm top (only in comb. With 11561374 + 10224852)	34 x 5	Clear	0.2	0.15	25	<0.1	1000
<b>5</b>	<b>11516074</b>	4mL Shell vial, 1st hydrolytic class, 15mm PE plug, transparent for Waters™ Wisp 48 pos. carousel	44.6 x 14.65	Clear	5.5	4	1000	<800	100
<b>6</b>	<b>10455982</b>	4mL Shell vial, 1st hydrolytic class, 15mm PE plug, transparent for Waters™ Wisp 48 pos. carousel	44.6 x 14.65	Amber	5.5	4	1000	<800	100
<b>7</b>	<b>11728276</b>	0.3mL Micro-insert, 1st hydrolytic class, 13mm top	43.45 x 6	Clear	0.4	0.3	50	<8	1000

\*If a micro-insert is used in combination with the shell vial, please use 11561374 and 10224852, respectively, as they have an insertion barrier for micro-inserts. However, please note that the flexibility of the plug with the insertion barrier is reduced, so that plug push-in and needle penetration is more difficult.

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## Shell vials 2mL and appropriate micro-inserts



		Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>11555914</b>	2mL Shell vial, 1st hydrolytic class, 12mm PE plug, transparent for various instruments	31.5 x 11.6	Clear	2.3	1.5	200	<100	100
<b>2</b>	<b>11565914</b>	2mL Shell vial, 1st hydrolytic class, 12mm PE plug, transparent for various instruments	31.5 x 11.6	Amber	2.3	1.5	200	<100	100
<b>3</b>	<b>11752418</b>	0.1mL Micro-insert, 1st hydrolytic class, 15mm top (silanised version available 11531314)	31 x 6	Clear	0.34	0.25	30	<4	1000
<b>4</b>	<b>11777557</b>	0.1mL Micro-insert, 1st hydrolytic class, 12mm top	31 x 6	Clear	0.35	0.3	30	<4	1000
<b>5</b>	<b>11762418</b>	0.2mL Micro-insert, 1st hydrolytic class, flat bottom (silanised version available 12396192)	31 x 6	Clear	0.5	0.35	40	<8	1000

## Polypropylene shell vials 1mL, 3mL and 4mL, with plugs



		Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>11561404</b>	1mL PP shell vial, 8mm PE plug, transparent	40 x 8	Clear	1.28	1.05	50	<25	100
<b>2</b>	<b>12980941</b>	3mL PP shell vial, with inner cone; 15mm PE plug, transparent	44.6 x 14.65	Clear	4	3	40	<8	100
<b>3</b>	<b>12970941</b>	4mL PP shell vial, 15mm PE plug, transparent	44.6 x 14.65	Clear	5.5	4	1000	<800	100

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## Headspace ND20 (ND18) vials



### IMPORTANT SAFETY TIP:

As headspace vials have to withstand high internal pressures, almost all vials featured below have a wall thickness of 1.2mm to prevent bursting. Contrary to widespread opinion, the seal and not the vial represents the weakest part of the whole vial assembly. Under pressure, the septa will press and bulge against the aluminium cap with such force that the cap is torn apart. Using our own testing procedures, we have verified that (for example) our PerkinElmer vial 10080822 can easily withstand 10 bars or more, whereas the seal is torn apart at around 10 bars when no pressure release system – such as our headspace cap – is used.

Headspace vials are available in a range of different forms and styles:

- Volume (5mL, 10mL, 20mL)
- Rounded or flat bottom. Rounded bottoms are more robust and more resistant to high pressures within the vial. These vials also slide more easily into heating blocks etc. On the other hand, a flat bottom might be required when vials have to run within instruments on a gradient or slope
- Bevelled top or flat DIN crimp neck/screw neck. A bevelled headspace neck rim might be required for some special closure systems (PerkinElmer), however, a liner has more surface area to make contact with a flat DIN crimp neck. The more surface area for the liner to sit on, the tighter the seal
- Length of the neck (instrument specific)
- Clear/amber glass
- With/without label and filling lines

Similarly, headspace closures are also available in a range of different forms and materials:

- Different types of cap permutations, for example, crimp\screw\headspace\centre hole\tear-off\magnetic\bimetal\PP\PE. Screw caps (as opposed to crimp-neck) are a novelty when it comes to headspace vials, but they represent a ready-to-use, convenient option that does not require any additional tools (crimpers, decappers). Therefore, samples can be taken and sealed out in the field without the need for sample transfer later in the lab. Magnetic screw seals can be used universally for headspace as well as for SPME.
- Different types of liner materials, such as butyl, butyl/PTFE, pharma-fix-liner (butyl/PTFE), silicone/PTFE, silicone/aluminium foil, viton, natural rubber/TEF. Besides the actual material, liners may also differ in thickness, hardness (° Shore A), colour, type of PTFE lamination and grade of silicone (UltraClean).

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)



## Headspace vials ND20 and ND18



	Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Compatibility	Pack qty
1	<b>10663303</b> 5mL Headspace vial, 1st hydrolytic class, rounded bottom	38.2 x 22	Clear	9.4	5	1,500	800	Perkin Elmer	100
	<b>10192652</b> 5mL Crimp neck vial, 1st hydrolytic class, flat bottom	38 x 20	Clear	8	5	1,500	800	Varian	100
	<b>10681033</b> 10mL Headspace vial, 1st hydrolytic class, DIN-crimp neck, rounded bottom	46 x 22.5	Clear	12.3	10	1,500	800	Carlo Erba, CTC, Fisons, Varian (CP)	100
2	<b>10195012</b> 10mL Headspace vial, 1st hydrolytic class, DIN-crimp neck, rounded bottom	46 x 22.5	Amber	12.3	10	1,500	800	Carlo Erba, CTC, Fisons, Varian (CP)	100
	<b>11520545</b> 10mL Crimp neck vial, 1st hydrolytic class, flat bottom	54.5 x 20	Clear	12.2	10	1,500	800	Varian	100
	<b>10680843</b> 10mL Headspace vial, 1st hydrolytic class, DIN-crimp neck, long neck, flat bottom	46 x 22.5	Clear	11.7	10	1,500	800	Carlo Erba, Dani, Fisons, Agilent	100
	<b>10080822</b> 20mL Headspace vial, 1st hydrolytic class, rounded bottom	75.5 x 23	Clear	22	20	1,500	800	Perkin Elmer, Tekmar	100
	<b>12981241</b> 20mL Headspace vial, 1st hydrolytic class, rounded bottom	75.5 x 23	Amber	22	20	1,500	800	Perkin Elmer, Tekmar	100
	<b>10152512</b> 20mL Headspace vial, 1st hydrolytic class, rounded bottom, label + filling lines	75.5 x 23	Clear	22.4	20	1,500	800	Perkin Elmer, Tekmar	100
3	<b>15552340</b> 20mL Headspace vial, 1st hydrolytic class, bevelled crimp neck, long neck, flat bottom	75.5 x 22.75	Clear	21.2	20	1,500	800	Agilent	100
	<b>12971231</b> 20mL Headspace vial, 1st hydrolytic class, DIN-crimp neck, long neck, flat bottom	75.5 x 22.5	Clear	21.2	20	1,500	800	Carlo Erba, Dani, Fisons, Agilent	100
4	<b>10070952</b> 20mL Headspace vial, 1st hydrolytic class, DIN-crimp neck, long neck, rounded bottom	75.5 x 22.5	Clear	20.9	20	1,500	800	CTC PAL (Varian, Gerstel, Atas, Shimadzu), TriPlus HS	100
	<b>12910991</b> 20mL Headspace vial, 1st hydrolytic class, DIN-crimp neck, long neck, rounded bottom	75.5 x 22.5	Amber	20.9	20	1,500	800	CTC PAL (Varian, Gerstel, Atas, Shimadzu), TriPlus HS	100
	<b>10510323</b> 20mL SPME Vial, 1st hydrolytic class, rounded bottom, special crimp neck	75.5 x 22.5	Clear	21.2	20	1,500	800	SPME Vial for CTC PAL	100
	<b>11506114</b> 10mL Precision thread vial ND18, 1st hydrolytic class, rounded bottom	46 x 22.5	Clear	10.8	8	1,500	800	CTC PAL (Varian, Gerstel, Atas, Shimadzu, Agilent)	100
5	<b>11526114</b> 10mL Precision thread vial ND18, 1st hydrolytic class, rounded bottom	46 x 22.5	Amber	10.8	8	1,500	800	CTC PAL (Varian, Gerstel, Atas, Shimadzu, Agilent)	100
6	<b>12941221</b> 20mL Precision thread vial ND18, 1st hydrolytic class, rounded bottom	75.5 x 22.5	Clear	20.6	18	1,500	800	CTC PAL (Varian, Gerstel, Atas, Shimadzu, Agilent)	100
	<b>12951221</b> 20mL Precision thread vial ND18, 1st hydrolytic class, rounded bottom	75.5 x 22.5	Amber	20.6	18	1,500	800	CTC PAL (Varian, Gerstel, Atas, Shimadzu, Agilent)	100

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## Other headspace crimp neck vials ND20 and screw neck vial ND18



		Description	Dimension, mm	Glass Type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res. Vol. (µL)	Pack qty
<b>1</b>	<b>11530535</b>	50mL Crimp neck vial, 1st hydrolytic class	101 x 31	Clear	58	50	3,080	1,500	100
<b>2</b>	<b>11560535</b>	100mL Crimp neck vial, 3rd hydrolytic class	94.5 x 51.6	Clear	118.8	100	10,000	6,000	88
<b>3</b>	<b>12990951</b>	20mL Headspace vial, 1st hydrolytic class, rounded bottom, with screw thread ND18 Perkin Elmer	75.5 x 23	Clear	21.2	20	1,500	800	100

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

# FISHERBRAND Spotlight



Identify the appropriate solvent grade for your particular chromatography application from the Fisher Chemical range

## FISHER CHEMICAL SOLVENT SELECTION GUIDE

Chromatography Application	Instrument and Detector Type	Fisher Chemical Solvent Grade
High HPLC-MS	LC and UHPLC coupled with mass detector	Optima™ LC/MS
HPLC-MS	LC coupled with mass detector	LC/MS grade
UHPLC	UHPLC coupled with UV detector	UHPLC gradient grade
High HPLC gradient	LC gradient coupled with UV detector	HPLC advanced grade
HPLC gradient	LC gradient coupled with UV detector	HPLC gradient grade
HPLC	LC coupled with UV detector	HPLC grade

To ensure suitability for specific detectors (e.g. ECD & fluorescence) several other application specific solvent grades are also available.

### Achieve maximum performance in liquid chromatography

Research, quality control or routine analysis – whatever the field of activity, our range of solvents meets the challenges of chromatography from HPLC to UHPLC-MS applications. We can supply the type of solvents, blends and reagents you need, in the grades, sizes and packaging that meet your requirements.

### Fisher Chemical Manufacturing Capabilities

Utilising our chemicals manufacturing sites, we can tailor-make solvents to meet the specifications you provide for your application. Our experience in manufacturing, processing and testing high-purity solvents enables customisation to your specifications. In addition, our dedicated solvent mixing facilities produce high-purity blends specified by our customers.

Take advantage of our long-standing expertise and experience in distillation, processing, testing and packaging high purity solvents to make Fisher Chemical your brand of choice for your chromatography applications.



**Water, HPLC for gradient analysis**  
10367171

**Methanol for LC-MS Optima™**  
10031094 †

**Acetonitrile for LC-MS Optima™**  
10001334

For further information visit the Fisher Chemical supplier page on your local Fisher Scientific web site.  
To request a copy of our brochure 'Find the perfect chemicals for your Chromatography' [www.eu.fishersci.com/go/fisherbrand](http://www.eu.fishersci.com/go/fisherbrand)

## Headspace autosampler compatibility chart

Cat No.	10680843	12971231 15552340	10681033 10195012	10070952 12911091	10510323	11506114 11526114	12941221 12951221	10663303	10080822 12981241	10152512	10192652 11520545
<b>For use on instruments</b>	Agilent, Carlo Erba, DANI, Fisons	Agilent, Carlo Erba, DANI, Fisons	Carlo Erba, CTC PAL (Varian, Gerstel, Atas, Shimadzu), Thermo Scientific, Disons, Varian, Thermo Scientific	CTC PAL (Varian, Gerstel, Atas, Shimadzu), Thermo Scientific, TriPlus HS ***	SPME Vial for CTC PAL	CTC Combi PAL (Varian, Gerstel, Atas, Shimadzu, PerkinElmer*, Agilent)	CTC Combi PAL (Varian, Gerstel Atas, Shimadzu), PerkinElmer*, Agilent	PerkinElmer**	PerkinElmer, Tekmar	PerkinElmer, Tekmar	Varian

\*\*\* not suitable for Thermo Scientific HS250/HS500 - \*for TurboMatrix™ 16,40, and 110, produced after the 01.09.2006 / \*\* not suitable for TurboMatrix™ 110


### AUTOSAMPLERS

Agilent G1888A, Agilent HS7694 (DANI HS 39.50/HS 86.50)	11778246 11590505 11788246 11580505	11778246 11590505					11853912 (only for G1888A)				
Agilent CTC combi Pal							11853912				
CTC Combi Pal ( HS mode) (Gerstel MPS 2 / Varian)			11805963	11805963		11778256	11778256				
CTC Pal HTC-xt, CTC HTS-xt, CTC HTX-xt, CTC PAL Combi-xt Liquid Mode, CTC Combi.xt Option, CTC GC-xt HS Option			11825050	11825050		1185000 11853912	1185000 11853912				
CTC Combi Pal (SPME Mode) (Gerstel MPS 2 / Varian) CTC combi-xt SPME Options					11927071 11895040	11778256 1185000 11853912 11713027	11778256 1185000 11853912 11713027				
CTC HS 500			10472804	10472804							
HTA HT200H	11778246 11590505			11778246 11590505							
PerkinElmer HS6								11835030 11758246 11747617 11747617 11885030 11580505 11845030 11742458 11778246 11793127 11891653 11590505			
PerkinElmer HS40/HS100/HS101								see PerkinElmer HS6	see PerkinElmer HS6	see PerkinElmer HS6	
TurboMatrix™ HS16/HS40/HS40XL/HS40Trap/HS110/HS110 Trap							1185000 11787607 11895000	see PerkinElmer HS6	see PerkinElmer HS6	see PerkinElmer HS6	
Shimadzu AOC-5000 (HS Mode)			11805963	11805963		11778256	11778256				
Shimadzu SIL-30 ACMP			11825050	11825050		1185000 11853912	1185000 11853912				
Shimadzu AOC-5000 (SPME Mode)					11927071 11895040	11778256 1185000 11853912 11713027	11778256 1185000 11853912 11713027				
Thermo Scientific HS250 / HS500 (Carlo Erba/Fisons/Thermo Scientific)			11825040 10472804 11821603								
Thermo Scientific HS800 (Carlo Erba/ Fisons/Thermo Scientific)			11825040 10472804 11821603	11825040 10472804							
Thermo Scientific HS850 (Carlo Erba/ Fisons/Thermo Scientific)			11793127 11590505 11845030 11778246 11742458	11793127 11590505 11845030 11778246 11742458							
Thermo Scientific HS2000, Thermo Scientific TriPlus (HS Mode), Thermo Scientific TriPlus 300, Thermo Scientific TriPlus RSH			11793127 11590505 11845030 11778246 11742458	11793127 11590505 11845030 11778246 11742458							
Thermo Scientific TriPlus (SMPE Mode)			11793127 11590505	11793127 11590505							
Tekmar HT 3								11778246 11742458 11793127 11590505	11778246 11742458 11793127 11590505		
Varian CP-920/9025, CP-9060		11793127	11793127								
Varian Genesis		11590505 11778246 11742458	11590505 11778246 11742458								

This compatibility chart will help you to identify the appropriate vial and closure for your autosampler.

Several caps could be compatible with the headspace vial you select. This colour-code will help you to find the closure type you are looking for.

Aluminium, crimp cap, plain, 10mm centre hole



Magnetic crimp cap, gold, 5mm centre hole




Magnetic crimp bimetal-cap red/silver, 8mm centre hole



Headspace cap clear lacquered (pressure release cap)



Magnetic crimp cap, gold, 8mm centre hole



Magnetic precision thread, screw cap, silver, 8mm centre hole




## Aluminium crimp caps and liners ND20

Our range of aluminium crimp caps is featured below, all of which can be used with a broad variety of different liners.



Centre hole cap  
plain, red, blue, gold, green 10mm  
centre hole



Headspace cap  
clear lacquered, scorelines break  
open at 3.0 ± 0.5 bar for pressure  
release



Centre tear-off cap  
clear lacquered, red, blue, gold,  
green



Complete tear-off cap  
clear lacquered, red, blue, gold,  
green



Magnetic crimp cap  
gold, 5mm centre hole CE  
HS500/HS800, CTC 500, Fisons  
HS500/HS800



Magnetic crimp cap  
gold, 8mm centre hole CTC  
Combi PAL



Magnetic bimetal crimp cap  
red, 8mm centre hole CTC Combi  
PAL

## Crimp caps with butyl seals ND20, non-laminated

- Temperature resistant from -40°C up to +120°C
- N.B. Liners do not possess a PTFE lamination so only suitable for non-critical analyses
- Budget product



	Description	Septa material	Durometer	Thickness, mm	Pack qty
1	<b>11845030</b> Aluminium cap, plain, 10mm centre hole				1000
2	<b>11835030</b> Headspace cap, clear lacquered				1000
3	<b>11865030</b> Centre tear-off cap, clear lacquered	Chloro-butyl, dark grey	55° Shore A	3.0	1000
4	<b>11875030</b> Complete tear-off cap, clear lacquered				1000
5	<b>11825040</b> Magnetic cap, gold, 5mm centre hole				1000
6	<b>11845040</b> Magnetic cap, gold, 8mm centre hole				1000

## Crimp caps with butyl/PTFE seals ND20, laminated

- Temperature resistant from -40°C up to +120°C
- Completely laminated with PTFE



	Description	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11742458</b>	Aluminium cap, plain, 10mm centre hole			1000
<b>2</b>	<b>11758246</b>	Headspace cap, clear lacquered			1000
<b>3</b>	<b>11855030</b>	Centre tear-off cap, clear lacquered			1000
<b>4</b>	<b>11893781</b>	Complete tear-off cap, clear lacquered	Bromo-Butyl/PTFE, grey	50° Shore A 3.0	1000
<b>5</b>	<b>10182174</b>	Magnetic cap, gold, 5mm centre hole			1000
<b>6</b>	<b>11768246</b>	Magnetic cap, gold, 8mm centre hole			1000
<b>7</b>	<b>12970981</b>	Magnetic bimetal cap, red, 8mm centre hole			100

## Crimp caps with Pharma-fix seals ND20, partially laminated

- Special moulded butyl/PTFE liner that is only laminated where the liner is in direct contact with the sample. On the periphery, the unlaminated elastic butyl achieves a very tight seal with the vial top
- Temperature resistant from -40°C up to +120°C
- Achieves a tighter seal than completely laminated butyl/PTFE liners



	Description	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11778246</b>	Aluminium cap, plain, 10mm centre hole			1000
<b>2</b>	<b>11788246</b>	Headspace cap, clear lacquered			1000
<b>3</b>	<b>11825030</b>	Centre tear-off cap, clear lacquered	Pharma-fix-septa, bromo-butyl/PTFE	50° Shore A 3.0	1000
<b>4</b>	<b>11737617</b>	Complete tear-off cap, clear lacquered			1000
<b>5</b>	<b>11821603</b>	Magnetic cap, gold, 5mm centre hole			1000
<b>6</b>	<b>11798246</b>	Magnetic cap, gold, 8mm centre hole			1000

## Crimp caps with silicone/PTFE seals ND20, fully laminated

- Temperature resistant from -60°C up to +200°C
- Clean/UltraClean liners for sensitive analyses
- White/beige liner corresponds to competitor HT liner
- Completely laminated with PTFE
- Soft liners for easy penetration



	Description	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11793127</b> Aluminium cap, plain, 10mm centre hole	Silicone blue transparent/PTFE white UltraClean	45° Shore A	3.0	1000
<b>2</b>	<b>11747617</b> Headspace cap, clear lacquered				1000
<b>3</b>	<b>10666364</b> Centre tear-off cap, clear lacquered				1000
<b>4</b>	<b>12370180</b> Complete tear-off cap, clear lacquered				1000
<b>5</b>	<b>10472804</b> Magnetic cap, gold, 5mm centre hole	Silicone blue	45° Shore A	3.0	1000
<b>6</b>	<b>11805963</b> Magnetic cap, gold, 8mm centre hole				1000
<b>7</b>	<b>11825050</b> Magnetic bimetal cap, red, 8mm centre hole				1000
<b>8</b>	<b>11590505</b> Aluminium cap, plain, 10mm centre hole	transparent UltraClean			1000
<b>9</b>	<b>11580505</b> Headspace cap, clear lacquered				1000
<b>10</b>	<b>12696775</b> Magnetic cap, gold, 8mm centre hole	Silicone white/PTFE	45° Shore A	3.2	1000
<b>11</b>	<b>11368641</b> Magnetic bimetal cap, red, 8mm centre hole	beige (HT Quality)			100

## Crimp caps with silicone/aluminium foil seals ND20

- Temperature resistant from -60°C up to +220°C
- Often used on PerkinElmer instruments
- Completely laminated with aluminium foil silver



	Description	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11891653</b> Aluminium cap, plain, 10mm centre hole	Silicone white/ aluminium foil silver	50° Shore A	3.0	1000
<b>2</b>	<b>11885030</b> Headspace cap, clear lacquered	Silicone white/ aluminium foil silver	50° Shore A	3.0	1000
<b>3</b>	<b>11815040</b> Magnetic cap, gold, 5mm centre hole	Silicone white/ aluminium foil silver	50° Shore A	3.0	1000

## Crimp caps with Ultra-High Temperature (UHT) seal (silicone/PTFE) ND20

- High temperature, high quality silicone/PTFE septum for less extractables at low to mid-high temperatures
- Operation up to +300°C possible
- Low bleeding level at high temperatures (>120°C)



	Description	Septa material	Durometer	Thickness, mm	Pack qty
<b>15303168</b>	Ultra High Temperature seal: 20mm steel crimp cap, silver, with 5mm centre hole	Ultra High Temperature septa 20mm silicone dark red/PTFE	45° Shore A	3.0	100

## Crimp cap, magnetic, with seal for SPME vial ( 10510323) for CTC

- Special silicone/PTFE liner with a thin 0.05mm PTFE film instead of the standard 0.13mm PTFE lamination, allowing even easier needle penetration
- Should only be used in combination with the SPME vial ( 10510323) which has a much thicker crimp neck than all standard headspace vials



	Description	Septa material	Durometer	Thickness, mm	Pack qty
<b>11927071</b>	Magnetic cap, gold, 8mm centre hole	Silicone white/PTFE blue	55° Shore A	1.5	1000



## Septa/stoppers 20mm only, for vials ND20



		Septa material	Durometer	Thickness, mm	Pack qty
1	10255044	Moulded septa butyl, dark grey	55° Shore A	3.0	1000
2	11825020	Moulded septa butyl/PTFE, grey	50° Shore A	3.0	1000
3	11815020	Pharma-fix-septa (butyl/PTFE)	50° Shore A	3.0	1000
4	10602245	Silicone blue transparent/PTFE white	45° Shore A	3.0	1000
5	12666505	Silicone blue transparent/PTFE transparent	45° Shore A	3.0	1000
6	11805030	Silicone white/PTFE beige (HT quality)	45° Shore A	3.2	1000
7	11895020	Silicone white/aluminium foil silver	50° Shore A	3.0	1000
8	11845060	20mm Butyl injection stopper, grey			1000

## Autosampler washer bottle caps and seals ND20

- Seals for washer bottles on autosampler instruments
- Intermediate closure when collecting samples out in the field



		Description	Septa material	Durometer	Thickness, mm	Pack qty
1	11869420	PE cap, transparent, 22 x 8.4mm, 4.3mm centre hole	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
2	11809430	PE cap, transparent, 22 x 8.4mm, 4.3mm centre hole	Butyl red/PTFE grey	55° Shore A	1.3	1000
3	11879420	PE cap, transparent, 22 x 8.4mm, 4.3mm centre hole	Silicone blue transparent/PTFE white	45° Shore A	1.3	1000
1	11889420	PE cap, transparent, 22 x 9.1mm, 4.3mm centre hole	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
2	11899420	PE cap, transparent, 22 x 9.1mm, 4.3mm centre hole	Butyl red/PTFE grey	55° Shore A	1.3	1000
4	11837281	PE cap, transparent, 22 x 9.1mm, 4.3mm centre hole	Silicone blue transparent/PTFE white	45° Shore A	1.3	1000
5	11829430	PE cap, transparent, 22 x 9.1mm, 4.3mm centre hole	Silicone blue transparent/PTFE white, Y-slitted	45° Shore A	1.3	1000
5	11819430	PE cap, transparent, 22 x 9.1mm, 8.0mm centre hole	Silicone blue transparent/PTFE white, Y-slitted	45° Shore A	1.3	1000

## Septa 19.5mm for seals ND20



		Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11855010</b>	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
<b>2</b>	<b>11875010</b>	Butyl red/PTFE grey	55° Shore A	1.3	1000
<b>3</b>	<b>11865010</b>	Silicone blue transparent/PTFE white	45° Shore A	1.3	1000

## Crimp caps magnetic universal screw and seals ND18

- For precision thread vials 11506114, 11526114, 12941221, 12951221 for CTC, Agilent, Shimadzu, Varian, Gerstel and PerkinElmer instruments
- 11865000 and 11853912 have been tested and approved by CTC
- Closed top versions for sample storage
- Precision thread vials and closures now also used on PerkinElmer TurboMatrix 16, 40 and 110 autosamplers constructed after 01.09.2006
- 11713027\* especially suitable for SPME due to the pre-cut septa



		Description	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11778256</b>	Magnetic screw cap silver, 8mm centre hole	Silicone white/PTFE red	45° Shore A	1.3	1000
<b>2</b>	<b>11865000</b>	Magnetic screw cap silver, 8mm centre hole	Silicone blue transparent/PTFE white	45° Shore A	1.3	1000
<b>3</b>	<b>11853912</b>	Magnetic screw cap silver, 8mm centre hole	Silicone white/PTFE blue	55° Shore A	1.5	1000
<b>4</b>	<b>11787607</b>	Magnetic screw cap silver, 8mm centre hole	Butyl red/PTFE grey	55° Shore A	1.6	1000
<b>5</b>	<b>11895000</b>	Magnetic screw cap silver, 8mm centre hole	Silicone white/aluminium foil silver	50° Shore A	1.3	1000
<b>6</b>	<b>11713027</b>	Magnetic screw cap silver, 8mm centre hole (SPME)	Silicone white/PTFE red, pre-cut star (*)	55° Shore A	1.5	1000
<b>7</b>	<b>11875000</b>	Magnetic screw cap silver, closed top	Silicone white/PTFE red	45° Shore A	1.3	1000
<b>8</b>	<b>11885000</b>	Magnetic screw cap silver, closed top	Butyl red/PTFE grey	55° Shore A	1.6	1000

## Septa 17.5mm for magnetic universal screw seals ND18



		Septa material	Durometer	Thickness, mm	Pack qty
1	11825000	Silicone white/PTFE red	45° Shore A	1.3	1000
2	11815000	Silicone blue transparent/PTFE white	45° Shore A	1.3	1000
3	11894990	Silicone white/PTFE blue	55° Shore A	1.5	1000
4	11805000	Butyl red/PTFE grey	55° Shore A	1.6	1000
5	11835000	Silicone white/aluminium foil silver	50° Shore A	1.3	1000

## Polypropylene screw cap seal ND18

- Especially for headspace vial 12990951
- These screw seals are not suitable for the following vials: 11506114, 12941221, 11526114 and 12951221



		Description	Septa material	Durometer	Thickness, mm	Pack qty
1	11899040	Polypropylene screw cap black, 12mm centre hole	Butyl red/PTFE grey	55° Shore A	1.6	1000
2	11845010	Polypropylene screw cap black, closed top	Butyl red/PTFE grey	55° Shore A	1.6	1000
3	12900961	Polypropylene screw cap black, 12mm centre hole	Butyl red/PTFE grey	55° Shore A	2.0	100
2	12910961	Polypropylene screw cap black, closed top	Butyl red/PTFE grey	55° Shore A	2.0	100
4	12686755	Polypropylene screw cap black, 12mm centre hole	Silicone white/PTFE red	55° Shore A	1.5	1000
5	12676755	Polypropylene screw cap black, closed top	Silicone white/PTFE red	55° Shore A	1.5	1000
6	11835010	Polypropylene screw cap black, 12mm centre hole	Silicone blue transparent/PTFE white	45° Shore A	1.7	1000

Septa 16mm for vial seals ND18



		Septa material	Durometer	Thickness, mm	Pack qty
1	11844990	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
2	11917061	Butyl red/PTFE grey	55° Shore A	1.6	1000
2	11874990	Butyl red/PTFE grey	55° Shore A	2.0	1000
3	15592330	Silicone white/PTFE red	55° Shore A	1.5	1000
4	11854990	Silicone blue transparent/PTFE white	45° Shore A	1.7	1000
5	11777607	PTFE red/silicone white/PTFE red	45° Shore A	1.0	1000



## SNAP CAP VIALS ND18 AND ND22



- Different volumes of 5mL, 10mL, 15mL and 25mL available
- Caps and vials separately obtainable
- Quickly and easily to reopen and reseal
- No liners are required in the cap
- For storage of powders and solids



	Description	Dimensions, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>10495982</b> 5mL Snap cap vial ND18, 3rd hydrolytic class	40 x 20	Clear	9.1	8	0.6	0.3	100
<b>2</b>	<b>10749644</b> 10mL Snap cap vial ND18, 3rd hydrolytic class	50 x 22	Clear	14	12.7	1	0.5	100
<b>3</b>	<b>11580535</b> 15mL Snap cap vial ND22, 3rd hydrolytic class	48 x 26	Clear	19.3	18.5	1	0.6	100
<b>4</b>	<b>10335582</b> 25mL Snap cap vial ND22, 3rd hydrolytic lass	65 x 26	Clear	27	25	1	0.6	100

## PE snap caps ND18/ND22



	Description cap	Dimensions, mm	Colour	Pack qty
<b>1</b>	<b>11797607</b> 18mm PE snap cap, closed top, for ND18	19.8 x 5.2	Transparent	1000
<b>2</b>	<b>11510565</b> 22mm PE snap cap, closed top, for ND22	23.5 x 5.5	Transparent	100

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## SCREW NECK VIALS ND24 (EPA)



The vials are preferentially used on autosampler models from the following manufacturers: Agilent, Dionex, Shimadzu, Tekmar, Thermo Scientific and Varian

- All types of EPA vials can be delivered against a small surcharge with a certificate of cleanliness that might be needed especially for TOC analysis.
- EPA Vials can be obtained with any type of screw seal ND24 already screwed on
- Broad range of EPA vials in clear and amber glass
- Volumes of 20mL, 30mL, 40mL and 60mL available

### Screw neck vials ND24 (EPA)



	Description cap	Dimensions, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty	
	10000782	20mL EPA screw neck vial, 1st hydrolytic class	57 x 27.5	Clear	23.3	20	1	0.5	100
	10458082	20mL EPA screw neck vial, 1st hydrolytic class	57 x 27.5	Amber	23.3	20	1	0.5	100
	10758874	30mL EPA screw neck vial, 1st hydrolytic class	72.5 x 27.5	Clear	31.1	27.4	1.4	0.7	100
	11510585	30mL EPA screw neck vial, 1st hydrolytic class	72.5 x 27.5	Amber	31.1	27.4	1.4	0.7	100
1	10465982	40mL EPA screw neck vial, 1st hydrolytic class	95 x 27.5	Clear	42.9	40	1.4	0.7	100
2	11530585	40mL EPA screw neck vial, 1st hydrolytic class	95 x 27.5	Amber	42.9	40	1.4	0.7	100
	11540585	60mL EPA screw neck vial, 1st hydrolytic class	140 x 27.5	Clear	64.4	60	1.4	0.7	100
	11550585	60mL EPA screw neck vial, 1st hydrolytic class	140 x 27.5	Amber	64.4	60	1.4	0.7	100

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## SCREW NECK VIALS ND24 (EPA)



- Ready to use combination seals; no time consuming and “tricky” assembly.
- No contamination of the liner sometimes caused by manual assembly
- Broad variety of different septa materials for almost all applications
- UltraBond seals ND24 have a bonded cap and silicone/PTFE liner forming an inseparable unit which avoids the problem of liners detaching from the cap. UltraBond is achieved by a patented process that requires no adhesives but instead relies on molecular fusion of both components to achieve unity

### PP screw cap seals ND24 (assembled)



	Description cap	Septa material	Durometer	Thickness, mm	Pack qty	
<b>1</b>	<b>11530595</b>	PP screw cap white, 12.5mm centre hole	Butyl red/PTFE grey	55° Shore A	2.5	100
<b>2</b>	<b>10090962</b>	PP screw cap white, closed top	Butyl red/PTFE grey	55° Shore A	2.5	100
<b>3</b>	<b>10541013</b>	PP screw cap white, 12.5mm centre hole	Silicone white/PTFE beige (EPA-Quality)	45° Shore A	3.2	100
<b>4</b>	<b>10132422</b>	PP screw cap white, closed top	Silicone white/PTFE beige (EPA-Quality)	45° Shore A	3.2	100
<b>5</b>	<b>12921001</b>	PP screw cap white, closed top	PTFE/EPDM/PTFE	65° Shore A	2.0	100

### UltraBond seals ND24

- With UltraBond, cap and liner form a bonded and inseparable unit, so that the liner cannot detach



	Description	Septa material	Durometer	Thickness, mm	Pack qty	
<b>1</b>	<b>10729454</b>	PP screw cap white, centre hole	Silicone natural/PTFE beige (EPA-Quality)	45° Shore A	3.2	100
<b>2</b>	<b>10132322</b>	PP screw cap white, closed top	Silicone natural/PTFE beige (EPA-Quality)	45° Shore A	3.2	100

## Septa 22mm for vial seals ND24



		Septa material	Durometer	Thickness, mm	Pack qty
1	<b>11835070</b>	Butyl red/PTFE grey	55° Shore A	1.6	1000
2	<b>11845070</b>	Butyl red/PTFE grey	55° Shore A	2.5	1000
3	<b>11787617</b>	Silicone white/PTFE beige	45° Shore A	3.2 (EPA-Quality)	1000
4	<b>11815070</b>	Silicone white/PTFE blue	55° Shore A	1.5, cross-slitted	1000
5	<b>12950991</b>	Silicone white/aluminium foil silver	50° Shore A	3.0	1000

## Polypropylene screw caps ND24

- With UltraBond, cap and liner form a bonded and inseparable unit, so that the liner cannot detach



		Description cap	Pack qty
1	<b>10590053</b>	Polypropylene screw cap, white, 12.5mm centre hole	100
2	<b>10759644</b>	Polypropylene screw cap, white, closed top	100



## Specially assembled EPA vials with screw seals ND24

	Description vial	Description assembled seal	Durometer	Thickness, mm	Pack Qty
<b>12901001</b>	20mL Screw neck vial, 57 x 27.5mm, clear glass, 1st hydrolytic class, EPA (vial Cat.No.10000782)	UltraBond seal, white, centre hole, silicone natural/PTFE beige (EPA-Quality) (seal Cat.No 10729454)	45° Shore A	3.2	100
<b>12970991</b>	40mL Screw neck vial, 95 x 27.5mm, clear glass, 1st hydrolytic class, EPA (vial Cat.No.10465982)	PP screw cap, white, centre hole, silicone white/PTFE beige (seal Cat.No 10541013)	45° Shore A	3.2	100
<b>11510595</b>	40mL Screw neck vial, 95 x 27.5mm, clear glass, 1st hydrolytic class, EPA (vial Cat.No.10465982)	UltraBond seal, white, centre hole, silicone natural/PTFE beige (EPA-Quality) (seal Cat.No. 10729454)	45° Shore A	3.2	100
<b>11500595</b>	40mL Screw neck vial, 95 x 27.5mm, clear glass, 1st hydrolytic class, EPA (vial Cat.No.10465982)	UltraBond seal, white, closed top, silicone natural/PTFE beige (EPA-Quality) (seal Cat.No. 10132322)	45° Shore A	3.2	100
<b>12911251</b>	40mL Screw neck vial, 95 x 27.5mm, amber glass, 1st hydrolytic class, EPA (vial Cat.No.11530585)	PP screw cap, white, centre hole, silicone white/PTFE beige (seal Cat.No. 10541013)	45° Shore A	3.2	100
<b>12980991</b>	60mL Screw neck vial, 140 x 27.5mm, clear glass, 1st hydrolytic class, EPA (vial Cat.No.11530585)	PP screw cap, white, centre hole, silicone white/PTFE beige (seal Cat.No. 10541013)	45° Shore A	3.2	100
<b>12990991</b>	60mL Screw neck vial, 140 x 27.5mm, clear glass, 1st hydrolytic class, EPA (vial Cat.No.11530585)	UltraBond seal, white, centre hole, silicone natural/PTFE beige (seal Cat.No. 10729454)	45° Shore A	3.2	100

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## Screw Neck Vials for Storage Purposes



- Clear and amber vials
- Separate caps and seals also available from a range of different materials (see below)

### Screw neck vials for storage purposes



	Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>11565874</b> 1.5mL Screw neck vial, 8-425	32 x 11.6	Clear	1.9	1.5	200	<110	100
<b>2</b>	<b>10560053</b> 1.5mL Screw neck vial, 8-425	32 x 11.6	Amber	1.9	1.5	200	<110	100
	<b>10571013</b> 4mL Screw neck vial, 13-425	45 x 14.7	Clear	5	4.1	800	<400	100
	<b>11556044</b> 4mL Screw neck vial, 13-425	45 x 14.7	Amber	5	4.1	800	<400	100
	<b>10504463</b> 8mL Screw neck vial, 15-425	61 x 16.6	Clear	8.9	8	1,500	800	100
	<b>11596064</b> 8mL Screw neck vial, 15-425	61 x 16.6	Amber	8.9	8	1,500	800	100
	<b>11576064</b> 12mL Screw neck vial, 15-425	66 x 18.5	Clear	12	11	1,500	800	100
	<b>11506074</b> 12mL Screw neck vial, 15-425	66 x 18.5	Amber	12	11	1,500	800	100
	<b>10023672</b> 16mL Screw neck vial, 18-400	71 x 20.6	Clear	17.4	16	1,500	800	100
	<b>11590545</b> 20mL Screw neck vial, 20-400	86 x 22.7	Clear	24.5	23	1,500	800	100
	<b>10000782</b> 20mL Screw neck vial, 24-400	57 x 27.5	Clear	23.3	20	1	0.5 (mL)	100
	<b>10458082</b> 20mL Screw neck vial, 24-400	57 x 27.5	Amber	23.3	20	1	0.5 (mL)	100
	<b>10758874</b> 30mL Screw neck vial, 24-400	72.5 x 27.5	Clear	31.1	27.4	1.4	0.7 (mL)	100
	<b>11510585</b> 30mL Screw neck vial, 24-400	72.5 x 27.5	Amber	31.1	27.4	1.4	0.7 (mL)	100
	<b>10465982</b> 40mL Screw neck vial, 24-400	95 x 27.5	Clear	42.9	40	1.4	0.7 (mL)	100
<b>3</b>	<b>11530585</b> 40mL Screw neck vial, 24-400	95 x 27.5	Amber	42.9	40	1.4	0.7 (mL)	100
	<b>11570605</b> 50mL Cylindrical jar, 3rd hydrolytic class with screw neck ND40	69.5 x 44	Clear	65.5	50	5	2.5 (mL)	85

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## Polypropylene screw cap seals for storage vials

- Corresponding centre hole versions are partially available
- Packed with 10x100 pieces in tamper-proof evident zip-lock PE-bags
- Seals with different septa material are available.

### Polypropylene screw cap seals ND8 for 11565874 and 10560053



		Description cap	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11747567</b>	PP screw cap black, closed top	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
<b>2</b>	<b>11884800</b>	PP screw cap black, closed top	Butyl red/PTFE grey	55° Shore A	1.3	1000
<b>3</b>	<b>11864800</b>	PP screw cap black, closed top	Silicone white/PTFE red	45° Shore A	1.3	1000

### Polypropylene screw cap seals ND13 for 10571013 and 11556044



		Description cap	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11864970</b>	PP screw cap black, closed top	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
<b>2</b>	<b>11823861</b>	PP screw cap black, closed top	Butyl red/PTFE grey	55° Shore A	1.3	1000
<b>3</b>	<b>11884970</b>	PP screw cap black, closed top	Silicone cream/PTFE red	55° Shore A	1.5	1000

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

Polypropylene screw cap seals ND15 for 10504463, 11596064,  
11576064, 11506074



		Description cap	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>10530631</b>	PP screw cap black, closed top	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
<b>2</b>	<b>11814990</b>	PP screw cap black, closed top	Butyl red/PTFE grey	55° Shore A	1.6	1000
<b>3</b>	<b>11804990</b>	PP screw cap black, closed top	Silicone white/PTFE red	45° Shore A	1.3	1000
<b>4</b>	<b>11824990</b>	PP screw cap black, 9mm centre hole	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
<b>5</b>	<b>11804233</b>	PP screw cap black, 9mm centre hole	Butyl red/PTFE grey	55° Shore A	1.6	1000
<b>6</b>	<b>11814233</b>	PP screw cap black, 9mm centre hole	Silicone white/PTFE red	45° Shore A	1.3	1000

Polypropylene screw cap seals ND18 for 10023672



		Description cap	Septa material	Durometer	Thickness, mm	Pack qty
<b>1</b>	<b>11845010</b>	PP screw cap black, closed top	Butyl red/PTFE grey	55° Shore A	1.6	1000
<b>2</b>	<b>11896371</b>	PP screw cap black, closed top	Silicone blue transparent/PTFE white	45° Shore A	1.7	1000
<b>3</b>	<b>12676755</b>	PP screw cap black, closed top	Silicone white/PTFE red	55° Shore A	1.5	1000

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## Polypropylene screw cap seals ND20 for 11590545



		Description cap	Septa material	Durometer	Thickness, mm	Pack qty
1	<b>12696785</b>	Polypropylene screw cap white, closed top	Natural rubber red-orange/TEF transparent	60° Shore A	1.3	1000
2	<b>11805070</b>	Polypropylene screw cap white, closed top	Butyl red/PTFE grey	55° Shore A	1.3	1000
3	<b>11855060</b>	Polypropylene screw cap white, closed top	Silicone white/PTFE red	45° Shore A	1.3	1000

## Polypropylene screw cap seals ND24 for 10000782, 10458082, 10758874, 11510585, 10465982, 11530585, 11540585, 11550585



		Description cap	Septa material	Durometer	Thickness, mm	Pack qty
1	<b>10090962</b>	PP screw cap white, closed top	Butyl red/PTFE grey	55° Shore A	2.5	100
2	<b>10132422</b>	PP screw cap white, closed top	Silicone white/PTFE beige	45° Shore A	3.2	100
3	<b>12921001</b>	PP screw cap white, closed top	PTFE/EPDM/PTFE	65° Shore A	2.0	100
2	<b>10132322</b>	UltraBond seal white, closed top	Silicone natural/PTFE beige	45° Shore A	3.2	100

TFVol. = Total Volume/Filling Volume (mL) UsVol. = Usable Volume (mL) MWWVol. = Minimum Working Volume (µL) Res. Vol. = Residual Volume (µL)

## Polypropylene screw cap seals ND40 for 11570605



	Description cap	Septa material	Durometer	Thickness, mm	Pack qty
<b>11580605</b>	40mm Polypropylene screw cap black, closed top	PTFE virginal	53° Shore D	0.5	100

## CRIMP NECK VIALS WITH THEIR COMPATIBLE CAPS AND SEALS



- Please note that products designated as 'Special' may be non-stock and may require a minimum order quantity
- See below for a range of compatible caps and seals

## CRIMP NECK VIALS FOR STORAGE PURPOSES, ND11 AND ND13



	Description	Dimension, mm	Glass type	TFVol. (mL)	UsVol. (mL)	MWVol. (µL)	Res.Vol (µL)	Pack qty
<b>1</b>	<b>11555894</b> 2.5mL Crimp neck ND11 vial, 1st hydrolytic class, wide opening	41 x 11.6	Clear	2.7	2.4	200	<100	100
<b>2</b>	<b>11546044</b> 2mL Crimp neck vial ND13, 1st hydrolytic class	32 x 16	Clear	3.6	3	800	<400	1000
<b>3</b>	<b>15582330</b> 4mL Crimp neck vial ND13, 1st hydrolytic class	45 x 14.7	Clear	5	4.1	800	<400	100

For vial 11555894 refer to crimp seal ND11

## Septa for Schott screw caps



	Septa material	Durometer	Thickness, mm	Pack qty
1	<b>11884950</b> 12.9mm Septa, silicone cream/PTFE beige for Schott screw cap GL14	55° Shore A	3.2mm	1000
1	<b>11834990</b> 16.8mm Septa, silicone cream/PTFE beige for Schott screw cap GL18	55° Shore A	3.2mm	1000
1	<b>11849430</b> 23.4mm Septa, silicone cream/PTFE beige	55° Shore A	3.2mm	1000
1	<b>11859440</b> 30.3mm Septa, silicone cream/PTFE beige for Schott screw cap GL32	55° Shore A	3.2mm	1000
1	<b>12941011</b> 43.2mm Septa, silicone cream/PTFE beige for Schott screw cap GL45	55° Shore A	3.2mm	100
2	<b>11510615</b> 43.2mm Septa, butyl red/PTFE grey for Schott screw cap GL45	55° Shore A	2.5mm	100

## Special caps seals for crimp neck storage vials ND13



	Description cap	Septa material	Durometer	Thickness, mm	Pack qty
1	<b>11894960</b> 13mm Aluminium cap clear lacquered, 6mm centre hole	Butyl red/PTFE grey	55° Shore A	2.0	1000
2	<b>11997051</b> 13mm Aluminium cap clear lacquered, 6mm centre hole	Pharma-Fix septa (butyl/PTFE)	50° Shore A	2.0	1000
3	<b>11874960</b> 13mm Aluminium cap clear lacquered, centre tear off	Pharma-Fix septa (butyl/PTFE)	50° Shore A	2.0	1000

## Septa 13mm



	Septa material	Durometer	Thickness, mm	Pack qty
1	<b>11844960</b> 13mm Septa, butyl red/PTFE grey	55° Shore A	2.0	1000
2	<b>11814960</b> 13mm Septa, Pharma-Fix (butyl/PTFE)	50° Shore A	2.0	1000

## CHROMATOGRAPHY ACCESSORIES

### Crimping tools


- For easy and convenient vial capping
- Chemically resistant surface finish especially designed for use in laboratories
- Hardened crimping jaws made of a special alloy that guarantees long life
- Adjustable crimping pressure
- Additionally 11mm, 13mm and 20mm crimpers are adjustable in crimping height by screwing up or down the pressure block in the crimping head with a hexagon key

An inappropriate crimp can be recognised by:


**Correct Crimp**  
Flat cap surface  
Flat septa surface



Tight fitting of the aluminium edge.  
Plain and undeformed cap sides.



Note that a poor crimp cannot be recognised by simply trying to turn the seal, because PTFE-laminated liners have a very slippery surface, which permits even correctly crimped caps to be rotated if sufficient force is used. Correctly crimped caps can also be turned easily when the liner is in contact with the reduced surface area of a headspace (bevelled top) glass rim.





## Manual crimping tools

- Crimping tools provide a reproducible, secure vial closure
- Easy and convenient handling
- High quality construction for durability and long life
- Painted, plated and coated for maximum corrosion resistance
- Textured handle surface provides an assured grip



	Description	Pack qty
<b>11707567</b>	Crimper for 8mm Aluminium caps	1
<b>11757577</b>	Crimper for 11mm Aluminium caps	1
<b>11748276</b>	Crimper for 13mm Aluminium caps	1
<b>11550525</b>	Crimper for 20mm Aluminium caps	1
<b>11839440</b>	Crimper for 28mm Aluminium caps	1
<b>11815863</b>	Crimper for 32mm Aluminium caps	1
<b>11777597</b>	Crimper for 13mm flip top/flip off seals	1
<b>11844970</b>	Crimper for 13mm flip tear up seals	1
<b>11801613</b>	Crimper for 20mm flip top/flip off seals	1
<b>11875050</b>	Crimper for 20mm flip tear up seals	1
<b>11829440</b>	Crimper for 28mm flip top/flip off seals	1

## Manual decapping tools

	Description	Pack qty
<b>11758276</b>	Decapper for 8mm Aluminium caps	1
<b>11768276</b>	Decapper for 11mm Aluminium caps	1
<b>11787597</b>	Decapper for 13mm Aluminium caps	1
<b>11500535</b>	Decapper for 20mm Aluminium caps	1
<b>11849440</b>	Decapper for 28mm Aluminium caps	1
<b>10621210</b>	Decapper for 32mm Aluminium caps	1

## Stainless steel cleanroom crimping and decapping tools

- The crimping/decapping mechanism is corrosion and heat resistant while the stainless steel construction removes the need for any protective coating on the handle or crimp head
- Can withstand repeated sterilisation for cleanroom use without the risk of damaging the tool
- Available in 11mm, 13mm and 20mm sizes
- Crimping tools have adjustable crimping pressure and height to offer optimal crimping results on varying vial styles
- As no lubricant is used and the handles are from non-lacquered stainless steel, the crimper can be used in cleanroom environments without limitation

### Manual crimping tools



	Description	Pack qty
<b>11737746</b>	11mm crimper made of stainless steel, sterilisable, for cleanroom applications	1
<b>11747746</b>	13mm crimper made of stainless steel, sterilisable, for cleanroom applications	1
<b>11757746</b>	20mm crimper made of stainless steel, sterilisable, for cleanroom applications	1

### Manual decapping tools



	Description	Pack qty
<b>11845722</b>	11mm decapper made of stainless steel, sterilisable, for cleanroom applications	1
<b>11586034</b>	13mm decapper made of stainless steel, sterilisable, for cleanroom applications	1
<b>11520535</b>	20mm decapper made of stainless steel, sterilisable, for cleanroom applications	1

## Pneumatic AIRGO ergonomic crimper

- New, ergonomically designed handheld tool with easy push button for a completely joint-friendly work position
- Unique ultra slim design of the crimping jaws is perfect for in-tray crimping of the vial
- Slim jaw shape allows for the first time an optical control of the crimping process
- Combines convenient large sample series processing with cleanroom usability
- Weight reduced by 50% over previous generation of handheld pneumatic tools
- The optional balancer helps to save space on the lab bench and keeps the crimper clean and ready to use in reach



	Description	Pack qty
<b>15592290</b>	11mm AIRGO crimper high pressure min. 5 bar/72,5 psi stable working pressure	1
<b>15502300</b>	11mm AIRGO crimper low pressure min. 3 bar/43,5 psi stable working pressure	1
<b>11808951</b>	Hanging device with balancer	1

## Pneumatic hand-held crimping and decapping tool

- Crimping and decapping tool, operated by compressed air (6.2bar = 90psi minimum net pressure)
- Easy handling; just by pushing the button the vial is crimped or decapped
- Interchangeable 'C'-heads for crimping and decapping also available in various sizes (see below)
- Adjustable, constant and reproducible crimping pressure
- CE mark of conformity
- Space-saving installation with a balancer above the working bench
- Ergonomical handling, as the balancer compensates the weight of the pneumatic crimper and facilitates steady and precise crimping
- Inlet air supply connector G $\frac{1}{4}$ " thread (female); connection to be provided by customer
- The pneumatic crimping tool can be delivered with stand and foot switch or with hanging device and trigger in the handle



	Description	Pack qty
11898941	Pneumatic basic crimping tool, including pressure regulator, safety valve and nylon (PA) twisted hose	1
11808951	Hanging device with balancer	1
11818951	Stand with foot switch for pneumatic basic crimping tool	1

## Crimping heads for pneumatic hand-held crimping tool

	Description	Pack qty
11868981	Crimping head for 8mm Aluminium caps	1
11844890	Crimping head for 11mm Aluminium caps	1
11834970	Crimping head for 13mm Aluminium caps	1
11865050	Crimping head for 20mm Aluminium caps	1
11869440	Crimping head for 32mm Aluminium caps	1
11824970	Crimping head for 13mm flip top/flip off seals	1
12980981	Crimping head for 20mm flip top/flip off seals	1
11879440	Crimping head for 32mm flip top/flip off seals	1

## Decapping heads for pneumatic hand-held crimping tool



	Description	Pack qty
<b>11878981</b>	Decapping head for 8mm Aluminium caps	1
<b>11854890</b>	Decapping head for 11mm Aluminium caps	1
<b>11854970</b>	Decapping head for 13mm Aluminium caps	1
<b>11885050</b>	Decapping head for 20mm Aluminium caps	1
<b>11889440</b>	Decapping head for 32mm Aluminium caps	1

## Electronic crimpers and decappers

- These electronic crimpers and decappers provide secure, reproducible crimps and quick and easy removal of aluminium seals with the push of a button
- Ergonomic design and push button operation eliminates wrist strain
- Built-in long life lithium ion rechargeable battery with low battery indicator
- Crimp force sensing assures consistent proper sealing
- Universal 100V–240V charger includes plug adaptors for most power outlets
- Crimpers and decappers can be operated while plugged in and recharging
- Vials can be crimped or decapped while they remain in most standard removable sample trays
- Adjustable crimp settings for compatibility with most vial/septum/seal combinations

## Electronic crimpers



	Description	Vial diameter, mm	Volts	Pack qty
<b>15532300</b>	Electronic crimper	8	110 - 240V	1
<b>15582300</b>	Electronic crimper	11	110 - 240V	1
<b>15542330</b>	Electronic crimper	13	110 - 240V	1
<b>15502340</b>	Electronic crimper	20	110 - 240V	1

## Electronic decappers

	Description	Dimension, mm	Volts	Pack qty
15552330	Electronic decapper	13	110 - 240V	1
15522340	Electronic decapper	20	110 - 240V	1

## Replacement battery for electronic crimpers and decappers

	Description	Pack qty
15522300	Replacement battery, 6.4V lithium ion for electronic crimpers and decappers	1

## Programmable electronic high power crimp station (basic tool)

- Fully programmable station with quick exchange crimp and de-crimp heads
- High power, perfect for magnetic steel caps
- Adjustable crimp settings for compatibility with most vial/septum/seal combinations including aluminium, steel and bi-metal seals
- Exchangeable crimp and decapping heads can be removed or installed in seconds
- For each head, a set of up to 10 adjustment programs is available and can be saved
- A reliable crimp is guaranteed when programmed, with various closures, septa thickness and vials
- Crimp-force sensing automatically determines when a proper seal has been formed and opens the jaws to release the vial



	Description	Pack qty
15512300	Programmable electronic high power crimper and 12 volt DC supply with power cord (accessory base is not included)	1

## Programmable electronic high power crimp station, with accessory bases

	Description	Dimension, mm	Pack qty
15512340	Programmable electronic high power crimp station with variable accessory base, external power supply and two exchangeable jaw sets	20	1

## Crimping heads for programmable electronic high power crimp station

	Description	Dimension, mm	Pack qty
15542300	Crimping head for 8mm crimp caps	8	1
15542310	Crimping head for 11mm crimp caps	11	1
15562330	Crimping head for 13mm crimp caps	13	1
15532340	Crimping head for 20mm crimp caps	20	1

## Decapping heads for programmable electronic high power crimp station

	Description	Dimension, mm	Pack qty
15552310	Decapping head for 11mm Aluminium caps	11	1
15572330	Decapping head for 13mm Aluminium caps	13	1
15542340	Decapping head for 20mm Aluminium caps	20	1

## Vial Racks and Storage Boxes

- Easy handling and transportation of sample vials
- Acrylic racks allow clear visibility of contents
- Stable standing position because of solid construction
- Silicone base provides stability when stacked
- Racks for 8mm respectively 11mm vials can even hold conically shaped sample vials

### Vial racks



		Description	Dimension, mm	Compatible with vials:	Pack qty
1	11708256	Vial rack, acrylic, 50 placements with a diameter of 8.5/3mm	173 x 95 x 20	11541364, 11561364, 11571364, 11521374, 11531374, 11541374, 11551374, 11561374, 10224852, 10306062, 10145424, 10506075, 10672733	1
1	11767597	Vial rack, acrylic, 50 placements with a diameter of 12mm	173 x 95 x 20	11511474, 10521593, 11531474, 11565874, 10560053, 10326042, 11595874, 11505884, 11515884, 11525884, 11525884, 11545884, 10162512, 11575884, 10080952, 11505894, 11515894, 11525894, 11535894, 11545894, 11555894, 11565894, 11575894, 11585894, 11595894, 10678005, 10145714, 12951011, 11535914, 11545914, 12672465, 11555914, 11565914, 11871653, 11585914, 11515924, 11525924, 11707597, 11717597, 11884930, 11894930, 11727597, 11814940, 11824940, 11834940	1
2	11728256	Vial rack, acrylic, 40 placements with a diameter of 15.1mm	175.8 x 115.5 x 20	10571013, 11556044, 11576044, 11586044, 15582330, 11516074, 10455982	1
3	11738256	Vial rack, acrylic, 25 placements with a diameter of 24mm	160 x 160 x 30	12990951, 10495982, 10749644, 11506114, 12941221, 11526114, 12951221, 10080822, 10663303, 10152512, 10680843, 12971231, 10192652, 11520545, 10070952, 10510323, 12981241, 10681033, 12910991, 10195012	1
4	11767746	Vial rack, PP, for 1.5mL vials, 50 placements, blue, stackable	200 x 105 x 17	11511474, 10521593, 11531474, 11565874, 10560053, 10326042, 11595874, 11505884, 11515884, 11525884, 11525884, 11545884, 10162512, 11575884, 10080952, 11505894, 11515894, 11525894, 11535894, 11545894, 11555894, 11565894, 11575894, 11585894, 11595894, 10678005, 10145714, 12951011, 11535914, 11545914, 12672465, 11555914, 11565914, 11871653, 11585914, 11515924, 11525924, 11707597, 11717597, 11884930, 11727597, 11727597, 11814940, 11824940, 11834940	1
4	12672495	Vial rack, PP, for 4mL vials, 50 placements, blue, stackable	230 x 117 x 28	10571013, 11556044, 11576044, 11586044, 15582330, 11516074, 10455982	1



## Storage boxes, polypropylene

- Stable standing on the laboratory bench and secure vial containment during transport thanks to specific placement diameters tailored to vial sizes
- Ideal for space-saving storage in fridges
- Transparent lid helps prevent condensation and contamination
- Temperature resistant from -80°C up to +100°C
- Alphanumeric coding (1.5mL, 4mL) for clear sample identification
- Unbreakable polypropylene bottom and lid, stackable
- Chemically resistant and robust; autoclavable

### Storage boxes, polypropylene, for 1.5mL sample vials, 81 placements




	Description	Dimensions, mm	Colour	Pack qty
<b>12692495</b>	Storage box for 1.5mL (1.8mL, 2mL) vials or 2mL Shell vials, with cover, 81 placements with alphanumeric coding on all four sides and on base for each placement	130 x 130 x 45	Blue	1
<b>12682495</b>	Storage box for 1.5mL (1.8mL, 2mL) vials or 2mL Shell vials, with cover, 81 placements with alphanumeric coding on all four sides and on base for each placement	130 x 130 x 45	Orange	1
<b>12602505</b>	Storage box for 1.5mL (1.8mL, 2mL) vials or 2mL Shell vials, with cover, 81 placements with alphanumeric coding on all four sides and on base for each placement	130 x 130 x 45	Pink	1
<b>12612505</b>	Storage box for 1.5mL (1.8mL, 2mL) vials or 2mL Shell vials, with cover, 81 placements with alphanumeric coding on all four sides and on base for each placement	130 x 130 x 45	Yellow	1
<b>12622505</b>	Storage box for 1.5mL (1.8mL, 2mL) vials or 2mL Shell vials, with cover, 81 placements with alphanumeric coding on all four sides and on base for each placement	130 x 130 x 45	Green	1
<b>12632505</b>	Storage box for 1.5mL (1.8mL, 2mL) vials or 2mL Shell vials, with cover, 81 placements with alphanumeric coding on all four sides and on base for each placement	130 x 130 x 45	Transparent	1

## Storage boxes, polypropylene, for 1.5mL sample vials, 16 placements




	Description	Dimensions, mm	Colour	Pack qty
<b>15502330</b>	Storage box, polypropylene, for 1.5mL (1.8mL, 2mL) vials or 2mL Shell vials, with cover, 16 placements	67 x 67 x 45	Blue	5
<b>15512330</b>	Storage box, polypropylene, for 1.5mL (1.8mL, 2mL) vials or 2mL Shell vials, with cover, 16 placements	67 x 67 x 45	Orange	5
<b>15592320</b>	Storage box, polypropylene, for 1.5mL (1.8mL, 2mL) vials or 2mL Shell vials, with cover, 16 placements	67 x 67 x 45	Pink	5
<b>15522330</b>	Storage box, polypropylene, for 1.5mL (1.8mL, 2mL) vials or 2mL Shell vials, with cover, 16 placements	67 x 67 x 45	Yellow	5
<b>15582320</b>	Storage box, polypropylene, for 1.5mL (1.8mL, 2mL) vials or 2mL Shell vials, with cover, 16 placements	67 x 67 x 45	Green	5
<b>15532330</b>	Storage box, polypropylene, for 1.5mL (1.8mL, 2mL) vials or 2mL Shell vials, with cover, 16 placements	67 x 67 x 45	Transparent	5

## Storage boxes, polypropylene, for 4mL sample vials, 49 placements



	Description	Colour	Pack qty
<b>12642505</b>	Storage box, polypropylene, for 4mL or 4mL Shell vials, red, with cover, (130 x 130 x 52mm), 49 placements with individual alphanumeric coding	Red	1

PP Storage boxes for 5mL, 10mL and 20mL Headspace vials, 25 placements



	Description	Colour	Pack qty
<b>12381113</b>	Storage box, polypropylene, for 5mL, 10mL and 20mL Headspace vials, blue with cover, (130 x 130 x 102mm), 25 placements	Blue	1

Storage boxes, polypropylene, for 20mL and 30mL EPA vials, 10 and 16 placements



	Description	Colour	Pack qty
<b>1</b> <b>12652465</b>	Storage box, polypropylene, for 30mL and 40mL EPA vials, with cover (130 x 130 x 105mm), 10 placements	Violet	1
<b>2</b> <b>12652505</b>	Storage box, polypropylene, for 20mL EPA vials, with cover (130 x 130 x 80mm), 16 placements	Violet	1

## Microplates

Microplates are primarily used in analytical research for screening or for multiple cell-based assays. They are ideal products for simultaneously manipulating and managing large numbers of different samples and can also be especially useful for sample storage.

### Microplates, polypropylene, storage, 96 and 384 well plates

- Resistant to most reagents
- Withstand temperatures from -80°C to +121°C making these plates ideal for storage
- Choose round bottom wells for optimal sample recovery
- Come in a variety of colours for quick identification during storage



	Material	N° of wells	Colour	Well shape	Sterile	Well volume	Pack qty
<b>11907954</b>	PP	96	Natural	Round	N	500µL	80
<b>11917954</b>	PP	96	Red	Round	N	500µL	80
<b>11927954</b>	PP	96	Yellow	Round	N	500µL	80
<b>11937954</b>	PP	96	Blue	Round	N	500µL	80
<b>13515450</b>	PP	96	Natural	Round	Y	1mL	50
<b>13535450</b>	PP	96	Natural	Round	N	2mL	60
<b>13545450</b>	PP	96	Natural	Round	Y	2mL	60
<b>13555450</b>	PP	384	Natural	Flat	N	250µL	60
<b>13565450</b>	PP	384	Natural	Conical	N	35µL	100
<b>13575450</b>	PP	384	Natural	Conical	Y	35µL	100
<b>13595450</b>	PP	384	Black	Conical	N	35µL	100
<b>13585450</b>	PP	384	White	Conical	N	35µL	100
<b>11957954</b>	PP	384	Natural	Round	N	120µL	120
<b>11967954</b>	PP	384	Red	Round	N	120µL	120
<b>11977954</b>	PP	384	Yellow	Round	N	120µL	120
<b>11987954</b>	PP	384	Blue	Round	N	120µL	120

## Microplates, polypropylene storage, 96 deep well microplates microplates

- Applications include SPE, HPLC, MS, liquid handling, automation, robotics
- Unique, patented sealing cap allows penetration of a needle through the cap into each well, with minimal needle coring thanks to reduced cap well thickness
- Choice of volumes, all with same external dimensions
- Manufactured from inert polypropylene giving heat and solvent resistant qualities
- Conical well base aids sample concentration, reconstitution and centrifugation
- Small radius on all corners to prevent sample precipitation and improve concentration
- DNase and RNase free



	Well volume, $\mu\text{L}$	Well shape	Pack qty
<b>12439307</b>	350	Square	50
<b>12449307</b>	1000	Square	50
<b>11511963</b>	2,000	Square	50
<b>Accessory</b>			
<b>12439307</b>	Pierceable sealing cap (EVA), square well, non-autoclavable		50

## General Introduction to Chemicals



In addition to the range of chromatography vials and closures featured in the first section of this brochure Fisher Scientific is also your partner of choice for chemicals. In this section you will discover the perfect chemicals for your chromatography applications as well as understanding the manufacturing capabilities and packaging innovations of Fisher Chemical. However, if you are unable to find the product you need or if you have any further questions regarding the Fisher Chemical range, then please contact our Product Support Advisors.

## Chemical Grades

Table 6: Fisher Chemical Grades

Grade	Application	Definition
Optima™ LC-MS	LC-MS	Meets stringent purity requirements of LC/MS and UHPLC by addressing the need for minimal organic contamination with 0.1µm filtration to ensure particle free. Evaluated for 17 metal impurities at ppb concentrations for minimal metal mass adduct formation. High ionisation efficiency to detect organic contaminants at 50 ppb max (positive) and 300 ppb max (negative) in full scan MS. Screened for UV-absorbing contaminants at every wavelength in the 200 to 400 nm range to afford smooth baselines and to reduce interferences.
LC-MS	LC-MS	Ideal mobile phase for routine LC-MS applications. Guaranteed for low level of trace metals and non-volatile residue. Low level of absorbance, performance under gradient conditions. Filtered at 0.2µm.
UHPLC Gradient Grade	UHPLC-UV	Solvent certified for UHPLC analysis with high UV transmission. Low background noise at 210nm and 254nm. Filtered at 0.1µm for ultra-low particulates.
Advanced HPLC Gradient Grade	HPLC gradient analysis	Advanced HPLC gradient grade specifically manufactured to guarantee a very low level of gradient baseline drift. Includes lot analysis and absorbance curve on the label.
HPLC Gradient Grade	HPLC gradient analysis	HPLC solvents suitable for gradient analysis. Guaranteed for low absorbance/high UV transmission and low concentration of non-volatile impurities. In some instances may be suitable for fluorescence detection. Includes lot analysis and absorbance curve on the label.
HPLC	HPLC isocratic analysis	HPLC grade solvents and reagents show low UV absorbance as guaranteed suitability for isocratic HPLC applications
HPLC Fluorescence	HPLC with fluorescence and UV detectors	HPLC solvents suitable for fluorescence and UV detectors. Guaranteed for low fluorescence between 250nm and 750nm emission and excitation wavelengths.
HPLC Electrochemical	HPLC with electrochemical and UV detectors	HPLC solvents suitable for electrochemical and UV detectors. Guaranteed for low electrochemical activity and low UV absorbance/high transmission. Includes lot analysis and absorbance curve on label.
GPC	GPC - Gel Permeation Chromatography	Solvents manufactured for gel permeation chromatography. Filtered to 0.2µm. Low water, residue and colour. Actual lot analysis on the pack label.
GC-Headspace	Gas Chromatography Headspace	High purity solvents for accurate and reliable analysis of organic volatile impurities (OVIs) by gas chromatography headspace (GC-HS)
Distol	GC - Gas Chromatography	Range of solvents suitable for pesticide and petroleum residue analysis. Guaranteed to meet the ECD, NPD and FID detectors requirement.
Optima™ Grade	ICP-MS	Highest purity acids, bases and water specifically qualified for ultra-trace elemental analysis by ICP-MS instruments. Ultra-pure quality tested for up to 65 parameters at 1-100 ppt level.
Trace Metal™ Grade	ICP	TraceMetal™ grade qualified for trace elemental analysis by ICP instruments. Acids and reagents tested for up to 65 parameters at ppb levels.
Primar Plus™ Grade	AAS	Primar Plus™ grade suitable for trace elemental analysis by AAS instruments. Acids and reagents are tested for up to 40 parameters at 1 to 10 ppb level.
For Analysis	General analytical application	Certified reagents for analytical application. Tested for up to 18 guaranteed parameters. Actual lot analysis on the pack label.
For Analysis Conform Eur. Ph.	General analytical application	Certified reagents for analytical application meeting the Eur.Ph requirement. Tested for up to 18 guaranteed parameters. Actual lot analysis on the pack label
Specified Laboratory Reagent (SLR)	General laboratory applications	Specified Laboratory Reagents for general laboratory applications. Tested for up to 13 parameters.
Technical	General use	For general use in the laboratory.
Buffer	pH-Metry	Buffer NIST Standard solutions certified for pH measurement. Ready to use, with an accuracy factor of ±0.02 pH at 20°C. Also available as concentrates, packaged in ampoules.
Volumetric Solution	Volumetry	Standard solutions for volumetric analysis. Accuracy factor up to 0.999 - 1.001 NIST traceability. Ready to use.
Solutrate	Volumetry	Concentrated standard solutions for volumetric analysis. NIST traceability. Supplied in singles or pack of six sealed ampoules.
Aqualine™	Karl Fischer titration	Karl Fischer reagents for the determination of moisture. Volumetric and coulometric reagents and standards. Pyridine free, rapid titration and a stable end-point. Supplied in single packs or in ampoules.

For up to date GHS information on Fisher Chemical products listed please refer to the safety data sheet available from [www.eu.fishersci.com](http://www.eu.fishersci.com)


## Packaging Innovations

Fisher Chemical products come in a variety of innovative packaging options designed for safety, environmental protection, convenient handling and storage, and preservation of product integrity. Our packaging is compliant with all government regulations.



### Amber glass and borosilicate glass bottles

- Amber glass is used to package photosensitive chemicals to protect them from light
- Borosilicate glass significantly reduces leaching of metal cations



### HDPE plastic bottles

- A proprietary surface treatment is applied to HDPE bottles to create a barrier between the bottle and chemical, thus preventing contamination by plasticisers



### Ampoules

- Fisher Chemical Optima™ LC/MS additives are now custom-packaged in amber borosilicate ampoules
- Available in sizes from 0.5mL to 2mL
- Manufactured under inert atmospheric conditions to provide the freshest additives for preparing aqueous and organic mobile phase blends



## Aluminium bottles

- Providing optimum material characteristics to avoid interactions between solvents and packaging material
- Lightweight bottles allow easy handling and low transport costs



## High volume solvent container systems

- High-volume solvent delivery container systems, available in 10L to 1000L
- Enhanced solvent safety - the bottle-free, closed container system eliminates the potential for glass bottle breakage and makes the risk of spills and exposure to vapours negligible
- Increases lab efficiency by eliminating
  - Repeated solvent testing
  - Multiple lots of material
  - Bottle rinsing
  - Disposal costs
- Environmentally friendly
  - Reduces the amount of solid waste generated
  - Minimises the release of flammable or toxic solvent liquids and vapours
  - Eliminates bottle rinsing – empty containers are returned, cleaned and refilled
- Applications include:
  - High-performance liquid chromatography (HPLC)
  - Preparative chromatography and high-volume gas chromatography sample preparation
  - Process synthesis and extractions



## Custom Blends and Specifications

Take advantage of solvents, reagents and solutions tailored to your individual needs

Utilising our dedicated manufacturing sites, Fisher Chemical can tailor-make solvents to meet the specifications you need for your application. Our experience in manufacturing, processing and testing high-purity solvents therefore enables complete customisation to your requirements. Our Specialised Chemical Services (SCS) team serves customers who require something different:

- Semi-bulk and bulk chemicals
- Tailored solvents and solvent blends
- Special solutions
- Additional testing services
- Customised packaging and labelling



### Custom blending process

Fisher Chemical can tailor make solvents to meet your specifications for your application. In addition, their dedicated solvent-mixing facilities are available to produce high-quality blends. Solvents are charged by weight and passed through a 0.2µm filter by air-driven pump and/or by nitrogen pressure. Small amounts of solid and liquid additives are added via charge-ports. All blending and mixing operations are carried out according to written procedures. The mixing vessels are cleaned (CIP) before and after the mixing/blending operation and are left in a dry condition, filled with nitrogen, between operations.

### Quality and testing

For bespoke products, a sample will be prepared and the specification finalised before production commences. This specification will be formally defined in a document called a 'quality schedule'. The quality schedule will be a full description of the customer's quality requirements, including packaging and labelling. On manufacture, the components are charged and blended, and the resulting material is sampled to ensure the product quality. The material is then discharged into the final product containers by nitrogen pressure. The final product containers are then re-sampled and subjected to final testing and approval.

### Packaging

The final product can be supplied in packaging from 1L glass bottles to stainless steel containers up to 1000L

For up to date GHS information on Fisher Chemical products listed please refer to the safety data sheet available from [www.eu.fishersci.com](http://www.eu.fishersci.com)

## Chromatography Solvents and Reagents

Take advantage of solvents, reagents and solutions tailored to your individual needs

Research, quality control or routine analysis – whatever the field of activity, the Fisher Chemical range of solvents meet the challenges of chromatography from HPLC to UHPLC-MS applications. Fisher Chemical can supply the type of solvents, blends and reagents in the grades, sizes and packaging that meet your requirements for the most challenging applications, including:

- Forensic toxicology
- Environmental analysis
- Pharmaceutical and biopharmaceutical research
- Proteomics and metabolomics
- Clinical research

The Fisher Chemical range of chromatography solvents, blends and reagents is extensive. However, if you are unable to find the product you need or if you have any further questions, please contact our Product Support Advisors.

### Table 7: Fisher Chemical chromatography solvent selection guide

Chromatography Application	Instrument and Detector Type	Fisher Chemical Solvent Grade
High HPLC-MS	LC and UHPLC coupled with mass detector	Optima™ LC/MS
HPLC-MS	LC coupled with mass detector	LC/MS Grade
UHPLC	UHPLC coupled with UV detector	UHPLC Gradient Grade
High HPLC Gradient Analysis	LC gradient coupled with UV detector	HPLC Advanced grade
HPLC Gradient Analysis	LC gradient coupled with UV detector	HPLC Gradient grade
Isocratic HPLC	LC coupled with UV detector	HPLC Grade

**Meeting Bespoke Research and Manufacturing Needs**

Choose Specialised Chemical Services to support your chemistry.

[Click to see more info on our website](#)

## OPTIMA™ SOLVENTS FOR LC-MS

The certified performance of our Optima™ LC-MS solvents offers the most reliable product range for today's scientist. For consistent, reproducible performance in the mobile phase of LC-MS, choose Optima™ LC/MS grade products:

- Solvents
- Mobile phase blends
- Reagents and additives



### Key Features

- Higher signal intensity and lower metal ion content (up to 17 metals level tested)
- Innovative LC-UV gradient test with photo diode array detector
- Sub-micron filtration for maximum purity

### Advantages

- Ensure extremely low levels of UV-absorbing impurities – peak height with PDA (from 200 to 400 nm) with 2mAU max
- Range of pack sizes available to suit application requirements
- Lower particulate levels from < 0.1µm filtration to protect columns and components from clogging


	Description	Filter size	Pack size
10055454	Acetonitrile	0.1µm	500mL
10489553	Acetonitrile	0.1µm	1L
10001334	Acetonitrile	0.1µm	2.5L
10636545	Methanol †	0.1µm	500mL
10031094	Methanol †	0.1µm	1L
10767665	Methanol †	0.1µm	2.5L
10095164	Water	0.03µm	500mL
10728098	Water	0.03µm	1L
10505904	Water	0.03µm	2.5L

† Restrictions may apply in certain countries

For up to date GHS information on Fisher Chemical products listed please refer to the safety data sheet available from [www.eu.fishersci.com](http://www.eu.fishersci.com)

## BLENDED OPTIMA™ SOLVENTS FOR LC-MS

Fisher Chemical Optima™ LC-MS solvents have set the standard of excellence for consistent, reproducible performance in the mobile phase of LC-MS. Now these same high purity solvents are pre-blended with Optima™ LC-MS modifiers, such as formic acid (FA) or trifluoroacetic acid (TFA), to provide ready to use aqueous and organic mobile phase blends for LC-MS applications.



### Key Features

- Low mass spectrometry background noise (LC-MS)
- Minimal metal impurities
- Lowest impurity background using diode array reduction (LC-UV)

### Advantages


- Minimise safety risks associated with storing, blending and disposing of hazardous solvents
- Eliminate overhead costs associated with preparing blends
- Eliminates the need to clean glassware or measure corrosive acids
- Extend LC-MS column life due to low impurity level and low residue value

### Optima™ LC-MS blends

	Description	Pack size
<b>10468704</b>	Acetonitrile with 0.1% formic acid	500mL
<b>10678935</b>	Acetonitrile with 0.1% formic acid	1L
<b>10118464</b>	Acetonitrile with 0.1% formic acid	2.5L
<b>10270455</b>	Acetonitrile with 0.1% trifluoroacetic acid	500mL
<b>10230125</b>	Acetonitrile with 0.1% trifluoroacetic acid	1L
<b>10585635</b>	Acetonitrile with 0.1% trifluoroacetic acid	2.5L
<b>10429474</b>	Water with 0.1% formic acid	500mL
<b>10229884</b>	Water with 0.1% formic acid	1L
<b>10188164</b>	Water with 0.1% formic acid	2.5L
<b>10362055</b>	Water with 0.1% trifluoroacetic acid	500mL
<b>10311725</b>	Water with 0.1% trifluoroacetic acid	1L
<b>10516625</b>	Water with 0.1% trifluoroacetic acid	2.5L

## OPTIMA™ REAGENTS AND ADDITIVES FOR LC-MS

Optima™ LC-MS grade reagents are used as ultra-pure additives in the formulation of solvent blends for the mobile phase of LC-MS applications. Fisher Chemical mobile phase additives are use-tested to ensure suitability and are also protease-free.



### Key Features

- Low spectrometry background noise
- Minimal metal impurities
- Lowest impurity background using diode array detection (LC-UV)

### Advantages

- Available in ampoules for small volumes and HDPE bottles for larger quantities
- Convenient, ready to use ampoules for easy dilution
- Ampoules are pre-scored for easy opening – no need to fill the ampoules

	Description	Pack size
11337540	Acetic acid	1mL ampoule
11377540	Acetic acid	10 x 1mL ampoules
10860701	Acetic acid	50mL
11317490	Ammonium acetate	50g
11377490	Ammonium formate	50mL
10780320	Formic acid	0.5mL
10473038	Formic acid	1mL
10063427	Formic acid	2mL
10797488	Formic acid	10 x 1mL ampoules
10155347	Trifluoroacetic acid	0.5mL
10266617	Trifluoroacetic acid	1mL
10378747	Trifluoroacetic acid	2mL
10125637	Trifluoroacetic acid	10mL

## Solvents for routine LC-MS applications

Mobile phase solvents for routine LC-MS applications are guaranteed for low level of trace metals and non-volatile residue. Products are filtered at 0.2µm and show low level of absorbance under gradient conditions.

	Description	Pack size
10799704	Acetonitrile	1L
10616653	Acetonitrile	2.5L
10532213	Methanol †	1L
10653963	Methanol †	2.5L
10434902	Water	1L
10777404	Water	2.5L

† Restrictions may apply in certain countries

## SOLVENTS FOR UHPLC-UV

The UHPLC (Ultra High Pressure Liquid Chromatography) pump has become an indispensable instrument to get shorter run times while maintaining chromatographic integrity. In addition to low filtration, these solvents display a remarkably high UV transmission rate making them the ideal for UHPLC applications using UV detection.

For those working at high pressure, where high sensitivity and a fast run rate are key to successful analysis, we have raised the bar by providing solvents that are ideally specified for this application.



### Key Features

- Outstanding high UV transmission - Interference-free
- Low acidity and alkalinity level
- Filtered to 0.1µm

### Advantages

- Ensure an extremely low baseline noise at 210nm and 254nm
- Improved UV resolution
- Lower particulate levels protecting columns and components from clogging

	Description	Filter size	Pack size
<b>11317080</b>	Acetonitrile	0.1µm	1L
<b>11373230</b>	Acetonitrile	0.1µm	2.5L
<b>11357080</b>	Methanol †	0.1µm	1L
<b>11313240</b>	Methanol †	0.1µm	2.5L
<b>11307090</b>	Water	0.1µm	1L
<b>11357090</b>	Water	0.1µm	2.5L

† Restrictions may apply in certain countries

## SOLVENTS FOR GRADIENT HPLC

Suitable for HPLC gradient grade pumps for essential and routine analysis. For everyday use and technical applications, these solvents are the benchmark that ensure we can meet the needs of all of our end users. Several packaging innovations, such as Contain™ plastic coated bottles and 5L aluminium cans have ensured that we maintain a reputation for providing customers with enhanced safety features and flexibility.



### Key Features

- High UV transmission
- Low acidity/alkalinity level
- Filtered to 0.2µm

### Advantages

- Wide range of packaging styles available to suit customer requirements
- Actual Lot analysis is printed on label for ease of reference

	Description	Filter size	Pack size
<b>10794741</b>	Acetonitrile	0.2µm	1L
<b>10660131</b>	Acetonitrile	0.2µm	2.5L
<b>10630131</b>	Acetonitrile*	0.2µm	2.5L
<b>10500911</b>	Acetonitrile	0.2µm	5L
<b>10010280</b>	Methanol †	0.2µm	1L
<b>10499560</b>	Methanol †	0.2µm	2.5L
<b>10000280</b>	Methanol* †	0.2µm	2.5L
<b>10487322</b>	Methanol †	0.2µm	5L
<b>10367171</b>	Water	0.2µm	1L
<b>10449380</b>	Water	0.2µm	2.5L
<b>10257243</b>	Water*	0.2µm	2.5L

\*2.5L coated glass bottle (safety bottle)

† Restrictions may apply in certain countries

## SOLVENTS FOR ADDITIONAL HPLC APPLICATIONS

To support other HPLC chromatographic techniques and applications, Fisher Chemical also offer a diverse range of solvents, all specified and tested for HPLC:

- Advanced Gradient Grade featuring a very low baseline drift for method development
- HPLC grade for electrochemical detection
- HPLC grade for fluorescence detection
- GPC (Gel Permeation Chromatography) grade

### Advantages

- Broad range of solvents, blends, buffers, additives and other reagents
- Developed and guaranteed according to specific detector requirement
- Wide range of packaging styles available to suit customer requirements
- Actual Lot analysis is printed on label for ease of reference



GHS information



Product specific information



Lot analysis



## Solvents, Blends and Reagents Selection Guides

The tables below will guide you to the most suitable Fisher Chemical solvents, blends and reagents grade for your chromatography application. However, if you are unable to find the product you need or if you have any further questions regarding the Fisher Chemical range, then please contact our Product Support Advisors.

These tables feature only the most popular pack sizes. For further information on the complete ranges available visit [eu.fishersci.com](http://eu.fishersci.com).

**Table 8: Isocratic HPLC grade solvents**

Solvent		Pack size
Acetone	10417440	1L
	10131560	2.5L
	10754361	1L
Acetonitrile	10407440	2.5L
	10010010	2.5L
	10181460	5L
1-Chlorobutane	11448113	1L
	10795321	2.5L
Chloroform, stabilised with amylene	10050090	1L
	10615492	2.5L
	10427060	2.5L
Cyclohexane	10365360	1L
	10766091	2.5L
	10030060	2.5L
1,2-Dichloroethane	10764751	1L
	10764941	2.5L
	10468210	1L
Dichloromethane, stabilised with amylene	10626642	2.5L
	10010120	2.5L
	10030120	5L
Dichloromethane, stabilised with methanol	10580442	1L
	10373082	2.5L
	10110342	1L
Dichloromethane, unstabilised	10343602	2.5L
	10601573	2.5L
	10540721	1L
1,4-Dioxane, stabilised with BHT	10111520	2.5L
	10407830	1L
Diethyl ether, stabilised with ethanol	10579950	2.5L
	10050100	2.5L
	10500151	250mL
Dimethyl sulfoxide	10122140	500mL
	10387791	2.5L
	10346180	1L
Dimethylformamide	10356180	2.5L
	10161660	2.5L
	10542382 <sup>†</sup>	1L
Ethanol absolute, duty free	10428671 <sup>†</sup>	2.5L
	10724181	1L
Ethyl acetate	10456870	2.5L
	10040140	2.5L
Ethyl acetate, dried with water content <100pm	11478273	2.5L

<sup>†</sup> Restrictions may apply in certain countries

## Packaging colour codes

Glass bottle	Plastic coated glass bottle	Aluminium can	Borosilicate glass bottle

Table 8: Isocratic HPLC grade solvents continued

Solvent		Pack size
Heptane, approx. 99% n-Heptane	10664912 †	1L
	10598800 †	2.5L
	10757704 †	2.5L
Hexanes, 95% n-Hexane approx.	10499170 †	1L
	10703611 †	2.5L
	10101910 †	2.5L
	10234150 †	5L
Isohexane, contains <5% n-Hexane	10479170 †	1L
	10214150 †	2.5L
	10306380 †	5L
Iso-propanol	10284250	1L
	10674732	2.5L
	10641203	2.5L
Methanol	10365710 †	1L
	10675112 †	2.5L
	10674922 †	2.5L
	10532503 †	5L
Methyl-tert-butyl ether	10273960	2.5L
Pentane, mixed isomers	10060280 †	1L
	10346000 †	2.5L
Propan-1-ol	10449760	1L
	10111440	2.5L
Tetrahydrofuran, unstabilised	10264350	1L
	10578070	2.5L
Toluene	10152830	1L
	10040500	2.5L
2,2,4-Trimethylpentane	10589580 †	1L
	10254210 †	2.5L
	10264210 †	5L

## Packaging colour codes

Glass bottle	Plastic coated glass bottle	Aluminium can	Borosilicate glass bottle
--------------	-----------------------------	---------------	---------------------------

† Restrictions may apply in certain countries

For up to date GHS information on Fisher Chemical products listed please refer to the safety data sheet available from [www.eu.fishersci.com](http://www.eu.fishersci.com)

Table 9: Solvents and blends for other liquid chromatography applications

## Packaging colour codes

Glass bottle	Plastic coated glass bottle	Aluminium can	Borosilicate glass bottle

Solvent	Optima™ LC-MS	LC-MS	UHPLC-UV	Advanced HPLC Gradient	Gradient HPLC	HPLC Electrochemical	HPLC Fluorescence
Acetonitrile	10055454 - 500mL	10799704 - 1L	11317080 - 1L	10398233 - 1L	10794741 - 1L	11423503 - 1L	10040010 - 1L
	10489553 - 1L	10616653 - 2.5L	11373230 - 2.5L	10629112 - 2.5L	10660131 - 2.5L	10427630 - 2.5L	10325120 - 2.5L
	10001334 - 2.5L				10630131 - 2.5L		
Acetonitrile with 0.1 % trifluoroacetic acid (v/v)	10270455 - 500mL				10500911 - 5L		
	10230125 - 1L				12397113 - 2.5L		
	10585635 - 2.5L						
Acetonitrile with 0.1% formic acid (v/v)	10468704 - 500mL				12327123 - 2.5L		
	10678935 - 1L						
	10118464 - 2.5L						
10713337 - 4L							
Heptane, approx. 99% n-Heptane							10684912 - 1L †
							10355750 - 2.5L †
Hexanes, 95% n-Hexane approx.							10647602 - 1L †
							10409370 - 2.5L †
Isohexane, contains <5% n-Hexane							10181950 - 1L †
							10713801 - 2.5L †
Iso-propanol	10783447 - 500mL				10561802 - 2.5L	10549010 - 2.5L	
	10091304 - 1L						
	10684355 - 2.5 L						
	10001314 - 4L						
Methanol	10636545 - 500mL †	10532213 - 1L †	11357080 - 1L †	10144953 - 1L †	10010280 - 1L †	10714191 - 2.5L †	10172100 - 2.5L †
	10031094 - 1L †	10653963 - 2.5L †	11313240 - 2.5L †	10670263 - 2.5L †	10499560 - 2.5L †		
	10767665 - 2.5L †				10000280 - 2.5L †		
					10487322 - 5L †		
Methanol with 0.1% formic acid (v/v)				12327083 - 2.5L †			
Water	10095164 - 500mL	10434902 - 1L	11307090 - 1L	10327873 - 1L	10367171 - 1L	10637042 - 2.5L	10706501 - 2.5L
	10728098 - 1L	10777404 - 2.5L	11357090 - 2.5L	10221712 - 2.5L	10449380 - 2.5L		
	10505904 - 2.5L				10257243 - 2.5L		
Water with 0.1% formic acid (v/v)	10429474 - 500mL				12317123 - 2.5L		
	10229884 - 1L						
	10188164 - 2.5L						
Water with 0.1% trifluoroacetic acid (v/v)	10362055 - 500mL				12387113 - 2.5L		
	10311725 - 1L						
	10516625 - 2.5L						
Solvents starter kit	11988379 - 1 SET		11332693 - 1SET				

† Restrictions may apply in certain countries

Table 10: Reagents selection guide

## Packaging colour codes

Reagent	Packaging colour codes						
	Glass bottle	Plastic coated glass bottle	Aluminium can	Borosilicate glass bottle	Amber borosilicate ampoule	Plastic jar	HDPE plastic bottle
				Isocratic HPLC	Optima™ LC-MS		HPLC for ECD
Acetic acid				10365020 - 500mL	11377540 - 10 x 1mL ampoules	10233800 - 500mL	
				10060000 - 1L	11337540 - 1mL ampoule		
					10860701 - 50mL		
Ammonia solution, 35%				10508610 - 100mL			
Ammonia solution 0.25M				10144483 - 500mL			
Ammonium acetate				10598410 - 250g	11317490 - 50g	10395210 - 250g	
Ammonium acetate solution 0.25M				10649633 - 500mL			
Ammonium carbonate				10785511 - 250g			
1-Butane sulfonic acid sodium salt				10191510 - 25g			
Di-n-butylamine				10418790 - 250mL			
Di-n-butylamine phosphate solution 1.0 M				10283180 - 100mL			
Citric acid monohydrate							10375360 - 500g
Ethylenediaminetetraacetic acid, disodium salt							10131430 - 2.5L
Formic acid					10780320 - 0.5mL ampoule		
					10797488 - 10 x 1mL ampoules		
					10473038 - 1mL ampoule		
					10063427 - 2mL ampoule		
					10596814 - 50mL		
Formic acid solution 0.25M				10000112 - 500mL			
Orthophosphoric acid, 85%							10644732 - 500mL
Orthophosphoric acid solution 1M				10072583 - 500mL			
Perchloric acid 60%				10254490 - 100mL			
Potassium dihydrogen orthophosphate				10429570 - 250g		10598250 - 250g	
				10588250 - 1kg			
Sodium acetate trihydrate				10122400 - 250g		10539390 - 250g	
				10733704 - 1kg			
Sodium chloride				10274392 - 500g †			
tri-Sodium citrate dihydrate							10030520 - 500g
Sodium dihydrogen orthophosphate dihydrate							10010340 - 500g
Sodium dihydrogen orthophosphate 0.25M solution				10082583 - 500mL			
Sodium formate				10102690 - 250g			
di-Sodium hydrogen orthophosphate dihydrate				10776491 - 500g			
di-Sodium hydrogen orthophosphate, 0.25M solution				10503484 - 500mL			
Sodium hydrogen carbonate				10588820 - 250g			
Sodium hydroxide, 46-48% solution							10050470 - 2.5L
Sodium perchlorate				10336150 - 250g			
Tetrabutyl ammonium bromide				10214500 - 25g			
Tetra-n-butyl ammonium hydroxide solution 0.5M				10366150 - 250mL			
Tetra-n-butyl ammonium hydroxide, 0.1M solution phosphate buffered				10264590 - 250mL			
Tetradecyltrimethylammonium bromide				10743811 - 25g			
Tetraethylammonium bromide				10744001 - 25g			
Tetramethylammonium chloride				10447270 - 25g			
Tetramethyl ammonium hydrogen sulfate				10090410 - 5g			
Triethylamine				10625892 - 250mL			
Trifluoroacetic acid				10112740 - 25mL	10155347 - 0.5mL ampoule		
				10294110 - 100mL	10266617 - 1mL ampoule		
					10378747 - 2mL ampoule		
					10125637 - 10mL ampoule		
					10723857 - 50mL		
Trifluoroacetic acid 1% solution				10104953 - 500mL			
Tri-n-hexylamine				10656272 - 100mL			

† Restrictions may apply in certain countries

## SOLVENTS FOR GC HEADSPACE

High purity solvents for accurate and reliable analysis of organic volatile impurities (OVIs) by gas chromatography headspace (GC-HS)

Fisher Chemical's GC Headspace solvents are performance tested to ensure absence of trace level ICH residual solvents.  
Key Features

- Processed to high purity for accurate and repeatable determination of trace levels of Class 1, Class 2, and Class 3 residual solvents in pharmaceuticals
- Tested by UV absorbance to ensure low organic contamination
- Processed for low water content to facilitate the extraction of organic volatile impurities
- Packaged in an inert atmosphere to maximise shelf life in unopened containers

Solvent	Description	Pack qty
15552233	Water	1L
15572393	DMSO, Dimethyl Sulfoxide	1L
15562393	DMF, Dimethylformamide	1L
15582393	DMAC, Dimethylacetamide	1L
15552413	NMP, N-Methylpyrrolidone	1L

## Technical Resources


Here to give you a helping hand!

Fisher Scientific's Product Support Team is your dedicated information resource. Our Product Support Advisors are all highly qualified professionals who are here to support and guide you to the fastest, most effective and efficient answer to your enquiry.

Areas of technical expertise include:

- Bioreagents and Life Science
- Chemicals and Chromatography
- Consumables
- Equipment
- Safety


This section features FAQ's and useful compatibility charts. If, however, this information does not resolve the issue, or if you have any questions not covered below then please contact our Product Support Advisors.



Check out our Frequently Asked Questions

### Contact our Product Support Advisors

 Tel: +44 (0)1509 555888  
Email: fisheruk.productsupport@thermofisher.com

 Tel: +353 (0)1 885 5854  
Email: fsie.sales@thermofisher.com

 Tel: +358 9 8027 6280  
Email: fisherfi.techsupport@thermofisher.com

 Tel: +49 (0)800 20 88 40  
Email: FisherDE.ProductSupport@thermofisher.com

 Tel: +32 (0)56 260 260  
Email: Benelux.PS@thermofisher.com

 Tel: +34 902 239 303  
Email: productsupport.fisher@thermofisher.com

 Tel: +49 (0)800/3474370  
Email: FisherDE.ProductSupport@thermofisher.com


 Tel: +33 (0)3 88 67 14 14  
Email: fr.technique@thermofisher.com


 Tel: +47 22 95 59 59  
Email: psq.no@thermofisher.com

 Tel: +45 70 27 99 20  
Email: tsdk@thermofisher.com

 Tel: +31 (0)20 487 70 00  
Email: nl.info@thermofisher.com

 Tel: +39 02 950 59 478  
Email: it.fisher@thermofisher.com

 Tel: +351 21 425 33 50  
Email: pt.fisher@thermofisher.com

 Tel: +46 31 352 32 00  
Email: tsse@thermofisher.com

 Tel: +41 (0) 56 618 41 11  
Email: ch.tech@thermofisher.com

## FAQ's - Chromatography vials and closures

Q. What type of glass are your chromatography vials made from?

A. Almost all Fisherbrand vials are made out of 1st hydrolytic class glass. Hydrolytic class glass is very hard and has a low expansion coefficient even at high temperature variations. It shows an excellent chemical resistance to acidic and neutral solutions, and even to alkaline solutions due to its relatively low alkali content.

Q. How clean are your vials and closures?

A. All Fisherbrand vials that carry a CleanPack label on the front side of the polypropylene box have been packed in a certified cleanroom after having passed the annealing oven at approx. 600°C. The CleanPack label on the box is a guarantee of clean, uncontaminated vials for a correct analysis. Additionally, tamper-proof evidence is given by the shrink-wrapping of the bottom part of the polypropylene box, plus its cover enables recloseability at any time during consumption in order to avoid any later contamination of the vials during usage.

Q. Why are glass vials available silanised?

A. Silanised vials are used to reduce the adsorption of polar compounds onto the normally polar surface of the glass container. Some compounds like amino-acids, proteins or phenols tend to react with the OH-groups of the glass, even if – as is common for chromatography – 1st hydrolytic class glass is used. Through the silanisation process the glass surface is deactivated and so possible reactions between the polar compounds and the glass are eliminated.

Q. Which septa should I choose for my temperature range?

A. The right choice of septa depends on the application. Almost all septa are laminated on one side with PTFE, which has a high chemical resistance and forms an inert barrier between sample and carrier material of the septa. The carrier materials have different physical and chemical properties, such as temperature resistance, resealability properties, cleanliness, hardness, thickness, etc. To help you identify the most appropriate septa for your temperature range and application, please refer to the guide on page 13 of this brochure.

Q. Which septa are chemically compatible with my sample or solvents?

A. Please refer to table 4: Chemical compatibility of vial and closure materials on page 16 to 17 of this brochure. This table is for reference purposes only. Many factors affect the chemical resistance of vials and closures and we would kindly remind you that it is your responsibility to do a test under your own conditions to ensure that the product you are using is fully compatible.

Q. Why is seal hardness important?

A. The hardness testing of plastics is most commonly measured by the Shore (Durometer) test. This method measures the resistance of plastics toward indentation and provides an empirical hardness value. Shore hardness is measured using either the Shore 'A' or 'D' scales. It is the preferred method for rubbers/elastomers and is also commonly used for 'softer' plastics such as polyolefins, fluoropolymers and vinyl. The Shore A scale is used for 'softer' rubbers while the 'D' scale is used for 'harder' ones. Most septa hardness values are covered by Shore A, although exceptions are some PTFE and PE hardnesses measured using Shore D. The results obtained from this test are a useful measure of relative resistance to piercing of various grades of polymers. This gives guidance on the type of needle that will penetrate the seal and whether thinner gauge needles may be used.

**Q. What are the different certifications available? Are these really beneficial?**

A. Certifications become more and more important in order to make processes more reproducible and avoid possible sources of errors right from the beginning. Highest quality, consistency and quality control have always been very important and are highlighted in three certifications, 'Specification Certified', 'HPLC and GC Certified Kits' and 'LC/MS and GC/MS Certified Kits'. For further information please refer to page 15 of this brochure.

**Q. What is the difference between the types of closures? Is there an impact on evaporation rate?**

A. At the moment the market offers, in general, three different closures systems for sealing an autosampler vial:

- Crimp cap in 8, 11, 13, 20mm diameter
- Screw cap; 8-425, 9mm short screw, 10-425, 13-425, 15-425, 18mm, 24-400, 24-414
- Snap cap: 8mm, 11mm, 13mm

From the evaporation rate point of view, a crimp cap provides the tightest seal, followed by the screw cap and then the snap caps. However, from the handling point of view, screw and snap caps are more convenient, as no crimper and de-crimper has to be used.

If convenience of handling is desired, together with high sample integrity and reproducibility of a crimped vial, then the screw thread vial with a stop ring is the best alternative. This screw thread vial not only offers the lowest evaporation rate, it also removes cap tilt and guarantees less autosampler interruptions due to mishandled vials.

Magnetic vial transport systems of state of the art autosampler require magnetisable closures. This type is available for crimp and screw thread closures.

**Q. Is there a specific risk in reusing or using re-washed vials and closures?**

A. Re-use or washing of vials is definitely a risk for your sample integrity, as the surface of the vial changes during the cleaning process (grade of adsorption of critical compounds increases) and the complete removal of the former analytes cannot be guaranteed 100%, so cross-contamination and/or ghost peaks can be the consequence. Chromatographers requiring uncompromising sample integrity would be best advised to always use new vials and septa for each analysis.



## FAQ's - Chromatography solvents and reagents

**Q. Why do I need to run my LC-MS analysis with Optima™ LC-MS grade?**

A. Optima™ LC-MS products (solvents, blends, additives and reagents) have been specifically developed to allow the most sensitive of instruments to operate to the peak of their performance. Smooth baselines and background are assured through an LC gradient test with PDA detector. Testing also ensures neither positive nor negative ion impurities are present. As presence of metal anions and analytes complicate the spectra, our manufacturing process has been developed to ensure that impurities are minimal. For more routine analytical applications a 'standard' LC-MS grade product is offered.

**Q. From amongst the many different grades that are available from Fisher Chemical, how can I choose the most suitable grade for my own chromatography application?**

A. Diverse chromatographer requirements have led us to look for ways to improve our purification processes and to develop a series of solvents and buffers that meet the needs of specific instrumentation. Fisher Chemical solvent grades are developed and tested to optimize chromatography performance through choice of grade to suit both instrument and detector type.

Chromatography Application	Instrument and Detector Type	Fisher Chemical Solvent Grade
High HPLC-MS	LC and UHPLC coupled with mass detector	Optima™ LC/MS
HPLC-MS	LC coupled with mass detector	LC/MS grade
UHPLC	UHPLC coupled with UV detector	UHPLC gradient grade
High HPLC gradient	LC gradient coupled with UV detector	HPLC advanced grade
HPLC gradient	LC gradient coupled with UV detector	HPLC gradient grade
HPLC	LC coupled with UV detector	HPLC grade

Additionally, to support other specialty chromatography techniques, we also offer a range of specialty solvents, all specified and tested as appropriate: all specified and tested for HPLC:

- Advanced Gradient Grade featuring a very low baseline drift for method development
- HPLC grade for electrochemical detection
- HPLC grade for fluorescence detection
- GPC (Gel Permeation Chromatography) grade

**Q. Why is Optima LC-MS grade formic acid packed in HDPE bottles?**

A. Fisher Scientific Cat. No. 10596814 is packed in HDPE bottles for purposes of safety. Use of an HDPE bottle avoids the dangers of pressure build-up from carbon monoxide which is a natural decomposition product of formic acid. Customers should not be concerned about possible contamination by plasticisers because a proprietary surface treatment is applied to the HDPE bottle to create a barrier between the bottle surfaces and formic acid thus preventing contamination. It is good laboratory practice to store this product at 4°C to slow down this natural decomposition process.

Optima™ LC-MS grade formic acid is also available packaged in 0.5mL, 1mL and 2mL glass (borosilicate) ampoules, Fisher Scientific Cat. Nos. 10780320, 10473038 and 10063427 respectively. Note – the ampoules are pre-scored for easy opening.

**Q. I notice the label on my formic acid and TFA bottles says store at 4°C. Will leaving the product out on the lab bench for a few days cause a problem?**

A. No, temporary storage under ambient conditions will not impact the reagent. However, for long term storage, we again recommend that the product is held in cool conditions at 4°C in order to maintain product integrity longer.